

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 100-664	DATE OF ISSUANCE FEB 26 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Ridemil PC 11G Granular Fungicide	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ciba-Geigy Corporation
 Agricultural Division
 P.O. Box 18300
 Greensboro, NC 27419

$$\begin{array}{r} 160 \\ 39 \\ \hline 161 \\ 18 \end{array}$$

$$\begin{array}{r} 162331 \\ 391 \\ \hline 165584 \\ 1 \end{array}$$

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 100-664."
 - b. If the product is to be incorporated into soil, the label must specify the depth of incorporation and, if appropriate, the type(s) of equipment to be used.
 - c. Add the following statement under the Human Hazards section:

Protective clothing including gloves, long-sleeved shirt, long pants, socks, and shoes should be worn during mixing/loading procedures.
 - d. Add the appropriate statements contained in PR Notice 83-2 Farmworker Safety.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

Registration 307

Ridomil® PC 11G

Granular
Fungicide

ACCEPTED
with COMMENTS
in EPA Letter Dated:

For the control of damping-off
diseases of cotton and pod rot
diseases of peanuts

FEB 26 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this product is
registered and EPA Reg. No.

50 Pounds
Net Weight

100-664

Active Ingredients:	
PCNB: Pentachloronitrobenzene	10.0%
Metalaxyl: <u>N</u> -(2,6-dimethylphenyl)- <u>N</u> - (methoxyacetyl)alanine methyl ester	1.0%
<u>Inert Ingredients:</u>	<u>89.0%</u>
Total:	100.0%

Ridomil PC 11G is a granular fungicide

Keep Out of Reach of Children

Caution

See additional precautionary
statements on back of bag.

See directions for use on back of bag.

EPA Reg. No. 100-


EPA Est. 100-

Control No.

©1985 CIBA-GEIGY Corporation

CIBA-GEIGY

CGA



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DISEASE CONTROL OR CROP INJURY.

General Information

Ridomil PC 11G is a granular fungicide containing 1% metalaxyl and 10% PCNB (pentachloronitrobenzene). Metalaxyl is a systemic fungicide which provides control of damping-off of cotton and pod rot of peanuts caused by Pythium spp. PCNB is a protectant fungicide which provides control of damping-off of cotton and pod rot of peanuts caused by Rhizoctonia solani, and suppression of pod rot caused by Sclerotium rolfsii.

Note: Metalaxyl is a systemic fungicide having a specific mode of action. Metalaxyl could be subject to development of resistant strains of fungi. Development of resistance cannot be predicted. Therefore, CIBA-GEIGY cannot assume liability for crop damage resulting from resistant strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance or ways to control any possible metalaxyl resistant strains of fungi which may occur.

Cotton

Ridomil PC 11G will control damping-off, seed and seedling rot diseases caused by Pythium spp. and Rhizoctonia solani. For best results, use high quality seed and plant into a properly prepared seedbed.

Apply 10 lbs. of Ridomil PC 11G per 13,000 linear feet of row at the time of planting. Adjust the application equipment so the granules are mixed with the soil surrounding the seed.

Note: Do not allow the feeding or grazing of cotton foliage by livestock, or illegal residues may result.

Rotation Crops

When Ridomil PC 11G is used for disease control in cotton, do not rotate to any root crop within 12 months following application, or illegal residues may result.

Peanuts

Ridomil PC 11G will control pod rot caused by Pythium spp. and Rhizoctonia solani, and suppress Sclerotium rolfsii. For best results, Ridomil PC 11G should be used in a program with cultural practices that aid in the control of pod rot.

Apply 100 lbs. of Ridomil PC 11G per 13,000 linear feet of row at pegging. Adjust the application equipment so the granules are distributed over the row in a band approximately 14 inches wide.

Note: Do not allow the feeding or grazing of peanut foliage by livestock, or illegal residues may result.

Rotation Crops

When Ridomil PC 11G is used for disease control in peanuts, do not rotate to any root crop within 12 months following application. Small grain cover crops may be planted the fall following treatment provided they are plowed down and not used for food or feed. Corn, cotton, tomatoes and tobacco may be planted the year following treatment. Other crops may be planted 18 months following application.

Storage and Disposal

Pesticide

Store in a dry place. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited. Wastes resulting from the use of this product are toxic. Improper disposal of unused pesticide, spray mixture, or rinsate is a violation of federal law. Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to federal, state or local procedures. For guidance in proper disposal methods, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

Container Disposal

Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration, or by open burning, if allowed by state and local authorities. If burned, keep out of smoke.

For minor spills, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire or other emergency, call (919) 292-7100 day or night.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention.

If inhaled: Move to fresh air.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

Ridomil® trademark of CIBA-GEIGY Corporation for metalaxyl

©1985 CIBA-GEIGY Corporation
Agricultural Division
CIBA-GEIGY Corporation
Greensboro, NC 27419

CGA

September 13, 1985

RDMLPC11/F2

