

# D·z·n<sup>®</sup> 5.0 EW

## Insecticide

For control of cockroaches, ants, silverfish, brown dog ticks, fleas, pantry and other household pests listed on side panel of label.

Recommended for commercial/ industrial use only.

Active Ingredient:

Diazinon: O, O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate.....	5.0%
Inert Ingredients:	95.0%
Total:	100.0%


KEEP OUT OF REACH OF CHILDREN.

### CAUTION

See additional precautionary statements at end of label.

EPA Reg. No. 100-687

EPA Est. 100-AL-1



U. S. Standard Measure

#### DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

**IMPORTANT:** Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product

##### Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall

CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

##### General Information

D-z-n 5.0 EW is a microemulsion concentrate containing 2 lbs. of diazinon per gallon.

This product is intended for use by pest control operators after dilution with water for the control of those pests specified on this label.

**Precautions:** (1) Care should be taken to avoid spotting of walls, or wall coverings, and fabrics. (2) When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. (3) Remove or cover fish bowls and remove pets before spraying. (4) Do not allow children or pets in treated areas until surfaces are dry. (5) Do not contaminate food, food containers, or cooking utensils. (6) Avoid excessive application to carpets. (7) Do not apply this product to pets or plants. (8) DO NOT use this product in conduits, motor housings or electrical switch boxes. (9) Do not use as a space spray.

**Note:** When quicker knockdown or flushing action is desirable, pyrethrins may be added to the D-z-n 5.0 EW finished spray mixture. Normally pyrethrins are used as a 0.25% concentration. Consult the EPA-registered label for the pyrethrin product used to determine the correct amount needed. Observe all use and handling precautions on the pyrethrin label.

##### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Dilute D-z-n 5.0 EW with water to make a 1/2% or 1% spray and apply as indicated in the following table.

Gals. of Finished Spray	Amount of D-z-n 5.0 EW to use for	
	1/2% Spray*	1% Spray*
1	13 fl. oz.	26 fl. oz.
2	26 fl. oz.	52 fl. oz.
3	39 fl. oz.	78 fl. oz.
10	130 fl. oz.	260 fl. oz.
25	325 fl. oz.	650 fl. oz.

\*32 oz. = 1 qt.  
\*128 oz. = 1 gal.

##### HOUSEHOLD PESTS

**Cockroaches (Waterbugs), Ants, Silverfish:** Make spot applications of 1% coarse spray to baseboards, areas around water pipes, cracks, and crevices, surfaces behind and beneath cabinets, refrigerator, sinks, stoves, and similar areas where these insects hide.

For heavy cockroach infestations, make the first application at a strength of 1%, followed by monthly applications of 1/2-1% spray.

**Carpet beetles:** Apply a 1/2% spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

**Spiders and Scorpions:** Apply a 1/2% spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

**BEST AVAILABLE COPY**

**Pantry Pests — Exposed Stages** (Sawtoothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, Indian meal moth): Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

**Brown dog ticks, Fleas\***: Make thorough application of a 1/2%-1% spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this product. Avoid excessive wetting of floor coverings, rugs or unfinished materials, because damage may occur. Do not apply directly to upholstery. Do not use as an overall surface spray.

\* Controls adult fleas on areas treated.

**FOOD AND FEED HANDLING ESTABLISHMENTS** (including places other than private residences in which exposed food or feed is held, processed, prepared or served.)

Apply D-z-n 5.0 EW as either a crack and crevice or spot treatment as directed below. Do not apply to areas, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

**Food/Feed Areas (Application limited to Crack and Crevice and Spot Treatments Only)**

**Food/Feed areas** include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). **Serving areas** (when food is exposed and facility is in operation are considered a food area) and includes facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

**Crack and Crevice Treatment** — As a crack and crevice treatment use equipment capable of delivering a pin stream of insecticide and apply 1/2%-1% in small amounts directly into such spaces as expansion joints, in points between different elements of construction, between equipment and floors, wall boards, baseboards or openings leading to voids and hollow spaces in walls, hollow equipment legs and bases where cockroaches (waterbugs), ants, spiders, and silverfish hide.

**Spot Treatment** — As a spot treatment, apply 1/2%-1% as a coarse, low pressure fan spray to selective floor surfaces, areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas, baseboards, under elements of constructions and similar areas where cockroaches, ants, spiders, and silverfish hide.

Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit spot treatments to an area no larger than 20 percent of the floor surface. Any individual spot treatment shall not exceed two square feet.

Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

These treatments also aid in the control of pantry pests (exposed stages of saw-toothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth) which come into contact with treated surfaces. DO NOT use this product in conduits, motor housings, and electrical switch boxes. Repeat applications as necessary.

Applications of this product in the food/feed areas of food or feed handling establishments other than as crack and crevice and spot treatments are not permitted.

#### Nonfood/Nonfeed Areas

Nonfood/nonfeed areas include garbage room, laundry, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

In nonfood/nonfeed areas, apply 1/2%-1% as a spot treatment using a coarse, low pressure fan spray to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pipes, and similar areas where insects hide or through which they may enter.

## OUTDOOR PESTS

### Foundation Band Treatment

To control ants, boxelder bugs, brown dog ticks, chiggers, clover mites, cockroaches, crickets, earwigs, fleas, flies, millipedes, sowbugs, spiders, and collembola (springtails) which are commonly found near the house and may enter the house, make a thorough application of a 1/2% or 1% spray. Apply to a 5 ft. band of soil around the foundation of the house about 10 ft. from wall to wall (Fig. 1, 2, 3). Repeat application as necessary.

**Note:** Do not spray lawns, desirable plants, or shrubbery because plant injury may occur.

## Storage and Disposal

Do not contaminate water when disposing of equipment wash waters. Open dumping is prohibited.

### Pesticide

Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

### Container

(Metal) — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(Plastic) — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or burn if allowed by state and local authorities. Stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire or other emergency, call (919) 292-7100 day or night.

## Precautionary Statements

### Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Remove pets from area, and cover fish bowls before spraying. Keep children and pets off treated areas until the areas are dry.

### Statement of Practical Treatment

**If in eyes:** Flush eyes with plenty of water. Call a physician if irritation persists.

**If inhaled:** Remove victim to fresh air.

**If on skin:** Wash with plenty of soap and water.

### Note to Physician

Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine.

### Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### Physical or Chemical Hazards

Do not use or store near heat or open flame.

D-z-n<sup>5</sup> trademark of CIBA-GEIGY for diazinon.

© 1989 CIBA-GEIGY Corporation.

Agricultural Division

CIBA-GEIGY Corporation

Greensboro, North Carolina 27419

UGA #132A

019

BEST AVAILABLE COPY