

26 FEB 1992

Carolyn Bussey  
Ciba-Geigy Corporation  
Agricultural Division  
P.O. Box 18300  
Greensboro, NC 27419

Subject: Logic<sup>R</sup> Fire Ant Killer  
EPA Reg. No. 100-722  
Your letter of 12/18/91 relative to our letters of  
12/10/91

Dear Ms. Bussey:

In reference to your letter dated above, we offer to you the following comments:

On December 10, 1991, we sent two letters to you which indicated that the product referenced above would be processed in accordance with FIFRA section 6(f)(1) for the purpose of a Use Deletion and published in the Federal Register for a period of 90 days. This letter serves as notification to rescind these letters effective the stamped date of this letter.

With regard to the Award label, we understand that Ciba-Geigy did not submit an amended label for an "additional site" to the Agency for Approval. Therefore, to remove a "non-existing" site from the label would not warrant a Use Deletion.

With regard to the Logic label we have now determined that the California restriction does not constitute a deletion of use. Although we are accepting the label with this California

restriction we do not feel that it is appropriate to claim a use on the label and then claim that it cannot be used for that purpose. We suggest that you consider using a separate label for marketing the product in California.

The labels for Award Fire Ant Bait and for Logic Insect Growth Regulator are acceptable and a stamped copy of each is enclosed for your records.

Your request to make the labeling changes outlined in a third letter of ours, dated December 10, 1991, at the next printing of labels is granted.


Sincerely,



Richard F. Mountfort  
Product Manager 10  
Insecticide/Rodenticide Branch  
Registration Division (H7505C)

# Logic®

ACCEPTED  
WITH RESERVATIONS  
APR 1992



## Insect Growth Regulator Bait Formulation

For control of fire ants in non-bearing citrus

Active Ingredient: Fenoxycarb: (Ethyl [2-(4-phenoxy-  
phenoxy) ethyl] carbamate) . . . . . 1%

Inert Ingredients: . . . . . 99%

Total: . . . . . 100%

One lb. contains 0.16 oz. active ingredient.

EPA Reg. No. 100-722

EPA Est. 602-MO-1

**KEEP OUT OF REACH OF CHILDREN.**

### CAUTION

See additional precautionary statements at end of label.

## 25 Pounds Net Weight

#### DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

**IMPORTANT:** Read the entire Directions for Use and Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened container at once.

#### Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. **CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchant-**

**ability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product.** CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.**

#### General Information

Logic is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. Logic is very easy and convenient to apply (see use directions below). Avoid application during excessively hot periods of the day or when the grass is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

**DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS.**

#### Fire Ant Control on Non-Bearing Citrus

Logic is slow acting but very effective for control of fire ants. Following application, Logic is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the fire ant colony.

#### Methods of Application

Apply Logic as directed below.

**Apply Logic bait when fire ants are actively foraging. This is usually when soil temperatures are above 60°F. For best results, apply Logic in the Spring prior to initial planting and make annual treatments each spring until one year before bearing. Do not apply within one year of the first harvest. Do not apply to non-bearing citrus more than twice per year.**

In cases where reinfestation occurs or when very large mounds remain active, re-treatment may be desirable after 3 to 4 months.

**Single Mound Treatment:** Apply 1 to 3 level tablespoons of Logic per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage.

**Broadcast Application:** Apply uniformly with ground equipment calibrated to give the correct dosage. Apply 1 to 1.5 lbs /A.

**Aerial Application:** Apply uniformly with aerial equipment calibrated to give the correct dosage. Apply 1 to 15 lbs./A. Do not apply when weather conditions favor drift from treated areas.

## Storage and Disposal

**Storage:** Do not contaminate food or feed by storage or disposal. Store away from heat. Keep package dry.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill, or if allowed by State and local authorities, dispose of by incineration or burning. If bag is burned, stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372 day or night.

## Precautionary Statements

### Hazards to Humans and Domestic Animals

#### CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with clothing, skin, or eyes.

#### Statement of Practical Treatment

In case of contact, flush skin or eyes with plenty of water. Get medical attention if irritation persists.

#### Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Logic<sup>®</sup> trademark of CIBA-GEIGY

©1991 CIBA-GEIGY Corporation


Agricultural Division

CIBA-GEIGY Corporation

Greensboro, North Carolina 27419

CGA 118L1

071



**Award**  
BRAND OF LOGIC<sup>®</sup> FIRE ANT BAIT

3 lbs.  
Net Weight

← PULL HERE TO OPEN

~~FIRE ANT BAIT~~  
\* IN CA HOME LAWN USE ONLY

Insect Growth Regulator For Control of Fire Ants and Big-Headed Ants in Turf, Ornamentals, Sod Farms, and Nurseries<sup>®</sup>

Active Ingredient: Fenoxycarb: (Ethyl [2-(4-phenoxyphenoxy) ethyl] carbamate) ..... 1%

Inert Ingredients: 99%

Total: 100%

One lb. contains 0.16 oz. active ingredient.

EPA Reg. No. 100-722  
EPA Est. 602-MO-1

KEEP OUT OF REACH OF CHILDREN.  
**CAUTION**  
See additional precautionary statements and directions for use inside booklet.

**DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY**

**IMPORTANT:** Read the entire Directions for Use and Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened container at once.

**Conditions of Sale and Warranty**

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. **CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product.** CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL OR CROP INJURY.**

**General Information**

Award is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. Award is very easy and convenient to apply (see use directions below.)

Award may be used on turf and other non-agricultural land including, but not limited to airports, roadsides, school grounds, golf courses, parks, picnic grounds, sports fields, other recreational areas, ornamental gardens, cemeteries, and other landscaped areas. Award may also be used in and around container and field-grown ornamental and non-bearing nursery stock and on sod farms (commercial turf).

ACCEPTED  
with COMMENTS  
In EPA Letter # 100-722  
26 FEB 1992

Under  
F  
reg  
100-722

DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS.

**Fire Ant Control**

Award is slow acting but very effective for control of fire ants. Following application, Award is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the ant colony. In nurseries, apply Award as directed in and around container and field-grown ornamental and non-bearing nursery stock.

Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

**Methods of Application**

Apply Award bait when fire ants are actively foraging. This is usually when soil temperatures are above 60° F.

In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3 to 4 months.

**Single Mound Treatment:** Apply 1 to 3 level tablespoons of Award per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage.

**Broadcast Application:** Apply uniformly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A.

**Aerial Application:** Apply uniformly with aerial equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A. Do not apply when weather conditions favor drift from treated areas.

**Big-Headed Ant (*Pheidole Megacephala*) Control**

Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

**Application:** Apply Award uniformly with ground or hand-held equipment calibrated to deliver the correct dosage. Apply at 1 to 1.5 lb./A. Treat surrounding areas, adjacent borders, and fence lines to help prevent ant migration into the treated area.

Re-treat after 4 to 6 months, if needed.

**Storage and Disposal**

Do not contaminate food or feed by storage or disposal.

**Storage:** Store away from heat.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or if allowed by state and local authorities, dispose of by incineration or burning. If container is burned, stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372 day or night.

**Precautionary Statements**

**Hazards to Humans and Domestic Animals**

**CAUTION**

May be harmful if swallowed. Avoid breathing dust. Avoid contact with clothing, skin, or eyes.

**Statement of Practical Treatment**

In case of contact, flush skin or eyes with plenty of water. Get medical attention if irritation persists.


**Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Award™ and Logic® are trademarks of CIBA-GEIGY Corporation

©1991 CIBA-GEIGY Corporation

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419  
CGA 119L2 041



USE ONLY ON  
LAWNS AND ORNAMENTAL GARDENS. DO NOT  
USE AWARD IN CALIFORNIA ON OTHER  
SITES.  
IN LANDSCAPED AREAS  
AROUND THE HOME

Award™

CIBA-GEIGY  
**Award**<sup>™</sup>  
BRAND OF LOGIC® FIRE ANT BAIT

3 lbs.  
Net Weight

*white*  
~~PURE BAIT~~

Insect Growth Regulator For Control of  
Fire Ants and Big-Headed Ants in Turf,  
Ornamentals, Sod Farms, and Nurseries

Active Ingredient: Fenoxycarb: (Ethyl [2-  
(4-phenoxyphenoxy) ethyl]  
carbamate) . . . . . 1%

Inert Ingredients: . . . . . 99%

Total: . . . . . 100%

One lb. contains 0.16 oz. active ingredient.

EPA Reg. No. 100-722 / EPA Est. 602-MO-1

\* IN CA HOME LAWN USE ONLY

KEEP OUT OF REACH OF CHILDREN.

**CAUTION**

Precautionary Statements

Hazards to Humans and Domestic Animals  
May be harmful if swallowed. Avoid breathing dust.  
Avoid contact with clothing, skin, or eyes

Statement of Practical Treatment

In case of contact, flush skin or eyes with plenty of  
water. Get medical attention if irritation persists.

Environmental Hazards

This product is toxic to fish and aquatic inverte-  
brates. Drift and runoff from treated areas may be  
hazardous to aquatic invertebrates in adjacent  
aquatic sites. Do not apply directly to water. Do not  
contaminate water by cleaning of equipment or  
disposal of wastes

Award™ and Logic® trademarks of CIBA-GEIGY

© 1991 CIBA-GEIGY Corporation

Agricultural Division, CIBA-GEIGY Corporation

Greensboro, North Carolina 27419

CGA 119L2

041

This booklet manufactured using  
post consumer recycled paper



CIBA-GEIGY

AWARD™  
BRAND OF LOGIC® FIRE ANT BAIT

3 lbs.

FIRE ANT BAIT

Insect Growth Regulator For Control of Fire Ants and Big-Headed  
Ants in Turf, Ornamentals, Sod Farms, and Nurseries\*

Active Ingredient: fenoxycarb: (Ethyl [2- (4-phenoxyphenoxy ethyl) carbamate .....	1%
Inert Ingredients:	99%
Total:	100%

One lb. contains 0.16 oz. active ingredient

EPA Reg. No. 100-722  
EPA Est. 602-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements and directions for use  
inside booklet.

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

26 FEB 1992

Under the Federal Insecticide,  
Fungicide, and Plant Growth Regulator Act  
as amended, for use in the U.S.A.  
registered under EPA Reg. No.

100-722



DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened container at once.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL OR CROP INJURY.

General Information

Award is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. Award is very easy and convenient to apply (see use directions below.)

Sites\*

Award may be used on turf and other non-agricultural land including, but not limited to airports, roadsides, school grounds, golf courses, parks, picnic grounds, sports fields, other recreational areas, ornamental gardens, cemeteries, and other landscaped areas. Award may also be used in and around container and field-grown ornamental and non-bearing nursery stock and on sod farms (commercial turf).

\*IN CALIFORNIA, THE USE OF AWARD IS CURRENTLY LIMITED TO USE ONLY ON HOME LAWNS AND IN THE LANDSCAPED AREAS AROUND THE HOME. DO NOT USE AWARD IN CALIFORNIA ON OTHER SITES.

DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS.

FIRE ANT CONTROL

Award is slow acting but very effective for control of fire ants. Following application, Award is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the ant colony. In nurseries, apply Award as directed in and around container and field-grown ornamental and non-bearing nursery stock.

Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

Methods of Application:

Apply Award bait when fire ants are actively foraging. This is usually when soil temperatures are above 60°F.

In cases where reinfestation occurs or when very large mounds

**BEST AVAILABLE COPY**

remain active, retreatment may be desirable after 3 to 4 months.

Single Mound Treatment: Apply 1 to 3 level tablespoons of AWARD per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage.

Broadcast Application: Apply uniformly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A.

Aerial Application: Apply uniformly with aerial equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A. Do not apply when weather conditions favor drift from treated areas.

---

BIG-HEADED ANT (PHEIDOLE MEGACEPHALA) CONTROL

---

Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

Application: Apply Award uniformly with ground or hand-held equipment calibrated to deliver the correct dosage. Apply at 1 to 1.5 lb./A. Treat surrounding areas, adjacent borders, and fence lines to help prevent ant migration into the treated area.

Retreat after 4 to 6 months, if needed.

Storage and Disposal


Do not contaminate food or feed by storage or disposal.

Storage: Store away from heat.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or if allowed by state and local authorities, dispose of by incineration or burning. If container is burned, stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during clean up and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372 day or night.



Precautionary Statements  
Hazards to Humans and Domestic Animals

CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with clothing, skin, or eyes.

Statement of Practical Treatment

In case of contact, flush skin or eyes with plenty of water. Get medical attention if irritation persists.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal or wastes.

Award™ and Logic® are trademarks of CIBA-GEIGY Corporation

©1991 CIBA-GEIGY Corporation

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

CGA 119L2  
CIBA-GEIGY

Nov. 12, 1991

**BEST AVAILABLE COPY**

Award  
BRAND OF LOGIC<sup>®</sup> FIRE ANT BAIT

3 lbs.  
Net Weight

FIRE ANT BAIT

Insect Growth Regulatory For Control of Fire Ants and Big-headed  
Ants in Turf, Ornamentals, Sod Farms, and Nurseries\*

Active Ingredient: Fenoxycarb: (Ethyl [2-(4- phenoxyphenoxy) ethyl] carbamate .....	1%
Inert Ingredients:	99%
Total:	100%

One lb. contains 0.16 oz. active ingredient.

EPA Reg. No. 100-722  
EPA Est. 602-MO-1

\*IN CA HOME LAWN USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

Precautionary Statements  
Hazards to Humans and Domestic Animals

May be harmful if swallowed. Avoid breathing dust. Avoid contact  
with clothing, skin, or eyes.

Statement of Practical Treatment  
In case of contact, flush skin or eyes with plenty of water. Get  
medical attention if irritation persists.

Environmental Hazards  
This product is toxic to fish and aquatic invertebrates. Drift and  
runoff from treated areas may be hazardous to aquatic invertebrates  
in adjacent aquatic sites. Do not apply directly to water. Do not  
contaminate water by cleaning of equipment or disposal of wastes.

-----  
Award<sup>®</sup> and Logic<sup>®</sup> trademarks of CIBA-GEIGY

©1991 CIBA-GEIGY Corporation

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

**BEST AVAILABLE COPY**

CGA 119L2

Nov. 12, 1991

This booklet manufactured using post-consumer recycled paper.

**BEST AVAILABLE COPY**

AWARD™  
BRAND OF LOGIC® FIRE ANT BAIT

FIRE ANT BAIT

Insect Growth Regulator For Control of Fire Ants and Big-Headed  
Ants in Turf, Ornamentals, Sod Farms, and Nurseries\*

Active Ingredient: fenoxycarb: (Ethyl [2- (4-phenoxyphenoxy ethyl) carbamate .....	1%
Inert Ingredients:	99%
Total:	100%

One lb. contains 0.16 oz. active ingredient.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements at end of label.

EPA Reg. No. 100-722  
EPA Est. 602-MO-1

25 Pounds  
Net Weight

\*IN CA HOME LAWN USE ONLY

CIBA-GEIGY

ACCEPTED  
with COMMENTS  
in EPA Register Dated  
26 FEB 1992  
EPA Reg. No. 100-722

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened container at once.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.



---

DIRECTIONS FOR USE

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL OR CROP INJURY.

General Information

Award is an insect growth regulator with a mode of action specific to insects, and therefore has less influence on non-target organisms. Award is very easy and convenient to apply (see use directions below.)

SITES\*

Award may be used on turf\* and other non-agricultural land including, but not limited to airports, roadsides, school grounds, golf courses, parks, picnic grounds, sports fields, other recreational areas, ornamental gardens, cemeteries, and other landscaped areas. Award may also be used in and around container and field-grown ornamental and non-bearing nursery stock and on sod farms (commercial turf).

\*IN CALIFORNIA, THE USE OF AWARD IS CURRENTLY LIMITED TO USE ONLY ON HOME LAWNS AND IN LANDSCAPED AREAS AROUND THE HOME. DO NOT USE AWARD IN CALIFORNIA ON OTHER SITES.

DO NOT APPLY TO PASTURE, RANGELAND OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS.

---

FIRE ANT CONTROL

---

Award is slow acting but very effective for control of fire ants. Following application, Award is collected by worker ants and distributed throughout the colony. Within 3 to 5 weeks, there is considerable ant mortality and a continual decline of the ant colony. In nurseries, apply Award as directed in and around container and field-grown ornamental and non-bearing nursery stock.

Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

Methods of Application:

Apply Award bait when fire ants are actively foraging. This is usually when soil temperatures are above 60°F.

In cases where reinfestation occurs or when very large mounds

**BEST AVAILABLE COPY**

remain active, retreatment may be desirable after 3 to 4 months.

Single Mound Treatment: Apply 1 to 3 level tablespoons of AWARD per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage.

Broadcast Application: Apply uniformly with ground equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A.

Aerial Application: Apply uniformly with aerial equipment calibrated to give the correct dosage. Apply at 1 to 1.5 lb./A. Do not apply when weather conditions favor drift from treated areas.

#### Big-Headed Ant (Pheidole Megacephala) Control

Avoid application during excessively hot periods of the day or when grass or other vegetation is wet. Heavy rainfall within 2 or 3 hours of application may reduce effectiveness.

Application: Apply Award uniformly with ground or hand-held equipment calibrated to deliver the correct dosage. Apply at 1 to 1.5 lb./A. Treat surrounding areas, adjacent borders, and fence lines to help prevent ant migration into the treated area.

Retreat after 4 to 6 months, if needed.

#### Storage and Disposal

Storage: Do not contaminate food or feed by storage or disposal. Store away from heat. Keep package dry.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill, or if allowed by State and local authorities, dispose of by incineration or burning. If bag is burned, stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during clean up and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372.

**BEST AVAILABLE COPY**

Precautionary Statements  
Hazards to Humans and Domestic Animals

CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with clothing, skin, or eyes.

Statement of Practical Treatment

In case of contact, flush skin or eyes with plenty of water. Get medical attention if irritation persists.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Award™ and Logic® are trademarks of CIBA-GEIGY Corporation

©1991 CIBA-GEIGY Corporation

Agricultural Division  
CIBA-GEIGY Corporation  
Greensboro, North Carolina 27419

CGA 119L1

Nov. 12, 1991

**BEST AVAILABLE COPY**