

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WAR-RANTY

IMPORTANT: Read the entire Directions for Use and Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unimended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Ciba-Geigy or the Seller. All such risks shall be assumed by the Buyer.

Ciba-Geigy warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. Ciba-Geigy makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Ciba-Geigy, or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. Ciba-Geigy and the Seller offer this product, anothe Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Ciba-Geigy.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAU-TIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

General Information

Logic is an insect growth regulator with a mode of action specific to insects, and therefore has minimal influence on non-target organisms. Logic is very easy and convenient to apply (see use directions).

Precautions: (1) Avoid application during excessively hot periods of the day or when the grass is wet. (2) Heavy rainfall within 2 or 3 hours of application may reduce effectiveness. (3) DO NOT APPLY TO PASTURE, RANGELAND, OR OTHER AREAS WHICH MAY BE GRAZED BY CATTLE, SHEEP, OR OTHER DOMESTIC ANIMALS EXCEPT HORSE FARMS. SPECIFIC DIRECTIONS FOR USE ON HORSE FARMS FOLLOW.

Application Sites

Logic may be applied to the following nonbearing crops: apples. avocados, blueberries, carambola, citrus, guava, lychee, mangoes, mamey sapote, nectarines, peaches, pecans, plums, and West Indian perry. Nonbearing crops will not bear fruit for at least 1 year following **Aplication of Logic.**

agic may also be applied to horse farms, and to noncropped and nonbazed areas on the farm. Noncropped and nongrazed areas include areas around barns, outbuildings, fence rows, set aside acres, and other areas not grazed by livestock or used as crop land. Logic may be used on pasture, rangeland, or other grazed areas on horse farms only if horses are not used for human consumption.

Precautions: (1) Application to nonbearing crops is permitted up to 1 year before the first harvest. (2) Do not apply to the specified nonbearing crop more than twice per year.

Fire Ant Control

Logic is slow acting, but very effective for control of fire ants. Following application. Logic is collected by worker ants and distributed throughout the colony. Within 4 to 8 weeks, there is noticeable ant mortality and a continual decline of the fire ant colony. Applications made in the Fall may take up to 12 weeks before decline of the colony occurs due to cooler weather.

Methods of Application

Apply Logic bait when fire ants are actively foraging. This is usually when Boil temperatures are above 60°F. In citrus, for best results, apply Logic in the Spring prior to initial planting and make annual treatments each

In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3 to 4 months.

Single Mound Treatment: Apply 1 to 3 level tablespoons of Logic per mound, uniformly distributing material 3 to 4 feet around the mound. Do not contaminate kitchen utensils by use or storage.

Broadcast Application: Apply uniformly with ground equipment calibrated to give the correct dosage. Apply 1 to 1.5 lbs./A.

Aerial Application: Apply uniformly with aerial equipment calibrated to give the correct dosage. Apply 1 to 1.5 lbs./A. Do not apply when weather conditions favor drift from treated areas.

Big-Headed Ant (Pheidole Megacephala) Control

Broadcast Application: Apply Logic uniformly with ground or hand-held equipment calibrated to deliver the correct dosage. Apply 1 to 1.5 lbs./A. Treat surrounding areas, adjacent borders, and fence lines to help prevent ant migration into the treated area.

Retreat after 4 to 6 months, if needed.

Storage and Disposal

Storage: Do not contaminate water, food, or feed by storage or disposal. Store away from heat.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by state and local authorities, dispose of by burning. Stay out of smoke from burning container.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spitt, fire, or other emergency, call 1-800-888-8372, day or

Precautionary Statements

Hazards to Humans and Domestic Animals

Harmful if absorbed through skin or inhaled. Avoid breathing dust or contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove conteminated clothing and wash before

Statement of Practical Treatment

If in eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

If on skin: Immediately flush skin with plenty of water. Get medical attention if irritation persists.


If Inhaled: Remove victim to fresh air, or, if not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated areas may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash

Logic® trademark of Ciba-Geigy Corporation U. S. Patent No. 4,215,139

©1993 Ciba-Geigy Corporation

Ciba Plant Protection Ciba-Geigy Corporation Greensboro, North Carolina 27419 **CGA 118L3**







ACCEPTED 23 NOV 1993

Under the Federal Insecticide, Fungicide, and Hodenticide Act. C. Manaded, for the pesticide gistored under Era E.g. No. 100-22

Insect Growth Regulator **Bait Formulation**

For control of fire ants in certain nonbearing crops, on herse farms, and on noncrepped and nongrazed areas on the farm

Active Ingredient: Fenexycarb: (Ethyl (2-(4phenoxyphenoxy) ethyl j carbamate) 1%

inert ingredients:

Total:

99% 100%

One Ib. contains 0.16 oz. active ingredient.

See directions for use in attached booklet.

EPA Reg. No. 100-722

EPA Est. 5905-GA-01

Logic® trademark of Ciba-Geigy Corporation U. S. Patent No. 4,215,139

© 1993 Ciba-Galgy Corporation

Ciba Plant Protection, Ciba-Geley Corporation Greenshorn, North Carolina 27419 CGA 118L3

Three Pounds Net Weight

KEEP OUT OF REACH OF CHILDREN. CAUTION Precautionary Statements

Hazards to Humans and Domestic Animals

Harmful if absorbed through skin or inhaled. Avoid breathing dust or contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

If In eyes: immediately flush eyes with plenty of water. Get medical attention if imitation persists.

If an akin: Immediately flush skin with plenty of water. Get medical attention if irritation persists.

If inhaled: Remove victim to fresh air or, if not breathing give arbificial respiration, preferably mouth-to-mouth. Get medical attension.

This product is some to fish and aquatic invertebrates. Onfit and runoff from treated areas may be hazardous to aquabo invertebrates in adjacent aquatic sites. Do not apply directly to water, to areas where surface water is present, or to interedal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash

BEST AVAILABLE COPY