



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

PA 18 100-733

PS 18 13

SEP 11 1992

Mr. Thomas J. Parshley
Regulatory Manager
CIBA-GEIGY Corporation
Agricultural Division
P.O. Box 18300
Greensboro, NC 27419-8300

Dear Mr. Parshley:

Subject: Agree and Technical CGA-237218 Issuance Dates
and Stamped Label Dates Correction Letter
EPA Registration Nos. 100-733 and 100-734

The stamped label dates and dates of issuance on the notices of registration for these products were stamped "AUG 08 1992" in error. They should have been stamped "SEP 08 1992." This date appears after the signature of approving official blocks on the notices of registration. September 8, 1992 was the date that the subject products were registered under section 3(c)(5) of FIFRA.

Sincerely,

A handwritten signature in black ink, appearing to read "Phil Hutton".

Phil Hutton
Product Manager 18
Insecticide-Rodenticide Branch
Registration Division (H7505C)

2713

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 100-733	DATE OF ISSUANCE AUG 08 1992
	TERMINATION OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		
NAME OF PESTICIDE PRODUCT Agree Biological Insecticide		

NAME AND ADDRESS OF REGISTRANT (include ZIP code)

CIBA-GEIGY Corporation
 Agricultural Division
 P.O. Box 18300
 Greensboro, NC 27419-8300

131 / 425,513
17

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If EPA determines, at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

A stamped copy of the label is enclosed for your records.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *[Signature]* DATE: *8/15/92*

8/26/92

3 of 13

MASTER LABEL

Agree™ Biological Insecticide

Accu-Pak™

Five Pounds
Net Weight

Naturally CIBA-GEIGY

For control of lepidopterus insect pests of certain terrestrial fruits, vegetables, ornamentals and flowers as well as tobacco, corn and cotton.

Active Ingredient:

Bacillus thuringiensis var. aizawai Strain GC-91

protein toxin* 3.8%

Inert Ingredients: 96.2%

Total: 100.0%

*Potency: 25,000 International Units (IU) per milligram (11 billion IU per pound) product. Potency units should not be used to adjust use rates beyond those specified in the use directions.

KEEP OUT OF REACH OF CHILDREN

CAUTION/PRECAUCIÓN

PRECAUCIÓN AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

See additional precautionary statements and directions for use inside booklet.

This outer protective carton contains Agree in five small, inner water-soluble pouches. Entire inner pouches and contents dissolve in water. After opening outer carton, immediately dump the required number of unopened inner pouches into the partially filled sprayer or mix tank. Do not excessively handle the soluble pouches or expose them to moisture, because this may cause rupturing.

© 1992 CIBA-GEIGY Corporation

EPA Reg. No. 100-733

EPA Est. 10163-AZ-1^G

EPA Est. 602-MO-1^R

(Superscript is first letter of lot number on carton)

CGA 125L1 052

ACCEPTED
AUG 08 1992
<small>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 100-733</small>

BEST AVAILABLE COPY

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

BEST AVAILABLE COPY

5313

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

Reentry Statement

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written and oral warnings must include the following information: "CAUTION. Area treated with Agree on (date of application). Do not enter without appropriate protective clothing until sprays have dried. In case of accidental exposure, flush eyes or skin with plenty of water. Call a physician if irritation persists. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person."

Note: Insects are known to develop resistance to products used repeatedly for control. Because resistance development cannot be predicted, the use of this product should conform to resistance management strategies established for the crop and use area. Such strategies may include rotating products with different modes of action. Consult your local pest control advisor or extension office for details. If resistance to this product develops in your area, this product or other products with a similar mode of action may not provide adequate control. If you experience difficulty with control and resistance is a likely cause, consult your local CIBA-GEIGY representative or pest control advisor for the best alternative method of control. CIBA-GEIGY encourages good product stewardship to ensure effective long-term control of the respective insect pests.

BEST AVAILABLE COPY

6/12

Agree is a biological insecticide specific for use against the lepidopterous larvae listed on this label. Agree must be eaten by larvae to be effective. Since Agree is most effective against small, newly-hatched larvae, an early scouting program to determine early infestations is recommended. After consuming a lethal dose of Agree, larvae stop eating usually within an hour but may remain on the foliage until they die, usually within several days. Affected larvae move more slowly and tend to become shriveled and discolored before dying. For best performance, always follow these directions:

- Treat when small, newly-hatched larvae are present and the first feeding damage is observed.
- Since Agree must be ingested to obtain control, treat when larvae are actively feeding and before extensive damage occurs.
- Thorough spray coverage is essential for good control of the pest. Nozzles on ground equipment should be arranged in a manner to provide the best coverage. Increased water volume and spray pressure will enhance coverage.
- If insect infestation becomes heavy, use the higher (2.0 lb./A) label rate. Increased water volume and shortened spray intervals may be necessary to achieve acceptable control.
- To maintain control, repeat applications may be necessary at 3 to 7-day intervals, depending on the rate of growth of the crop, weather conditions and severity of insect infestation.
- Agree may be applied up to the day of harvest.
- To improve coverage and residual effectiveness of Agree, addition of a spreader/sticker to the spray tank is recommended for all crops and especially for hard-to-wet crops such as cole crops.

Application Instructions

For conventional ground equipment, mix the specified rate of Agree and apply as a spray in a minimum of 20 gals. of water/A to assure thorough coverage of the crop. For aerial application, apply in 2-10 gals. of water/A. Use a higher water volume in the far west to assure thorough coverage of the crop, and to give better performance.

Chemigation: Do not apply this product through any type of irrigation system.

BEST AVAILABLE COPY

7-6 B

Mixing Instructions

Prepare no more spray mixture than is needed for the immediate operation. Thoroughly clean the spray equipment before using Agree. Vigorous agitation is necessary to maintain uniformity of the spray mixture. Maintain maximum agitation throughout the spraying operation. Do not let the spray mixture stand overnight in the spray tank. Flush the spray equipment thoroughly following each use and apply the rinsate to a previously treated area.

Agree Alone: Add 2/3 of the required amount of water to the spray or mixing tank. With the agitator running add the required number of unopened soluble pouches of Agree to the spray tank. Continue agitation while adding the remainder of water and during application to maintain a uniform suspension.

Table 1: Number of Agree water soluble pouches required to treat various acreages at different rates.

Number of Water Soluble Pouches to Use

Acres to Treat	RATES		
	1.0 lb.	1.5 lb.	2.0 lb.
5	5	-	10
10	10	15	20
15	15	-	30
20	20	30	40
30	30	45	60
40	40	60	80
50	50	75	100
100	100	150	200

Agree + Tank Mixtures: Agree is compatible with most commonly used insecticides, fungicides, liquid fertilizers and spray adjuvants if a non-ionic spreader/sticker is included and in accordance with the most restrictive of label limitations and precautions. Add 2/3 of the required amount of water to the spray or mixing tank. With the agitator running add the required number of unopened soluble pouches of Agree to the spray tank. Allow the soluble pouch time to dissolve before adding the other materials, especially nitrogen or boron which may inhibit the pouch from dissolving. Then add the desired amount of the other products recommended for tank mixture. Continue agitation while adding the remainder of water and during application to maintain uniform suspension.

APPLICATION RATES

CROP	PESTS	LBS. PER
Cole crops Terrestrial Chinese vegetables Terrestrial green leafy vegetables Celery	Loopers Imported Cabbageworm Cross-striped Cabbageworm Diamondback Moth Armyworms Beet Armyworm	1.0
Beans Peas	Loopers Armyworms	1.0
Tomatoes Peppers	Loopers Tomato Fruitworm Hornworms Armyworms	1.0
Tobacco*	Loopers Tobacco Budworm Hornworms	1.0
Cotton**	Tobacco Budworm Cotton Bollworm Armyworms Loopers	1.0

¹Under heavy infestation pressure, use 1.5 to 2.0 lb. per acre.

*Use to suppress light to moderate populations of small, newly hatched larvae.

**Apply on a 3-7 day schedule to suppress light to moderate populations of newly hatched larvae. Best results can be expected using Integrated Pest Management/Scouting Programs in early season cotton up to pinhead square. control can be achieved by tank-mixing Agree with other EPA-registered insecticides.

CROP	PESTS	LBS. AGREE PER ACRE ¹
Terrestrial Ornamentals and Flowers	Loopers Budworms Diamondback Moth Armyworms	1.0 to 2.0
Peaches***	Peach Twig Borer	1.0 to 2.0
Almonds***	Peach Twig Borer	1.0 to 2.0
Greenhouse vegetables: Tomatoes Cole Crops Peppers	Armyworms Loopers Diamondback Moth Fruitworms Hornworms Budworms	1.0 to 2.0
Grape	Grapeleaf Skeletonizer	1.0 to 2.0
Corn	European Corn Borer	1.0 to 2.0
Terrestrial small fruits and berries	Armyworms	1.0 to 2.0

¹Under heavy infestation pressure, use 1.5 to 2.0 lb. per acre.

***Make two applications at early bloom and again at petal fall.

Good coverage is essential.

BEST AVAILABLE COPY

9813

10 of 13

CROP	PESTS	LBS. AGREE PER ACRE ¹
Cucurbits	Loopers Armyworms Diamondback Moth	1.0 to 2.0
Potatoes	Loopers Armyworms Diamondback Moth	1.0 to 2.0

¹Under heavy infestation pressure, use 1.5 to 2.0 lb. per acre.

Container Disposal

Do not reuse outer container. Dispose of outer container in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. In the event of a major spill, fire, or other emergency, call 1-800-888-8372 day or night.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Applicators, mixers, and loaders must wear a particle mask and goggles.

Statement of Practical Treatment

If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: Wash with plenty of soap and water. Get medical attention.

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

This product is highly toxic to honeybees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

Agree™ and Accu-Pak™ trademarks of CIBA-GEIGY Corporation

©1992 CIBA-GEIGY Corporation

Agricultural Division
CIBA-GEIGY Corporation
Greensboro, North Carolina 27419

[GANNONC.LABELA]AGREE-ML-DRAFT - 8/26/92