



SUPPLEMENTAL LABELING

TILT® GEL FUNGICIDE
EPA REG. NO. 100-737

FOR USE ON PEANUTS

Active Ingredient: Propiconazole:

1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole 41.8%

Inert Ingredients: 58.2%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN.

WARNING

All applicable directions, restrictions, and precautions on the EPA-registered Tilt Gel label are to be followed.

This label must be in the possession of the user at the time of pesticide application.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DISEASE CONTROL, CROP INJURY AND/OR ILLEGAL RESIDUES.

Peanuts - Tilt Gel Alone

Late Leaf Spot (Cercosporidium) - Apply 1 packet of Tilt Gel per 5 acres in a minimum of 20 gals. of water/A per application by ground equipment, or a minimum of 5 gals. of water/A per application by air. Begin applications 35-40 days after planting or at the first appearance of disease and continue applications on a 10-14 day schedule. Tilt Gel also may be used in State Agricultural Extension advisory (disease forecasting) programs which recommend application timing based on environmental factors favorable for disease development.

Important: To avoid possible illegal residues: (1) Do not apply more than 4 packets of Tilt Gel per 5 acres per season (equivalent to 1 packet/1.25 A or 16 fl. oz./A). (2) Do not feed green vines to livestock or graze livestock in treated area. (3) Do not apply within 14 days of harvest.

Early Leaf Spot (Cercospora) - Apply 1 packet of Tilt Gel per 5 - 8 acres in a minimum of 20 gals. of water/A per application by ground equipment, or a minimum of 5 gals. of water/A per application by air. Begin applications 35-40 days after planting or at the first appearance of disease; continue applications on a 14 day schedule. Under higher disease pressure use higher rates. Tilt also may be used in State Agricultural Extension advisory (disease forecasting) programs which recommend application timing based on environmental factors favorable for disease development.

Important: To avoid possible illegal residues: (1) Do not apply more than 4 packets of Tilt Gel per 5 acres per season (equivalent to 1 packet/1.25 A or 16 fl. oz./A). (2) Do not feed green vines to livestock or graze livestock in treated area. (3) Do not apply within 14 days of harvest.

Peanuts - Tilt Gel plus Chlorothalonil

Combinations of Tilt Gel with products containing chlorothalonil may be used for early and late leaf spot control. Over an area of 10 acres, apply 1 packet Tilt Gel as a tank mixture with 7.5 lb. a.i. chlorothalonil (see Table 1). Use a minimum of 20 gals. of water/A (200 gals/10 A) per application by ground equipment, or a minimum of 5 gals. of water/A (50 gals/10 A) per application by air. Begin applications 35-40 days after planting or at the first appearance of disease and continue applications on a 10-14 day schedule. Tilt plus chlorothalonil also may be used in State Agricultural Extension advisory (disease forecasting) programs which recommend application timing based on environmental factors favorable for disease development.

Important: To avoid possible illegal residues: (1) Do not apply more than 8 packets of Tilt Gel per 10 acres per season (equivalent to 1 packet/1.25 A or 16 fl. oz./A). (2) Do not apply within 14 days of harvest. (3) Do not graze livestock in treated area. (4) Do not feed hay or threshings from treated fields to livestock. (5) Use the following table as a guide to determine the amount of product needed for the recommended tank mix ratios of Tilt with various chlorothalonil formulations.

		<i>Amount of chlorothalonil product required for treated area by formulation type (total acres to be treated)</i>	
Number of acres to be treated	Amount of Tilt Gel required for treated area (total acres to be treated)	6 lb. a.i. per Gallon	4.17 lb. a.i. per Gallon
5	1 packet	5 pt.	7.5 pt.
10	2 packets	10 pt.	15 pt.
50	10 packets	50 pt.	75 pt.
100	20 packets	100 pt.	150 pt.

Tilt® Gel trademark of Ciba-Geigy Corporation for propiconazole
U.S. Patent No. 4,079,062

© Copyright 1994 Ciba-Geigy Corporation

Ciba Plant Protection
Greensboro, NC

CGA