

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Pat Dinnen
Regulatory Specialist
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419

SEP 2 9 2009

SUBJECT:

Applications for Pesticide Notification – Label Changes per PR Notice 2007-4

Dividend® Fungicide Maxim® 4FS Fungicide Maxim® XL Fungicide EPA Reg. No. 100-740 EPA Reg. No. 100-758 EPA Reg. No. 100-916

Paclobutrazol 2SC

EPA Reg. No. 100-1014

Applications Dated April 24, 2009

Dear Ms. Dinnen:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 2007-4 and finds that the actions requested fall within the scope of PRN 2007-4. The labels submitted with the applications are considered "acceptable", date stamped "Notification", and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on revers								
	L d States			Regiç tion		ո [_	OPP Identifier Number	
\$EPA	Environmental l Washingto	Protection on, DC 2046	• •	х	Ame Othe	กันเกียก er	t _	Notification
				<u>.</u>	<u> </u>		<u> </u>	
. Company/Product Number	A	pplication	for Pesticide - S				3. Pro	posed Classification
100-740			Tony Kish	adot iviai	lagei		J. 110	posed Classification
. Company/Product (Name)	· · · · · · · · · · · · · · · · · · ·		PM#				х	None Restricted
Dividend Fungicide i. Name and Address of Appl	icant (Include ZIP Coo	(e)	6. Expedite	d Revie	w Ins	ccordan	e with EIE	RA Section 3(c)(3) (b)(i),
Syngenta Crop Pro P. O. Box 18300 Greensboro, NC 2	tection, Inc.	0)	my product is s					
	s a new address		Product Name					
	·							
		•	Section - II					ATICIA 10:01
Amendment - Explain t	pelow.			Final p	orinted i	abels in i		OTIFICATION
Resubmission in respo	nse to Agency letter da	ated				lication.	7	SEP 2 9 2009
X Notification - Explain be	elow.			Other	- Expla	in below.		
Explanation: Use additiona	l page(s) if necessa	ry. (For Se	ction I and Section I	l.).				
Syngenta is amending the S 2007-4.	torage and Disposa	l section of	f the label by Notifi	ication	accord	ling to t	he directi	ions stated in PR Notic
,			Section – III					
Material This Product Will Child-Resistant Packaging Yes* No	Unit Packaging Yes X No		Water Soluble Pa	ckaging	J	2. Ty	x Pla	tainer etal astic ass
*Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per Container	If "Yes" Unit Packaging wgt	No. p			Pa	pper her (Specify)
B. Location of Net Contents In	I nformation	4. Size(s) Retail Container		5	Locat	tion of Labe	el Directions
x Label Co	ntainer	1 gal.				Х	On Labeli On Labelii	ng accompanying product
3. Manner in Which Label is A	Affixed to Product	Par	nograph per glued nciled	х	Other	Pre	essure Sen	<u>sitive</u>
4	· · · · · · · · · · · · · · · · · · ·		Section - IV					· · · · · · · · · · · · · · · · · · ·
1. Contact Point (Complete it	ems directly below for	identification	of individual to be con	tacted,	if neces	sary, to		
Name Pat Dinnen			Title Label Group Leader				Telephone	e No. (Include Area Code)
I certify that the statements I acknowledge that any kno both under applicable law.			tion ittachments thereto are nt may be punishable l				plete.	6. Date Application Received (Stamped)
2. Signature Pat Alinnen		3. Reg	Title gulatory Specialist				, , , ,	
4. Typed Name		5. Apr	Date il 24, 2009					
Pat Dinnen			,					<u> </u>

Certification with Respect to Label Integrity

Version: 9/11/02

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL			
EPA Registration # Date Submitted to EPA Electronic file name			
100-740	04/24/2009	000100-00740.20090423.DIVIDEND_PRN2007-4_APRIL2009.pdf	

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

Pat alinnen	April 24, 2009
Signature	Date
Pat Dinnen	_
Name (typed)	
Label Group Leader	_
Title	_

Syngenta Crop Protect Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com

syngenta

FedEx .

April 24, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attention: Ms. Linda Arrington

SUBJECT: DIVIDEND® FUNGICIDE

EPA REG. NO. 100-740

NOTIFICATION OF LABEL CHANGE PER PR NOTICE 2007-4

Syngenta Crop Protection, Inc. is submitting Notification for Dividend Fungicide, EPA Reg. No. 100-740. Syngenta is amending the Storage and Disposal section of the label by Notification according to the directions stated in PR Notice 2007-4.

Attached are:

- One copy of the label with the changes clearly marked
- One unmarked copy of the label
- A CD of the unmarked copy of the label for "Electronic Comparison and Review"
- Certificate with Respect to Label Integrity Form
- Completed EPA Form 8570-1

Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-2494.

Sincerely,

Pat alinnen

Pat Dinnen Label Group Leader Regulatory Affairs

Enclosures

Dividend®

Fungicide

A seed treatment for control of diseases of barley, canola, cotton, sweet corn, wheat and triticale

Active Ingredient:

Difenoconazole*:	
Other Ingredients:	67.2%
Total:	100.0%

*CAS No. 119446-68-3

Contains 3.1 lbs. active ingredient per gallon.

EPA Reg. No. 100-740

EPA Est. 100-NE-001

NOTIFICATION

SEP 2 9 2009

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use inside booklet.

SCP 740A-L1K 0207

1 gallon Net Contents

 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for treatment advice.
Move person to fresh air.
If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
Call a poison control center or doctor for further treatment advice.

If ingested, induce emesis or lavage stomach. Treat symptomatically.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

HOT LINE NUMBER

For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call

1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if inhaled or absorbed through skin. Avoid breathing vapor or spray mist.

Personal Protective Equipment

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, INC. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. To the extent permitted by applicable law, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, AND/OR LILEGAL RESIDUES.

GENERAL INFORMATION

Dividend is a systemic seed dressing which controls or suppresses certain seed-borne, soil-borne, and early season foliar diseases of wheat, barley and triticale, and certain seed and seedling diseases of canola, sweet corn, and cotton. Use an EPA-approved dye or colorant that imparts an unnatural color to the seed.

Mixing Procedures

Apply Dividend as a water-based slurry through standard slurry or mist-type seed treatment equipment that accurately meters and mixes a liquid flowable seed treatment. The mix tank should be equipped with a mechanical or paddle agitator to ensure uniform blending of the slurry. The equipment must provide uniform coverage of Dividend on the seed. Uneven seed coverage may not give the desired level of disease control. Consult the manufacturer of the application equipment you plan to use for suitability for this application and for instructions on the operation and calibration of the equipment.

Fill the mix tank ¼-½ full with clean water (see maximum recommended slurry volume table below). Start agitation of the mix tank. Next, open the container and add the recommended amount of Dividend into the mix tank, and maintain agitation. Thoroughly blend the mixture while adding the remainder of the required water.

After the mixture appears completely uniform, begin application to the seed. Mix the slurry thoroughly with the seed to provide uniform coverage.

The following table lists the maximum recommended total slurry volumes by crop.

Crop	Maximum fl. oz. slurry per 100 lbs. seed		
Wheat and Barley			
Canola	23		
Sweet Corn	8 to 16		
Cotton	30		

Tank Mixtures

Confirm physical compatibility, seed safety, seed safety in stored seed, and biological efficacy before tank mixing with other seed treatment products.

Follow the label directions for the most restrictive of label precautions and limitations:
This product cannot be mixed with any product containing a label prohibition against such mixing.

SEED BAG LABEL REQUIREMENT

Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with difenoconazole fungicide. Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs. Use with an EPA-approved dye or colorant that imparts an unnatural color to the seed. Green wheat or triticale forage may not be grazed until 55 days after planting. Green barley forage may not be grazed until 30 days after planting. Do not plant any crop other than those on this label within 30 days to fields in which treated seeds were planted."

BARLEY

Apply Dividend to barley seed at the rates given in the following table:

Rate Dividend Per 100 lb seed	Diseases Controlled	Diseases Partially Controlled ¹	
0.5 fl. oz.	Barley Stripe General Seed Rots ² Covered Smut Pythium Damping Off	Common Root Rot (<i>Cochiliobolus</i> spp.) Fusarium Seed Scap Rhizoctonia Root Rot	
1.0 fl. oz.	Barley Stripe General Seed Rots ² Fusarium Seed Scab Covered Smut Pythium Damping Off	Take-all Common Root Rot (Cochiliobolus spp.) Fusarium Root Rot Fusarium Crown Rot Rhizoctonia Root Rot	

¹Partial control can either mean erratic control from good to poor, or consistent control at a level below that is generally considered acceptable for commercial disease control.

CANOLA

Apply Dividend at a rate of 1.0 fl. oz. of product per 100 lbs. of seed for protection against seed-borne blackleg caused by *Leptosphaeria maculens*. Tank mix Dividend with seed treatment fungicide Maxim® 4FS for broad spectrum protection against other diseases such as Fusarium and Rhizoctonia.

² General seed rots controlled include those caused by saprophytic organisms such as *Penicillium* spp. and *Aspergillus* spp.

COTTON

Apply Dividend at a rate of 0.5 to 1.45 fl. oz. of product per 100 lbs. of seed for protection against preemergent and postemergent damping off seedling diseases caused by *Rhizoctonia* spp. and *Fusarium* spp. Use the higher rate where disease is expected to be severe. Always apply in combination with Apron XL® LS for activity against seed and seedling diseases caused by *Pythium* spp. Follow application and other instructions found on the Apron XL LS product label.

SWEET CORN

Apply Dividend at a rate of 0.5 to 1.24 fl. oz. of product per 100 lbs. of seed for control of die-back in sweet corn caused by *Penicillium* spp., *Fusarium* spp. and *Aspergillus* spp. Confirm physical compatibility, seed safety, seed safety in stored seed, and biological efficacy before tank mixing with other seed treatment products.

WHEAT AND TRITICALE

Apply Dividend to wheat or triticale seed at the rates given in the following table.

For control of damping-off of wheat caused by *Pythium* spp., the recommended rate of Dividend must be tank mixed with Apron XL LS in accordance with the most restrictive label limitations and precautions. No labeled dosage rate should be exceeded. Use Apron XL LS at a rate of 0.016 oz. active ingredient per 100 lbs. of seed (1 g of the active ingredient/100 kg of seed) tank mixed with the recommended rates of Dividend. Higher rates of Apron XL LS may be used in combination with Dividend if disease pressure is expected to be severe. Follow application and other instructions found on the Apron XL LS label.

Winter Wheat and Triticale

Rate/CWT	Diseases Controlled	Fall Season Foliar Diseases Controlled ¹	Early Season Control
0.5 fl. oz.	Common Bunt ¹ , Dwarf Bunt, Flag Smut, Seed-borne Septoria, Loose Smut, General Seed Rots ³ , Fusarium Seed Scab		Common Root Rot (Cochiliobolus spp.), Rhizoctonia Root Rot
1 fl. oz.	Common Bunt ² , Dwarf Bunt, Loose Smut, Flag Smut, Seed-borne Septoria, General Seed Rots ³ , Fusarium Seed Scab	Fall Season Powdery Mildew, Fall Season Leaf Rust, Fall Season Septoria Leaf Blotch	Common Root Rot (Cochiliobolus spp.), Fusarium Root Rot, Fusarium Crown Rot, Take-All, Rhizoctonia Root Rot
	General Seed Rots ³ ,	Lear Blotch	•

¹ Dividend provides control of fall season powdery mildew, fall season leaf rust, and fall season Septoria leaf blotch in winter wheat for the first 6 weeks after planting. For full season control of these foliar diseases, use Tilt® fungicide according to label instructions.

² Dividend controls both seed-borne and soil-borne common bunt.

³ General seed rots controlled include those caused by saprophytic organisms such as *Penicillium* spp. and *Aspergillus* spp.

Spring Wheat and Triticale

Rate/CWT	Diseases Controlled	Early Season Control
0.5 fl. oz.	Common Bunt ¹ Seed-borne Septoria Loose Smut Flag Smut General Seed Rots ² Fusarium Seed Scab	Common Root Rot (Cochiliobolus spp.) Rhizoctonia Root Rot
1 fl. oz.	Common Bunt ¹ Loose Smut Flag Smut Seed-borne Septoria General Seed Rots ² Fusarium Seed Scab	Common Root Rot (<i>Cochiliobolus</i> spp.) Fusarium Root Rot Fusarium Crown Rot Take-All Rhizoctonia Root Rot

¹ Dividend controls both seed-borne and soil-borne common bunt.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment.

Pesticide Storage

Keep container tightly closed when not in use. Store out of the reach of children.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Handling

Non-refillable container. Do not reuse or refill thisempty container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. —Then offer for recycling if available reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by

² General seed rots controlled include those caused by saprophytic organisms such as *Penicillium* spp. and *Aspergillus* spp.

open burning, if allowed by state and local authorities, by burning. If burned, <u>stay</u>keep out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes.

Apron XL®, Dividend®, Maxim®, Tilt®, the Syngenta logo, and the CP FRAME \square are trademarks of a Syngenta Group Company

U.S. Patent No. 5,266,585

©2007 Syngenta

For non-emergency (e.g., current product information), call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

SCP 740A-L1K 0207

16/18

Dividend®

Fungicide

A seed treatment for control of diseases of barley, canola, cotton, sweet corn, wheat and triticale

Active Ingredient:

Difenoconazole*:	•••••	32.8%
Other Ingredients:	,	67.2%
Total:		100.0%

*CAS No. 119446-68-3

Contains 3.1 lbs. active ingredient per gallon.

See directions for use in attached booklet.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

EPA Reg. No. 100-740

EPA Est. 100-NE-001

KEEP OUT OF REACH OF CHILDREN.

CAUTION

SCP 740A-L1K 0207

1 gallon Net Contents

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if inhaled or absorbed through skin. Avoid breathing vapor or spray mist.

	FIRST AID			
 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 				
	Call a poison control center or doctor for treatment advice.			
If inhaled • Move person to fresh air.				
If person is not breathing, call 911 or an ambulance, then give				
artificial respiration, preferably mouth-to-mouth if possible.				
Call a poison control center or doctor for further treatment advice.				
NOTE TO PHYSICIAN				
If ingested, induce emesis or lavage stomach. Treat symptomatically.				
Have the product container or label with you when calling a poison control center or				
doctor or going for treatment.				
HOT LINE NUMBER				
For 24 Hour Medical Emergency Assistance (Human or Animal) or				
Chemical Emergency Assistance (Spill, Leak, Fire, or Accident),				
Call				
1-800-888-8372				

Environmental Hazards

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

Container Disposal Handling

Non-refillable container. Do not reuse or refill thisempty container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to

drip. Repeat this procedure two more times. —Then offer for recycling if available or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities, by burning. If burned, staykeep out of smoke.

Dividend® and the Syngenta logo are trademarks of a Syngenta Group Company

©2007 Syngenta

Manufactured for: Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

SCP 740A-L1K 0207

DIV 740A-L1K 0207 PRN2007-4 NOTIF-APRIL2009 - pl - 3/23/09