


Insect Growth Regulator for Extended Insect Control

(Insect Growth Regulator for Use in Homes, Apartments, and Other Buildings, In Non-Food Preparation Areas of Food Handling Establishments, and Outgoors Around Buildings and in Pet Areas)

Active Ingredient: Fenoxycarb: (Ethyl [2- (4-phenoxyphenoxy) ethyl]



The outer protective carton contains 15 foil pouches. Each foil pouch contains a single water-soluble packet of Torus WP. The entire packet of Torus WP dissolves in water. After opening outer foil bag, immediately dump the unopened packet into the partially filled sprayer or mix tank. Use the number of packets specified in the directions for use. Do not handle the soluble packets or expose them to moisture, since this may cause rupluring

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and Conuitions of Sale and Warranty before using this product if terms are not acceptable, return the rened product container at once

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Ciba-Geigy or the Seller. All such risks shall be assumed by the Buyer.

Ciba-Geigy warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use

subject to the inherent risks referred to above. Ciba-Geigy makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Ciba-Geigy or the Seller be liable for consequential, special, or indirect damages resulting from the use or

handling of this product. Ciba-Geigy and the Setter offer this uct, and the Buyer and user accept it subject to the foregoing Conditions of and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Ciba-Geigy.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL OR ILLEGAL RESIDUES.

General Information

Torus WP will control cockroaches, fleas and certain stored food pests in homes. apartments and non-food preparation areas of industrial, institutional and commercial buildings including but not limited to hotels hospitals, restaurants, stores manufacturing plants, warehouses, transportation equipment, and ships

Torus WP may also be used outdoors as a perimeter treatment around buildings to control cockroaches and in animal runs, resting areas and kennels to control flees

Note: Do not apply Torus WP in serving areas of restaurants while food is exposed. Avoid contamination of food, feedstuffs or water supply

15 x 0.38 oz. Water Soluble Packets Total 5.70 ounces U.S. Standard Measure



2

Reg # 100-75[. Torus WP kills thea eggs, and irreated larvae fail to emerge as adult theas. Torus WP has excellent residual effect indoors, lasting six months or more depending on the material treated, frequency of cleaning, and environmental conditions. Outdoor treatments should be repeated as needed

> Torus WP acts on the immature growth stages of cockroaches, killing young instar nymphs by disrupting molting. Torus WP prevents the development of last-stage nymphs into fertile adults

> Torus WP acts on stored-food pests as an ovicide and prevents the tarvae from becoming adults. Torus will control granary weevil, nce weevil sawtoothed grain beetle, red flour beetle, confused flour beetle, lesser grain borer, cigarette beetle. Indian meal moth, angournois grain moth, warehouse moth, and mill moth

> Torus WP will not kill adult insects. If adult insects are present, Torus WP should be combined with an insecticide registered for control of the adult stage of the target insect(s). Torus WP complements the rapid activity of the insecticide by providing long-term control.

Torus WP System - Application Rates

The outer protective foil bag contains Torus WP in water-soluble packets. The entire packet and contents dissolve in water. Open the outer beg, and immediately place the unopened Torus WP packet into the sprayer. Use Torus WP at the following rates:

Pest	Type of Application	Amount of Torus WP/gal, of water	Specific Directions
Cockroaches	Clean Out	2-3 packets	For high infestations. use 3 packets. For light infestations, 2 packets.
	Maintenance	2 packets	
	Penmeter	2 packets	
Fleas	Indoor	1 packet	Outdoors use 1 packet Torus WP per 300-350 sq ft in sufficient water to cover
	Outdoor	1 packei	
Stored Food Fests	Maintenance	2 packets	

The following concentrations of active ingredient in the finished spray are pro-1 packet per gallon of water = 0.06% duced when:

2 packets per gallon of water = 0 125%

3 packets per gallon of water = 0 187%

Mixing Procedure

Make sure sprayer is clean before mixing. Fill sprayer with the desired volume of water. Drop the required number of unopened water-soluble packets containing Torus WP into the sprayer. Wait three minutes for the packets to dissolve. Close and shake sprayer before use in order to assure proper suspension of the wettable powder. If Torus WP is to be moved with an adulticide, add the adulticide only after the packets have completely dissolved. Shake or re-agitate sprayer before use if spraying is interrupted. Make up only as much as is required. Do not use strainers finer than 50 mesh size. Do not allow spray mixture to stand overnight. Do not handle packets with wet gloves or hands. Do not allow packets to become moist onor to use

Application Precautions

Do not allow spray mist to contact food feedstuffs or water supplies. Dishes and tood-handling utensils should be thoroughly washed in soap and water if exposed to contamination by the application of the product. Do not allow children or pets to contact treated surfaces until spray has dried. DO NOT USE IN FOOD PREPARA-TION AREAS OF COMMERCIAL FOOD-HANDLING ESTABLISHMENTS

Torus WP System Application Procedure

Cockroaches

Clean Out:

BEST AVAILABLE COPT

...

Apply 2-3 packets (C.125% to 0.187% spray) as a crack and crevice spray and/or a spot treatment with a low pressure sprayer. Apply to all areas that harbor cockroaches, including behind cuppoards, pantnes, under snelves and drawers, behind and under stoves, refigerators, and other large appliances; under sinks, buseboards, window frames, plumbing and other utility installations

- Initial application: Use the clean out rate. Empty all cabinets and diswers prov to application
- Second application: Apply the maintenance rate 6-8 weeks after thesininal appli-2 cation, depending on the residual insecticitie used.
- 3 Subsequent applications. Apply the maintenance rate every 3-4 months, ...

Perimeter Treetments

Apply 2 packets (0 125% spray) in a band 2 to 4 feet adjorent to and around the structure and apply to a height of 2 to 3 feet on the founcation where pests may be active or may find entrance. Apply as a residual spray around window frames doors garage doors, patios, carports, shutters, around garbage areas and other areas where cockroaches may congregate. Avoid spraving into the air + + + + +

Food Serving Arees

Torus WP can be used where prepared foods are served "such as diving rooms but excluding areas where food is being held or prepareo

Apply as a crack and crevice and/or spot treatment to intested areas or areas likely b be intested and between and beneath elements of construction only. Dishes and food handling utensits should be thoroughly washed in soap and water if exposed to contamination. Do not apply in serving areas of restaurants while food is exposed.

Fleas

Prior to treatment, carpets should be vacuumed and the vacuum cleaner bag disposed of in an outdoor trash receptacle. Pet bedding should be replaced or washed in hot water. To control the source of infestation, pets should be treated with a product registered for on-animal flea control.

Indoor

Mix 1 packet per gal of water (0.06% spray) and apply one gal of finished spray to approximately 1,500 sq. ft. of surface area, using a low pressure sprayer suitable for indoor applications. Treat all areas that may harbor fleas, including carpets, furniture, pet sleeping areas and throw rugs. Treat under cushions of upholstered furniture. Avoid contact with treated areas until spray has dried. Remove pets and cover equariums prior to treatment.

Outdoor

To control fleas cutdoors apply Torus WP to animal runs and areas where the animais rest. Also, if animals are kenneled, apply Torus WP in and around the kennel area. Apply the recommanded rate to 300 to 350 square feet in sufficient water to obtain good coverage. Repeat as needed

Stored Food Pests

For Use in the Home

Mix 2 packets per gal. of water (0.125% spray) and apply as a crack and crevice and a spot treatment to pantry and cupboard shelves where food containers are stored. Prior to spraying remove all food containers and foodstuffs, any shelving paper and utensits. Do not replace food or containers until spray has dried. Destmy infested food backages.

Fo¹ In Warehouses and Commercial Food Storage Areas

Prior to application sweep all floors of debris and pick up all litter Application should be made as a crack and crevice and/or spoil treatment. Apply to all areas that may harbor pests. Apply under and between pallets

Storage and Disposal

Do not contaminate water food or feed by storage or disposal. Do not store this product under wet conditions. Handle outer carton and foil bags carefully to avoid breakage of water-soluble backets. Store in a locked storage area away from children.

Pesticide Disposai

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

Container Disposai

Do not reuse outer cardboard carton or foil bag. Dispose of empty carton and outer foil bag in a sanitary landfill or incinerate or if allowed by state and local authorities dispose of by burning it carton or foil bag is burned, stay out of smoke from burning container.

For minor spills, leaks, etc. follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facili-

t uning cleanup and disposal of wastes in the event of a major soil, file, or emergency, call 1-800-888-8372 duy or night.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if inhaled or absorbed through the skin. Causes moderate eye imtation. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Statement of Practical Treatment

If on skin: Wash with plenty of soap and water. Get medical attention

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Drift and runoff from treated sites may be hazardous to aquatic invertebrates in adjacent aquatic sites. Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water.

Torus Irademark of Ciba-Geigy Corporation U.S. Patent 4 215 139

1993 Ciba-Geigy Corporation

Ciba-Geigy Corporation Animal Health Division Greensboro North Carolina 27419 CGA 120L3A 083



