}

)

Master Label for Ciba and Smithkline Beecham CCF

28 JUN 1995 Under the Federal Insecticide, Fungicida, and Redenticide Act as amended for the posticide registered under

EPA Reg. No. 100-

BASUS™ FLEA AND TICK SPRAY FOR DOGS

- Insect growth regulator
- Kills adult fleas and ticks
- Prevents immature stages of fleas from developing into adults for 127 days
- A water-based spray for dogs
- Contains OviKill^m to control flea eggs and immature flea forms for 127 days
- Do not use on cats
- Egg control formula
- Water-based formula

(Last 4 bullets not on Ciba printed label)

Active ingredients: Fenoxycarb (Ethyl[2-(4-phenoxyphenoxy) ethyl]carbamate 0.063% Pyrethrins 0.050% *Piperonyl butoxide, Technical 0.500% **Permethrin (3-Phenoxyphenyl) Methyl (+/-) Cis/Trans 3-(2,2-Dichloroethyenyl) 2,2-Dimethylcyclopropanecarboxylate <u>0.200%</u> <u>Inert Ingredients:</u> <u>99.187을</u> Total: 100.000%

*Equivalent to 0.40% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.10% related compounds **Cis/Trans Ratio: Min. 35% (+/-) Cis and Max. 65% (+/-) Trans

Sold Only Through Veterinarians.

EPA Reg. No. 100-761

EPA Est. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

32 fl. oz. (946 mil)

CGA 151L1

Basus™ Flea and Tick Spray for Dogs Kills:

- Adult Fleas
- Flea Eggs
- Flea Larvae
- Ticks

)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold bottle upright and point nozzle in desired direction of spray. Spray the dog from a distance of 8 to 12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure that the dog's entire body is covered, including the legs and under the body. While spraying, fluff the hair so spray will penetrate to the skin. Make sure spray wets pet's coat thoroughly. Do not spray into pet's eyes, face, or genitalia. Repeat as necessary.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

}

)

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not use on puppies under 3 months of age or on sick, old, or debilitated pets.

Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply artificial respiration, if indicated.

If on Skin: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention.

If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

Physical or Chemical Hazards: Do not use or store near heat or open flame.

3

Storage and Disposal

Store in a cool area away from heat or open flame. Keep from freezing.

Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.

This product is restricted for sale exclusively through veterinary clinics, practices, and hospitals.

Questions or comments call 1-800-MYCODEX Monday - Friday, 8 a.m. to 5 p.m. Eastern. (This statement does not appear on Ciba printed label.)

©1994 Ciba-Geigy Corporation Fenoxycarb, U.S. Patent No. 4,215,139

Basus™ - trademark of Ciba-Geigy Corporation OviKill™ - trademark of Smithkline Beecham for fenoxycarb (This statement does not appear on Ciba printed label)

Product ID.: 50951

Ciba-Geigy Corporation Animal Health Division Greensboro, North Carolina 27419-8300

UPC Code

CGA 151L1

Accepted: 7/14/94

Revised: 11/4/94

Revised notification changes - sale only thru vets, 1-800#, other statements for Smithkline

[GANNONC.LABELSB\MS-WORD]BASUS-B - 5/22/95

solded part parel bulleto, condensed dFus.