Please read instructions on re	everse before completing for	_{·m.} 4//	13/2001		Page 18
≎EPA	United State Environmental Protect Washington, DC	ction Agency	Registr Amenda X Other		OPP Identifier Number NOTIFICATION
	Applica	ation for Pesticide	- Section I	LL	
Company/Product Number 100-773			Product Manager	3. Prop	posed Classification
4. Company/Product (Name) PPZ 1.55% HG Fungicide		PM# 21		X N	lone Restricted
 Name and Address of App Syngenta Crop Prote P. O. Box 18300 Greensboro, NC 274 	ction, Inc.	1	is similar or identical in		RA Section 3(c)(3) (b)(i), d labeling to:
Check if this	is a new address	Product Nar	me		
	36-7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	Section - h	Register (1977) film et volume van exception manage (um et experimente trans		
Amendment - Explain	below.		Agency letter dat	ea	NOTIFICATION
Resubmission in response to Agency letter dated X Notification - Explain below.			"Me Too" Applica Other - Explain b		APR 1 3 2001
A Hodikabori - Expant			Outer - Explain 0		
This notification is consistent with the labeling or the confidential stater further understand that if this notificate enforcement action and penalties updated to reflect Syngenta Crop Proformed by the merger of Novartis Crostatement. No other changes occur is reflect Syngenta for those products for referring to the company name have	nent of formula of this product. I un tion is not consistent with the terms under sections 12 and 14 of FIFRA otection, Inc. 2) The Conditions of S op Protection, Inc. and Zeneca Ag F in the statement other than the nam or which Syngenta holds the traden	derstand that it is a violation of PR Notice 98-10 and 40 to The following changes are tale and Warranty statement products, we have chosen to be change. 3) The copyright of th	of 18 U.S.C. Sec. 1001 to CFR 152.46, this product to being made via this notifi- has been changed to refle- use the former Zeneca wi date reflects Syngenta. 4)	wilffully make any fi may be in violation of cation: 1) Company ect the name change arranty statement as Trademark stateme	alse statement to EPA. I of FIFRA and I may be subject name and address have been e. Because Syngenta has been is the Syngenta warranty ints have been updated to
		Section - III			
Material This Product Wi Child-Resistant Packaging Yes* No *Certification must	Unit Packaging Yes No If "Yes" No.	Water Soluble Yes No	Packaging 2.	Type of Conta	tal stic ss
be submitted	Unit Packaging wgt. Cont	ainer Unit Packaging	wgt container	Ott	er (Specify)
Location of Net Contents I Label	nformation 4. 5	Size(s) Retail Container	5.	Location of Labe On Label On Labelin	Directions g accompanying product
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled	Other		
		Section - IV			
Contact Point (Complete Name	items directly below for identifi	cation of individual to be Title	contacted, if necessar		application.) No. (Include Area Code)
Nan S. Padgett		Label Group L	.eader	336-632-	
	Cer s I have made on this form an owingly false or misleading sta				6. Date Application (Received (Stamped)
2. Signature New D. Pad	gut	3. Title Label Group Lead			****
4. Typed Name Nan S. Padgett		5. Date April 2, 2001			• • • • • • • • • • • • • • • • • • • •

PPZ 1.55% HG

FUNGICIDE

Water-Based

- · Broad spectrum and systemic disease control on roses, flowers, home lawns, trees, and shrubs
- . Controls brown patch, powdery mildew, black spot, rust, blights, scab, and more
- · Contains Banner®
- · Prevents and stops major diseases on roses, flowers, lawns, trees, and shrubs
- · Concentrate Just mix with water and spray
- · For use in pressure type or hose-end sprayers
- . Enough to treat a 1,333 sq. ft. lawn
- · Absorbed into the plant Can't be washed off by rain or sprinklers after spray has dried
- · Not affected by rain after spray has dried
- Systemic disease control
- Systemic Action Can't be washed off by rain after spray has dried
- · Prevents a large variety of diseases on home lawns and ornamentals
- · Prevents lawn diseases before they happen
- Broad spectrum disease control on home lawns and ornamentals
- · Works up to 4 weeks for certain diseases
- Encourages increased turf rooting
- · Improves color in woody shrubs

KEEP OUT OF REACH OF CHILDREN.

WARNING

See additional precautionary statements on back panel.

EPA Reg. No. 100-773

Prevents and stops...

· Black Spot

Rust

Powdery Mildew

... and more!

Dollar Spot

Brown Patch

Leaf Spot

Active Ingredient:

Other Ingredients:

98.45% 100.00%

Total:

1CAS No. 60207-90-1

ONE PINT (16 FL. OZ.)

NET CONTENTS

syngenta

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably fore-seeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOP. READ ALL INSTRUCTIONS INSIDE BEFORE USE.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DISEASE CONTROL OR INJURY TO DESIRABLE PLANTS.

STOP. DO NOT ALLOW PEOPLE OR PETS TO CONTACT TREATED AREAS UNTIL SPRAY HAS DRIED.

1. WHAT IS THIS PRODUCT FOR?

This water-based systemic fungicide effectively prevents and stops major diseases on roses, flowers, lawns, trees, and shrubs.

2. HOW DO YOU USE IT?

USE TIPS

- This product is highly effective when it is used to prevent diseases or applied at the first sign of disease. Consider treating early in the season. This product will not eliminate disease already present.
- When used as directed, this product is safe to plants and controls the diseases listed. Plants not listed
 may be injured by this product and diseases not listed may not be controlled.
- . Do not apply this product to African violets, begonias, Boston ferns, or geraniums.
- If you need more information about lawn and ornamentals diseases, contact your local County Extension Service.

3. HOW TO MIX

Shake well before using. Apply only with a pump-up pressure sprayer, concentrate plus water-style, or a dial-style hose-end sprayer. Use of hose-end sprayers which have only an on/off switch or those which are continuously filled with water during the application is not recommended.

NOTE: 1/2 fl. oz. = 1 Tablespoon 1 fl. oz. = 2 Tablespoons

Food utentils, such as measuring cups and spoons, must not be used for food purposes after use in measuring pesticides.

Pump-Up Sprayer

- 1. Fill with required amount of water.
- 2. Add the amount of concentrate specified in the charts that follow.
- 3. Shake well before application.

Concentrate Plus Water Style Sprayer

- 1. From the following chart, determine the amount of concentrate required.
- 2. Pour concentrate into sprayer jar to the required "fl. oz." level.
- 3. Then add the required amount of water to the "gals." level.
- 4. Replace sprayer top on jar and shake well before spraying.





PPZ 1.55% HG

4 8 6

Dial-Style Hose-End Sprayer

- 1. Set sprayer on the "fl. oz./gallon" level specified in the following chart.
- 2. Use only enough product for the area to be treated.
- 3 Close sprayer, attach to hose and apply product to lawn.

(For example: To treat a 1,000 sq. ft. lawn for powdery mildew ledur 12 ft. oz. into sprayer jar. Set sprayer dial at 3 ft. oz. per gallon.)

4. HOW TO APPLY

ROSES AND FLOWERS

General Directions

- 1. Apply product to the point just when it begins to run off of the leaves.
- 2. Allow spray to completely dry before watering.

Plant	Disease	How Much to Apply	Comments
Roses	Powdery Mildew	1 Tablespoon (1/2 fl. oz) per gal. of water	Thorough coverage needed for best results.
			Begin application at hud break
			Treat every 10 days.
	Black Spot, Rust	2 Tablespoons (1 fl. oz.) per gal. of water	Treat every 10 days.
			Note: May not provide 100% control of black spot under severe conditions
Calendula	Powdery Mildew	1 Tablespoon (1/2 fl. oz.) per gal, of water	Apply every 30 days.
Chrysan- themums	Ray Blight	2 Tablespoons (1 fl. oz.) per gal, of water	Apply every 7 days.
Delphinium	Powdery Mildew	1 Tablespoon (1/2 fl. oz.) per gal, of water	Apply every 14 days.
Snapdragons	Rust	2 Tablespoons (1 ft. oz.) per gal, of water	Apply every 10 days.
Sweet William	Leaf Spot	1 Tablespoon (1/2 ft. oz.) per gat. of water	Apply every 14 days.

LAWNS

- 1. Apply after mowing or allow sprayed area to completely dry before mowing.
- 2. Measure the length and width of area to be treated before application. Length x width = square feet. For example, an area 25 ft. long and 20 ft. wide is 500 sq. ft

Established Lawns

Disease	How Much to Apply	Comments
Brown Patch	5 fl. oz. in 1 gal. of water per 250 sq. ft. of lawn	If needed, repeat treatment every 10 days.
		First application should be in May or June before disease is present.
Dollar Spot, Powdery Mildew, Rust, Anthracnose	3 fl. oz, in 1 gal. of water per 250 sq, ft. of lawn	Apply every 14 days.
Red Thread, Dichondra Rust on Dichondra Lawns	5 fl. oz. in 1 gal. of water per 250 sq. ft. of lawn	If needed, repeat every 21 days when conditions are favorable for disease to occur.
Stripe Smut	3 fl. oz. in 1 gal. of water per 250 sq. ft. of lawn	Apply in Fall after grass is dormant or in early Spring before grass starts to grow.

New Seedings

How Much to Apply	Comments	••
5 fl. oz. in 2 gals, of water per 500 sq. ft, of lawn	Apply at the 2 to 3-leaf stage of growth for faster root develop- ment and top growth.	····





TREES AND SHRUBS

General Directions

- 1. Spray just until product runs off leaves.
- 2. Allow the spray to dry before watering plants.

Plant	Disease	How Much to Apply	Comments
Crab Apple Note: Do not use fruit from treated crab apples for food purposes.	Scab, Rust	1 2 Tablespoon (1/4 fl. oz.) per gal. of water	Apply when buds just tegin to break open. For scab. apply every 14 days. For rust, make 3 applications, beginning when buds just begin to break open. Apply at 7-day intervals.
	Powdery Mildew	1 ¹ / ₂ Tablespoons (³ / ₄ fl. oz.) per gal. of water	Apply every 14 days.
Crape Myrtle	Powdery Mildew	3 Tablespoons (11/2 fl. oz.) per gal. of water	Apply every 21 days.
Dogwood	Anthracnose	1 Tablespoon (1/2 fl. oz.) per gal, of water	Apply every 14-28 days.
Douglas Fir, Shasta Fir	Needle Rust	3 Tablespoons (1 ¹ / ₂ fl. oz.) per gal. of water	For Douglas Fir, apply every 21 days. For Shasta Fir, apply in May-June before disease occurs.
Jeffrey Pine	Tip Blight	3 Tablespoons (1 ¹ / ₂ fl. oz.) per gal. of water	Make the first application in mid-late winter (NovJan.)
			Apply every 2 months up to 3 times.
Oak, Red Tip Photinia	Leaf Spot	3 Tablespoons (11/2 fl. oz.) per gal. of water	Apply every 14 days.

NONBEARING FRUIT AND NUTTREES

General Directions

- Nonbearing fruit and nut trees are those trees that will not produce fruit for at least one year after application of this product.
- 2. Apply product to the point just when it begins to run off of the leaves.

Plant	Disease	How Much to Apply	Comments
Apple	Scab	1/2 Tablespoon (1/4 fl. oz.) per gal. of water	Start applications when leaves start growing in the Spring and spray every 14 days.
	Rust	1/2 Tablespoon (1/4 fl. oz.) per gat. of water	Make 3 applications beginning when buds just begin to break open. Apply at 7-day intervals.
	Powdery Mildew	1 Tablespoon (1/2 fl. oz.) per gal. of water	Start applications in early Spring and spray every 14 days.
Cherry	Powdery Mildew, Leaf Spot	1 Tablespoon (1/2 fl. oz.) per gal. of water	Start applications in early Spring and spray every 21 days.
Citrus	Greasy Spot	4 Tablespoons (2 fl. oz.) per gal. of water	Apply June-August every 21 days.
Pecan	Scab. Powdery Mildew, Downy Spot, Zonate Leaf Spot, Fungal Leaf Scorch, Brown Spot	2 Tablespoons (1 fl. oz.) per gal. of water	Start applications at bud break and make 3 applications at 14-day intervals.
Walnut	Anthracnose	2 Tablespoons (1 fl. oz.) per gal. of water	Apply every 14 days.

.

6 7 6

STORAGE AND DISPOSAL

Storage

Store in a cool, dry place, away from heat or open flame.

Disposa

Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

For minor spills, follow all precautions on this label and clean up immediately. In the event of an emergency, call 1-800-888-8372, day or night.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

Causes substantial, but temporary eye injury. Do not get in eyes. Wear goggles or safety glasses. Harmful if swallowed, inhaled, or absorbed through skin, Avoid contact with skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not allow people or pets to contact treated areas until spray is dry.

First Aid

If in eyes: Hold eyelids open and flush eyes with a steady, gentle stream of water. Get medical attention.

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Move victim to fresh air.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

Note to Physician: If ingested, induce emesis or lavage stomach. Treat symptomatically.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water. Questions or Comments? Call 1-800-888-8372.

Banner® trademark of Syngenta U.S. Patent No. 4,079,062 ©2001 Syngenta Syngenta Crop Protection, Inc. Turf and Ornamental Products Greensboro, North Carolina 27409 www.syngenta-us.com SCP 773A-L1D 0201



This booklet manufactured using post-consumer, recycled paper.

