

100-797

08/31/2009

4/18



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Mr. Pat Dinnen  
Product Registration  
Syngenta Crop Protection  
P.O. Box 18300  
Greensboro, NC 27419

AUG 31 2009

Subject: Label Notification for Pesticide Registration Notice 2007-4  
(Storage & Disposal Changes)

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 7, 2009 for:

**EPA Registration 100-797 "APRON XL WS FUNGICIDE"**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington", is written above the typed name.

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs



4. Typed Name  
Pat Dinnen

## Certification with Respect to Label Integrity

Version: 9/11/02

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL		
EPA Registration #	Date Submitted to EPA	Electronic file name
100-797	8/7/2009	000100-00797.20090807.APRON-XL-WS_PRN2007-4_AUG2009.pdf

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

Pat Alinzen  
Signature

August 7, 2009  
Date

Pat Dinnen  
Name (typed)

Label Group Leader \_\_\_\_\_  
Title \_\_\_\_\_

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 104



Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

**SUBJECT: APRON XL® WS FUNGICIDE**  
**EPA REG. NO. 100-797**  
**NOTIFICATION OF LABEL CHANGE PER PR NOTICE 2007-4**

Attached are:

- Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-2494.

Sincerely,

Pat Aiken

Pat Dinnen  
Label Group Leader  
Regulatory Affairs

## Enclosures

मैं तो हूँ एक साधारण  
मैं तो हूँ एक साधारण  
मैं तो हूँ एक साधारण  
मैं तो हूँ एक साधारण

मैं तो हूँ एक साधारण  
मैं तो हूँ एक साधारण  
मैं तो हूँ एक साधारण  
मैं तो हूँ एक साधारण

Master Label

**Apron XL® WS**  
**Fungicide**

A seed treatment chemical for control of *Pythium* and *Phytophthora* causing damping-off, seed rot, and systemic downy mildew diseases of certain crops.

Active Ingredient:	
Mefenoxam .....	45.0%
Other Ingredients:	55.0%
Total:	100.0%

CAS No. 70630-17-0 and 69516-34-3

Apron XL WS is a wettable powder packaged in a water-soluble bag.

This outer protective container contains Apron XL WS in an inner water-soluble bag. Entire inner bag and contents dissolve in water. After opening outer container, immediately drop entire unopened inner bag into the partially filled sprayer or mix tank. Do not handle the soluble bag or expose it to moisture, since this may cause rupturing.

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

See additional precautionary statements on panel at left and directions for use on panel at right. (For the 4 lb. bag)


See additional precautionary statements and directions for use inside booklet. (For the 1 lb.)

EPA Reg. No. 100-797

EPA Est.

SCP 797 MAS 0406

1 pound  
4 pounds  
Net Weight



<b>FIRST AID</b>	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<b>HOT LINE NUMBER</b> For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call <b>1-800-888-8372</b>	

## **PRECAUTIONARY STATEMENTS**

### **Hazards to Humans and Domestic Animals**

#### **CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if swallowed or absorbed through skin. Avoid contact with skin.

### **Personal Protective Equipment (PPE)**

#### **Applicators and other handlers must wear:**

- Long-sleeved shirt and long pants
- Chemical resistant gloves made of any waterproof material
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### **Engineering Control Statements**

When handlers use closed systems in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### **User Safety Recommendations**

#### **Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

### **Environmental Hazards**

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Apply only as specified on this label. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

### **Physical or Chemical Hazards**

Do not use or store near heat or open flame.

### **Groundwater Advisory**

This chemical is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

---

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the fullest extent allowed by State law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the fullest extent allowed by State law, SYNGENTA or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.



## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apron XL WS should be used only in accordance with recommendations on this label or in separately published Syngenta supplemental labeling recommendations for this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.** Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

**FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY OR POOR DISEASE CONTROL.**

## GENERAL INFORMATION

Apron XL WS is a systemic fungicide seed dressing specifically for control of systemic downy mildews and diseases caused by soil-borne *Pythium* and *Phytophthora* spp. When a rate range is specified, use higher rates of Apron XL WS when the disease pressure is expected to be high.

For control of other soil-borne diseases, such as *Rhizoctonia* spp., Apron XL WS should be applied in combination with other registered seed dressing fungicides.

**Note:** Apron XL WS is a systemic fungicide having a specific mode of action. Apron XL WS could be subject to development of insensitive strains of fungi. Development of insensitivity cannot be predicted. Therefore, Syngenta cannot assume liability for crop damage resulting from insensitive strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible Apron XL WS insensitive strains of fungi which may occur.

Apron XL WS may be applied as a water-based slurry with other registered seed treatment insecticides and fungicides through standard slurry- or mist-type commercial seed treatment equipment.

### Mixing Instructions

Prepare no more mixture than is needed for the immediate operation. Thoroughly clean spray equipment before using this product. **Vigorous agitation is necessary to dissolve the bag and disperse the product. Maintain maximum agitation throughout the spraying operation.** Do not let the spray mixture stand overnight in the spray tank. Flush the spray equipment thoroughly following each use.

**Note:** 1 lb. of Apron XL WS displaces 0.70 lb. of water.

*Precautions: (1) Water soluble bags of Apron XL WS must be completely dissolved and dispersed in plain water before any other tank mix partner is added to the spray solution. (2) The maximum recommended concentration of Apron XL WS in slurries is 7 oz. of Apron XL WS in 10 oz. of water per 100 lbs. of seed.*

**Apron XL WS Alone:** Add ¼ of the required amount of plain water to the spray or mixing tank. With the agitator running, drop the required number of **unopened** soluble bags of Apron XL WS into the tank all at once. Continue agitation while adding the remainder of the water. Begin application of the spray solution after the bags have dissolved and the material has completely dispersed into the mix water. Maintain agitation until all of the mixture has been applied.

**Apron XL WS + Tank Mixtures:** Add  $\frac{1}{4}$  of the required amount of plain water to the spray or mixing tank. With the agitator running, drop the required number of **unopened** soluble bags of Apron XL WS, and any other products packaged in water-soluble bags; into the tank all at once. After the water-soluble bags have dissolved and the products have dispersed uniformly into the mix water, continue to fill the tank with water. Then add the desired amount of other products recommended for tank mixture and allow them to become completely dispersed. Continue agitation to maintain a uniform suspension until all of the spray solution has been applied.

If using Apron XL WS in a tank mixture with other seed treatment chemicals, observe all directions for use, crops/sites, use rates, dilution ratios, precautions, and limitations which appear on the tank mix product label. No label dosage rate should be exceeded, and the most restrictive label precautions and limitations should be followed. This product should not be mixed with any product, which prohibits such mixing.

---

## SEED TREATMENT - DOMESTIC USE

---

### Carrots

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.

### Cereal Grains

- Wheat, barley, rye, oats, millet, rice, corn (field corn, sweet corn, and popcorn), buckwheat, and triticale.

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at the rate of 0.27-0.53 oz./100 lbs. of seed.

For Pythium seed rot and damping-off control in field corn when applied in combination with Maxim® or Captan products at labeled rates: Apply Apron XL WS as a seed treatment at 0.035 oz./100 lbs. of seed.

For systemic downy mildew control of sweet corn: Apply Apron XL WS as a seed treatment at the rate of 1.06 oz./100 lbs. of seed.

For Pythium damping-off control in wheat, barley, rye, and oats, when applied in combination with Dividend® or other seed treatment products labeled for disease control in these crops: Apply Apron XL WS as a seed treatment at 0.035 oz./100 lbs. of seed.

For Pythium seed rot and damping-off control in rice when applied in combination with Vitavax® 200, 42-S Thiram, or RTU® Vitavax® Thiram at labeled rates: Apply Apron XL WS as a seed treatment at 0.035-0.07 oz./100 lbs. of seed.

**Note:** If using Apron XL WS treated rice seed, do not use Ridomil Gold® for control of *Pythium* in water seeded rice.

#### Cotton

For Pythium seed rot and damping-off control: Apply Apron XL WS as a seed treatment to machine-delinted or acid-delinted cottonseed at the rate of 0.27-0.53 oz./100 lbs. of seed.

#### Forage Grasses

- Grasses grown for hay grazing or silage, corn (fodder or silage), and small grain grown for hay grazing or silage.

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at the rate of 0.27-0.53 oz./100 lbs. of seed.

#### Forage Legumes

- Alfalfa, clover, lespedeza, beans (for forage), soybeans (for forage), soybean hay, peas (for forage), pea vine hay, cowpeas (for forage), cowpea hay, trefoil, vetch, velvet beans (for forage)

For Pythium damping-off and early season *Phytophthora* control: Apply Apron XL WS as a seed treatment at the rate of 0.53 oz./100 lbs. of seed.

For suppression of early season downy mildew in alfalfa and soybeans: Apply Apron XL WS as a seed treatment at the rate of 0.53 oz./100 lbs. of seed.

#### Garden/Table Beets

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at the rate of 0.53 oz./100 lbs. of seed.

**Legume Vegetables and Okra** - Black-eyed peas, cowpeas, edible soybeans, soybeans, field beans, chick peas (garbanzo beans), field peas, garden peas, green beans, kidney beans, lima beans, navy beans, okra, pinto beans, peas, pole beans, snap beans, string beans, wax beans, lentils, lupines

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.

For Pythium damping-off control in field beans, kidney beans, navy beans, pinto beans, and lentils when disease pressure is expected to be low: Apply Apron XL WS as a seed treatment at 0.07-0.27 oz./100 lbs. of seed in combination with other seed treatment products labeled for these crops.

For early season Phytophthora control: Apply Apron XL WS as a seed treatment at 0.53 oz./100 lbs. of seed.

For Pythium damping-off and systemic downy mildew control of peas: Apply Apron XL WS as a seed treatment at the rate of 1.06 oz./100 lbs. of seed.

**Peanuts** For Pythium seed rot and damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.

**Sorghum** For Pythium damping-off control on all sorghum cultivars: Use 0.27-0.53 oz. of Apron XL WS per 100 lbs. of seed applied as a seed treatment.

For Pythium damping-off control when pressure is expected to be low: Apply Apron XL WS as a seed treatment at 0.07-0.27 oz./100 lbs. of seed in combination with Maxim or Captan products at labeled rates.

For systemic downy mildew control: Apply 0.53 oz. of Apron XL WS per 100 lbs. of seed on cultivars, which possess sorghum downy mildew resistance. To those cultivars, which do not possess resistance to a particular race of sorghum downy mildew grown in areas with recent history of severe disease, apply 1.06 oz. of Apron XL WS per 100 lbs. of seed as a seed treatment.

**Note:** Seed treated with the 1.06 oz. rate should be planted and not carried over to the following year.

Only high quality sorghum seed (90% germ and above) should be treated with Apron XL WS.

**Soybeans**

For Pythium damping-off and early season Phytophthora control: Apply Apron XL WS as a seed treatment at the rate of 0.27-0.53 oz./100 lbs. of seed.

For Pythium damping-off control when disease pressure is expected to be low: Apply Apron XL WS as a seed treatment at 0.07-0.27 oz./100 lbs. of seed in combination with other seed treatment products labeled for soybeans.

**Spinach**

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.

**Note:** Do not apply Apron XL WS to spinach, which is destined to be grown in the greenhouse. Containers or bags containing Apron-treated spinach seed must be labeled with the restriction. "Do not use seed for spinach destined to be grown in the greenhouse."

**Sugar Beets**

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at the rate of 0.27-0.53 oz./100 lbs. of seed.

**Sunflower**

For systemic downy mildew control: Apply Apron XL WS as a seed treatment at the rate of 1.06 oz./100 lbs. of seed.

**Turfgrasses (All)**

For Pythium damping-off control on golf courses, home lawns, reclamation, and erosion control projects: Apply Apron XL WS as a seed treatment at the rate of 0.53-1.06 oz./100 lbs. of seed.

**Note:** For long-term control of *Pythium* in areas when using Apron XL-treated seed, make an application of Subdue® MAXX® 7-10 days after seeding.

---

## SEED TREATMENT-EXPORT USE

---

**FOR TREATMENT OF THE FOLLOWING SEED FOR EXPORT ONLY TO COUNTRIES REQUIRING TREATMENT WITH Apron XL WS BEFORE IMPORTATION. User should verify actual registered rate in country of destination and/or use.**

<b>Brassica (Cole) Leafy Vegetables</b>	For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.
<b>Corn</b>	For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.  For systemic downy mildew control: Apply Apron XL WS as a seed treatment at 1.77 oz./100 lbs. of seed.
<b>Cucurbits</b>	For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed
<b>Fruiting Vegetables (e.g. tomatoes, peppers eggplant)</b>	For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 /100 lbs. of seed.
<b>Leafy Vegetables</b>	For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.
<b>Millet</b>	For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.  For systemic downy mildew control: Apply Apron XL WS as a seed treatment at 2.0 oz./100 lbs. of seed.
<b>Onions</b>	For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.
<b>Peas</b>	For Pythium damping-off and early season Phytophthora control: Apply Apron XL WS as a seed treatment at the rate of 0.53-1.06 oz./100 lbs. of seed.  For downy mildew control, apply Apron XL WS as a seed treatment at 1.06 oz./100 lbs. of seed.



**Root and Tuber Vegetables**

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.

**Note: Do not apply Apron XL WS to potatoes.**

**Sorghum**

For Pythium damping-off control: Apply Apron XL WS as a seed treatment at 0.27-0.53 oz./100 lbs. of seed.

For systemic downy mildew control: Apply Apron XL WS as a seed treatment at 1.77 oz./100 lbs. of seed.

**Sunflower**

For systemic downy mildew control: Apply Apron XL WS as a seed treatment at 3.1-3.72 oz./100 lbs. of seed.

Seed treated in accordance with the export use pattern must be labeled as follows:  
**FOR EXPORT ONLY - NOT FOR DOMESTIC SALE OR USE.**

**Note:** Federal law requires that bags containing treated seeds shall be labeled with the following information:

"This seed has been treated with Apron XL WS fungicide (mefenoxam)." Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs.

Use with an EPA-approved dye that imparts an unnatural color to the seed.

---

**STORAGE AND DISPOSAL**

---

Do not contaminate water, food, or feed by storage, or disposal.

**Pesticide Storage**

Open dumping is prohibited. Store in a cool, dry place. Do not store this product under wet conditions. Handle outer packaging carefully to avoid breakage of inner soluble bag.

**Pesticide Disposal**

Wastes resulting from the use of this product are toxic. Improper disposal of unused pesticide, spray mixture, or rinsate is a violation of federal law. Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to federal, state, or local procedures. For guidance in disposal methods, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

**Container Disposal/Handling**

Non-refillable container. Do not reuse or refill this outer container. Offer for recycling if available or dispose of the empty outer foil pouch container in the trash as long as WSP is unbroken a sanitary landfill, or by incineration, or by alternative methods allowed by state and local authorities.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

---

Apron XL®, Dividend®, Maxim®, Ridomil Gold®, Subdue MAXX® and the Syngenta logo are trademarks of a Syngenta Group Company

RTU® and Vitavax® are trademarks of Gustafson, LLC

©200\_ Syngenta

Manufactured for:  
Syngenta Crop Protection, Inc.  
P. O. Box 18300  
Greensboro, North Carolina 27419-8300

SCP 797 MAS 0406

Apron XL WS - bb - 4-19-06  
APR XL WS 797 MAS 0406 - pd - 08/05/09  
APR XL WS 797 MAS 0406 PRN2007-4 NOTIF-AUG2009 - pl - 8/7/09