

000100-00826-082198

Printed: 11:11:27 Friday, 21 May, 1999 # 15 / 2860

Systems Integration Group, Inc.

Please read instructions	on reverse before completing for	m.PM 22	100-826	8-21-9	8	Of
<b>\$EPA</b>	United State Environmental Protect Washington, DC	s tion Agency	Registrati Amendmen X Other	i	P Identifier Nu	1
	A	Alexander Description		l		
Company/Product Nu		tion for Pesticide	- Section I Product Manager	3. Proposed	d Classification	
100-826			a Giles-Parker	0. 1 Toposet	1 Olassincation	" [
<ol> <li>Company/Product (N Dividend®XL RTA</li> </ol>	ame)	PM# 22		X None	Res	stricted
5. Name and Address o Novartis Crop P P. O. Box 18300 Greensboro, NO			dited Review. In accordance is similar or identical in co			(b)(i),
Check	if this is a new address	Product Na	me			
		Section - II				
Amendment - Ex	plain below.	[	Final printed labels i	n respons	CATION	
Resubmission in	response to Agency letter dated		"Me Too" Application	n. AUG	2 1 1998	f
X Notification - Exp	lain below.	[	Other - Explain belo	w.		
Explanation: Use add	itional page(s) if necessary. (Fo	r Section I and Section	on II.)Add Rhizoctonia F	Root Rot to the d	irections for	use.
statement to EPA. I further in violation of FIFRA and I	ntial statement of formula of this proper understand that if this notification may be subject to enforcement actions the control of the contr	is not consistent with the	e terms of PR Notice 95-2	and 40 FR 152.46		
Child-Resistant Packaging		Water Solubl	e Packaging 2.	Type of Container	·	
Yes*	Yes	Yes		Metal		
No	No	No		Plastic Glass		
*Certification must be submitted	If "Yes" No.   Unit Packaging wgt. cont		No. per wgt. container	Paper	Specify)	
Location of Net Cont	ents Information 4.	Size(s) Retail Container	5. <u>Loc</u>	cation of Label Dire	ections	
Label	Container			On Label On Labeling ac	companying p	roduct
6. Manner in Which Lat	pel is Affixed to Product	Lithograph Paper glued Stenciled	Other			
		Section - IV				$\neg \neg$
	plete items directly below for identifi					
Name Richard Pence		Title Senior Reg	Julatory Manager	Telephone No. 336- 632-2461	(Include Area	Code)
	ments I have made on this form and ny knowingly false or misteading sta				Date Application Received (Stampe	
2. Signature	7	3. Title Senior Re	gulatory Manager		· · · · · · ·	Ī
4. Typed Name Richar	d Pence	5. Date August 12,	1998		,	
	-94) Previous editions are obsolete.			mpleting form.		* * * * * * * * * * * * * * * * * * *
			EPA-FRM	[G - CA-DOC - RE	EGAFFRS] 6/5	5/97 - bb

# **NOTIFICATION** AUG 2 1 1998

PULL HERE TO OPEN -

# Dividend<sup>2</sup>

**FUNGICIDE** 

A seed treatment for control of diseases of wheat

Active Ingredients:

Difenoconazole (CAS No. 119446) . . . 3.21%

(R)-[(2,6-dimethylphenyl)-

methoxyacetylamino]-propionic

Other Ingredients:

96.52%

Total:

100.00%

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use inside booklet.

NCP 826A-L1B 0698

Dividend XL RTA contains 0.31 lbs. difenoconazole and 0.025 lbs. (R)-[(2,6dimethylphenyl)-methoxyacetylamino]propionic acid methyl ester per gallon.

EPA Reg. No. 100-826 EPA Est. 5905-GA-1

2.5 GALLONS U.S. Standard Measure

**U** NOVARTIS

#### Dividend® XL RTA™

#### DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product. If terms are not acceptable, return the unopened product container at once.

#### **CONDITIONS OF SALE AND WARRANTY**

The **Directions for Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Novartis Crop Protection, Inc. or the Seller. All such risks shall be assumed by the Buyer.

Novartis warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use** subject to the inherent risks referred to above. **Novartis makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Novartis or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. Novartis and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Novartis.** 

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: coveralls, socks plus shoes, and waterproof gloves.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, AND/OR ILLEGAL RESIDUES.

#### **GENERAL INFORMATION**

Dividend XL RTA is a systemic seed dressing that controls or suppresses certain seed-borne, soil-borne, and fall foliar diseases of wheat. It is a mixture of Dividend and Apron XL<sup>TM</sup> LS. Apron XL LS provides Pythium damping-off activity and Dividend provides activity on the remaining diseases claimed on this label. An EPA-approved coloring agent, Pigment Red 48 has been added to the formulation.

Note: Apron XL LS is a systemic fungicide having a specific mode of action. Apron XL LS could be subject to development of insensitive strains of fungi. Development of insensitivity cannot be predicted. Therefore, Novartis cannot assume liability for crop damage resulting from insensitive strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible Apron XL LS insensitive strains of fungi which may occur.

#### MIXING PROCEDURES

Dividend XL RTA is especially formulated for on-farm treatment, using standard mechanical slurry- or misttype seed treatment equipment which accurately meters and mixes a flowable seed treatment. The equipment must provide uniform coverage of Dividend XL RTA on the seed. Uneven seed coverage may not give ', , , ', ', the desired level of disease control. This product does not require the addition of water for application. 'Consult the manufacturer of the application equipment you plan to use for suitability for this application and ', ', ', ', '

#### Dividend® XL RTA™

#### WHEAT

Apply Dividend XL RTA to wheat seed at the rates given in the following table:

#### Winter Wheat

Rate/CWT	Diseases Controlled	Fall Season Foliar Diseases Controlled	Diseases Partially Controlled <sup>2</sup>
10 fl. oz.	Common Bunt <sup>3</sup> , Dwarf Bunt, Loose Smut, Flag Smut, Seed-borne Septoria, General Seed Rots <sup>4</sup> , Fusarium Seed Scab, Pythium Damping-Off	Fall Season Powdery Mildew, Fall Season Leaf Rust, Fall Season Septoria Leaf Blotch	Common Root Rot (Cochliobolus spp.), Fusarium Root Rot, Fusarium Crown Rot, Take-All, Rhizoctonia Root Rot
5 fl. oz.	Common Bunt <sup>3</sup> , Dwarf Bunt, Flag Smut, Seed-borne Septoria, Loose Smut, General Seed Rots <sup>4</sup> , Fusarium Seed Scab, Pythium Damping-Off		Common Root Rot (Cochliobolus spp.), Rhizoctonia Root Rot
2.5 fl. oz.5	Common Bunt, Loose Smut		

¹Dividend XL RTA provides control of fall season powdery mildew, fall season leaf rust, and fall season Septoria leaf blotch in winter wheat for the first 6 weeks after planting. For full season control of these foliar diseases, use Tilt® fungicide according to label instructions.

<sup>&</sup>lt;sup>5</sup>The 2.5 fl. oz. rate should only be used in the following states: TX, OK, KS, CO, MO, NE, ND, SD, MN, MT. Spring Wheat

Rate/CWT	Diseases Controlled	Diseases Partially Controlled <sup>4</sup> Take-All, Common Root Rot (Cochliobolus spp.), Rhizoctonia Root Rot	
10 fl, oz.	Common Bunt <sup>1</sup> , Loose Smut, Flag Smut, Seed-borne Septoria, General Seed Rots <sup>2</sup> , Fusarium Seed Scab, Pythium Damping-Off		
5 fl. oz.	Common Bunt <sup>1</sup> , Seed-borne Septoria, Loose Smut, General Seed Rots <sup>2</sup> , Fusarium Seed Scab, Pythium Damping-Off	Common Root Rot (Cochliobolus spp.), Rhizoctonia Root Rot	
2.5 fl. oz. <sup>3</sup>	Common Bunt, Loose Smut, Fusarium Seed Scab		

<sup>&</sup>lt;sup>1</sup>Dividend XL RTA controls both seed-borne and soil-borne common bunt.

Important: (1) Do not use treated seed for feed, food, or oil. (2) Green forage may not be grazed until 55 days after planting. (3) Do not plant any crop other than wheat within 30 days to fields in which treated seeds were planted.

Note: Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with difenoconazole fungicide. Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs. Green forage may not be grazed until 55 days after planting. Do not plant any crop other than wheat within 30 days in fields in which treated seeds were planted."

•••••

<sup>&</sup>lt;sup>2</sup>Partial control can either mean erratic control from good to poor or consistent control at a level below that generally considered acceptable for commercial disease control.

<sup>&</sup>lt;sup>3</sup>Dividend XL RTA controls both seed-borne and soil-borne common bunt.

<sup>&</sup>lt;sup>4</sup>General seed rots controlled include those caused by saprophytic organisms, such as Penicillium and Aspergillus.

<sup>&</sup>lt;sup>2</sup>General seed rots controlled include those caused by saprophytic organisms, such as Penicillium and Aspergillus.

<sup>&</sup>lt;sup>3</sup>The 2.5 ff. oz. rate should only be used in the following states: TX, OK, KS, CO, MO, NE, ND, SD, MN, MT.

Partial control can either mean erratic control from good to poor or consistent control at a level below that , generally considered acceptable for commercial disease control.



## STORAGE AND DISPOSAL

### Pesticide Storage and Disposal

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### **Container Disposal**

20

Do not reuse empty container. Triple rinse (or equivalent), and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities. If burned, keep out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

## PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, socks and shoes, and waterproof gloves. Wash thoroughly with soap and water after handling.

#### Statement of Practical Treatment

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

**Note to Physician:** If ingested, induce emesis or administer an aqueous slurry of activated charcoal. Treat symptomatically.

#### Personal Protective Equipment

Applicators and other handlers must wear:

- . Long-sleeved shirt and long pants
- · Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **Engineering Control Statements**

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **User Safety Recommendations**

Users should:

- . Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### **Environmental Hazards**


This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

Apron XL™, Dividend® XL RTA™, and Tilt® trademarks of Novartis U.S. Patent No. 5,266,585

@1998 Novartis

Novartis Crop Protection, Inc. Seed Treatment Products Greensboro, North Carolina 27419 NCP 826A-L1B 0698



# DividendXL RTA

## **FUNGICIDE**

A seed treatment for control of diseases of wheat

Active Ingredients:
Difenoconazole
(CAS No. 119446) ... 3.21%
(R)-[(2,6-dimethylphenyl)methoxyacetylamino]-propionic
acid methyl ester ... 0.27%
Other Ingredients: 96.52%
Total: 100.00%

Dividend XL RTA contains 0.31 lbs. difenoconazole and 0.025 lbs. (R)-[(2,6-dimethylphenyl)-methoxyacetyl-amino]-propionic acid methyl ester per gallon.

EPA Reg. No. 100-826 EPA Est. 5905-GA-1

Dividend® XL RTA™ trademark of Novartis U.S. Patent No. 5,266,585

©1998 Novartis

Novartis Crop Protection, Inc. Seed Treatment Products Greensboro, North Carolina 27419

NCP 826A-L1B 0698

# 2.5 GALLONS U.S. Standard Measure

See directions for use in attached booklet.

#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

# KEEP OUT OF REACH OF CHILDREN. CAUTION

## **Precautionary Statements**

#### Hazards to Humans and Domestic Animals

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, socks and shoes, and waterproof gloves. Wash thoroughly with soap and water after handling.

#### **Statement of Practical Treatment**

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

Note to Physician: If ingested, induce emesis or administer an aqueous slurry of activated charcoal. Treat symptomatically.

#### **Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

#### Container Disposal

Do not reuse empty container. Triple rinse (or equivalent), and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities. If burned, keep out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.



