

100-826

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUL 1 2009

Mr. Pat Dinnen Product Registration Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419

> Subject: Label Notification for Pesticide Registration Notice 2007-4 (Storage & Disposal Changes)

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated May 27, 2009 for:

EPA Registration 100-826 "Dividend XL RTA Fungicide"

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

7. Holloman Sincerely.

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions o	n reverse before completing for	<i>m</i>				······································
۱	United States				Registration	OPP Identifier Number
\$EPA	Environmental	Protection Ag	ency		Amendment	Notification
	Washingt	on, DC 20460		×	Other	
	ΑΑ	pplication for	Pesticide - Se	ection I		
 Company/Product I 100-826 	Number		2. EPA Produ Tony Kish	uct Manag	ger 3.	Proposed Classification
4. Company/Product (· · · · · · · · · · · · · · · · · · ·	PM#			None Restricted
Dividend XL RTA For 5. Name and Address	ungicide of Applicant (Include ZIP Cod	da)	6. Expedited	Boviou	In accordance with	FIFRA Section 3(c)(3) (b)(i),
Syngenta Cr	op Protection, Inc.	10)			lentical in compositio	
P. O. Box 18 Greensboro,			EPA Reg. No.	EPA Reg. No. NOTIFICATION		
Check	t if this is a new address		Product Name		JUL OI	2009
		Se	ection - II			
		36				
Amendment - E	xplain below.			•	nted labels in respon letter dated	se to
Resubmission i	n response to Agency letter d	lated			" Application.	
X Notification - Ex	plain below.			Other - E	Explain below.	
xplanation: Use ad	ditional page(s) if necessa	ary. (For Section	I and Section II.	.).	· •	<u> </u>
7-41641 0111	1		· / · · · · · · · · · · · · · · · · · · ·		<i>d d i i i</i>	f PR Notice 2007-4 and the
Syngenta is amending 2007-4.	g the Storage and Disposa	al section of the	label by Notific	cation ac	ccording to the dir	rections stated in PR Notice
		Se	ction – III		······	
	uct Will Be Packaged In:	·····		<u>.</u>	······	
Child-Resistant Packagii	ng Unit Packaging Yes		Water Soluble Pac	ckaging	2. Type of (Container Metal
No No	X No		X No		×	Plastic Glass
Certification must	If "Yes"	• 1	"Yes"	No. per		Paper
e submitted	Unit Packaging wgt	. Container U	nit Packaging wgt.	contain	er	Other (Specify)
3. Location of Net Cor	itents Information	4. Size(s) Re 2.5 gal. and Bul	tail Container		5. Location of	Label Directions
X Label	Container	2.0 gan and Da	· ·			beling accompanying product
6. Manner in Which La	abel is Affixed to Product	Lithogra		x 0	ther <u>Pressure</u>	Sensitive
		Paper gl				((()
			ction – IV	·		
I. Contact Point (Cor	nplete items directly below for			acted, if i	necessary, to proces	s this applications
Name Pat Dinnen		Titl	e bel Group Leader			hone No. (Include Area Code) 32-2494
	tements I have made on this f	Certification		true. acc	(6. Cate Application
	any knowingly false or mislea				mprisonment or	َنَّ رَبْرَ (Stamped)
2. Signature		3. Titl		_	<u>ιιιι</u> ιιιι	
Pat Dinnen		Regulato	ory Specialist			
4. Typed Name			·			
4. Typeu Maine		5. Dat				
Pat Dinnen		5. Dai May 27,				

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com



FedEx

May 27, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attention: Ms. Linda Arrington

SUBJECT: DIVIDEND® XL RTA® FUNGICIDE EPA REG. NO. 100-826 NOTIFICATION OF LABEL CHANGE PER PR NOTICE 2007-4

Syngenta Crop Protection, Inc. is submitting Notification for Dividend XL RTA Fungicide, EPA Reg. No. 100-826. Syngenta is amending the Storage and Disposal section of the label by Notification according to the directions stated in PR Notice 2007-4.

Attached are:

- One copy of the label with the changes clearly marked
- One unmarked copy of the label
- A CD of the unmarked copy of the label for "Electronic Comparison and Review"
- Certificate with Respect to Label Integrity Form
- Completed EPA Form 8570-1

Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-2494.

COCC

00 0000

66000 66000

Sincerely,

Pat Dinnen

Pat Dinnen Label Group Leader Regulatory Affairs

Enclosures

Certification with Respect to Label Integrity

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL		
EPA Registration #	Date Submitted to EPA	Electronic file name
100-826	05/27/2009	000100-00826.20090526.DIV-XL-RTA_PRN2007-4_MAY2009.pdf

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

Pat dinnen

May 27, 2009

ι. · · · ·

Signature

Date

Pat Dinnen Name (typed)

Label Group Leader Title

Booklet Label

Dividend® XL RTA®

Fungicide

A seed treatment for control of diseases of wheat and barley

Active Ingredients:	
Difenoconazole*	
Mefenoxam**	
Other Ingredients:	96.52%
Total:	100.00%

*CAS No. 119446-68-3 **CAS Nos. 70630-17-0 and 69516-34-3

Dividend XL RTA contains 0.31 lbs. difenoconazole and 0.025 lb. mefenoxam per gallon.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use inside booklet.

EPA Reg. No. 100-826

EPA Est. 100-NE-001

SCP 826A-L1J 0207 (2½ gals. - Product ID 53445) SCP 826A-L2J 0207 (____ gals. - Product ID 26024)

2.5 gallons · Net Contents

____ gallons Net Contents

_	FIRST AID
lf on skin or	Take off contaminated clothing.
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
	NOTE TO PHYSICIAN
If ingested, induc	ce emesis and treat symptomatically.
Have the produc	t container or label with you when calling a poison control center or
doctor or going f	or treatment.
	HOT LINE NUMBER
For 24	4 Hour Medical Emergency Assistance (Human or Animal) or
Cher	mical Emergency Assistance (Spill, Leak, Fire, or Accident),
	Call
<u>}</u>	1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, socks and shoes, and chemical-resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

....

-2-

Engineering Control Statements

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

ε ις ε ε ε ε ε ε

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the fullest extent allowed by State law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the fullest extent allowed by State law, SYNGENTA or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT; SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

-4-

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plan's, soil, or water, wear:

- Coveralls
- Socks plus shoes
- Chemical-resistant gloves made of any waterproof material

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, AND/OR ILLEGAL RESIDUES.

GENERAL INFORMATION

Dividend XL RTA is a systemic seed dressing that controls or suppresses certain seedborne, soil-borne, and early season foliar diseases of wheat and barley. It is a mixture of Dividend and Apron XL® LS. Apron XL LS provides Pythium damping-off activity and Dividend provides activity on the remaining diseases claimed on this label. An EPA-approved coloring agent, Pigment Red 48 has been added to the formulation.

Note: Mefenoxam is a systemic fungicide having a specific mode of action. Apron XL LS could be subject to development of insensitive strains of fungi. Development of insensitivity cannot be predicted. Therefore, Syngenta cannot assume liability for crop damage resulting from insensitive strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible mefenoxam insensitive strains of fungi which may occur.

MIXING PROCEDURES

Dividend XL RTA is especially formulated for on-farm treatment, using standard mechanical slurry- or mist-type seed treatment equipment which accurately meters and mixes a flowable seed treatment. The equipment must provide uniform coverage of Dividend XL RTA on the seed. Uneven seed coverage may not give the desired level of disease control. This product does not require the addition of water for application. Consult the manufacturer of the application equipment you plan to use for suitability for this application and for instructions on operation and calibration of the equipment.

Tank Mixtures

Confirm physical compatibility, seed safety, seed safety in stored seed, and biological efficacy before tank mixing with other seed treatment products.

· e e e e e e

Follow the label directions for the most restrictive of label precautions and limitations. This product cannot be mixed with any product containing a label prohibition against such mixing.

RESTRICTIONS

- Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs.
- Green wheat forage may not be grazed until 55 days after planting.
- Green barley forage may not be grazed until 30 days after planting.
- Do not plant any crop other than those on this label within 30 days to fields in which treated seeds were planted.

SEED BAG LABEL REQUIREMENT

Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with the fungicides difenoconazole (CAS No. 119446-68-3) and mefenoxam (CAS Nos. 70630-17-0 and 69516-34-3). Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs. Green wheat forage may not be grazed until 55 days after planting. Green barley forage may not be grazed until 30 days after planting. Do not plant any crop other than those on this label within 30 days to fields in which treated seeds were planted."

BARLEY	

Apply Dividend XL RTA to barley seed at the rates given in the following table:

Rate/CWT	Diseases Controlled	Diseases partially controlled ¹
5 fl. oz.	Barley Stripe	Common Root Rot (Cochiliobolus spp.)
	General Seed Rots ²	Fusarium Seed Scab
	Covered Smut	Rhizoctonia Root Rot
	Pythium Damping Off	
10 fl. oz.	Barley Stripe	Take-all
	General Seed Rots ²	Common Root Rot (Cochilobolus spp.)
	Fusarium Seed Scab	Fusarium Root Rot
	Covered Smut	Fusarium Crown Rot
	Pythium Damping Off	Rhizoctonia Root Rot

¹ Partial control can either mean erratic control from good to poor, or consistent control at a level below that is generally considered acceptable for commercial disease control.

² General seed rots controlled include those caused by saprophytic organisms such as *Penicillium* spp. and *Aspergillus* spp.

i١

WHEAT

Apply Dividend XL RTA to wheat seed at the rates given in the following table:

Winter Wheat

Rate/CWT	Diseases Controlled	Fall Season Foliar Diseases Controlled ¹	Diseases Partially Controlled ²
2.5 fl. oz. ⁵	Common Bunt Loose Smut		
5 fl. oz.	Common Bunt ³ Dwarf Bunt Flag Smut Seed-borne Septoria Loose Smut General Seed Rots ⁴ Fusarium Seed Scab Pythium Damping-Off		Common Root Rot (<i>Cochliobolu</i> s spp.) Rhizoctonia Root Rot
10 fl. oz.	Common Bunt ³ Dwarf Bunt Loose Smut Flag Smut Seed-borne Septoria General Seed Rots ⁴ Fusarium Seed Scab Pythium Damping-Off	Fall Season Powdery Mildew Fall Season Leaf Rust Fall Season Septoria Leaf Blotch	Common Root Rot (<i>Cochliobolus</i> spp.) Fusarium Root Rot Fusarium Crown Rot Take-All Rhizoctonia Root Rot

¹Dividend XL RTA provides control of fall season powdery mildew, fall season leaf rust, and fall season Septoria leaf blotch in winter wheat for the first 6 weeks after planting. For full season control of these foliar diseases, use Tilt® fungicide according to label instructions.

²Partial control can either mean erratic control from good to poor or consistent control at a level below that generally considered acceptable for commercial disease control.

³Dividend XL RTA controls both seed-borne and soil-borne common bunt.

⁴General seed rots controlled include those caused by saprophytic organisms such as *Fenicillium* spp.

⁵The 2.5 fl. oz. rate should only be used in the following states: TX, OK, KS, CO, MO, NE, ND, SD, MN, MT, CA.

Spring Wheat

Rate/CWT	Diseases Controlled	Diseases Partially Controlled ⁴
2.5 fl. oz. ³	Common Bunt	
	Loose Smut	
	Fusarium Seed Scab	
5 fl. oz.	Common Bunt ¹	Common Root Rot
	Seed-borne Septoria	(Cochliobolus spp.)
	Loose Smut	Rhizoctonia Root Rot
	General Seed Rots ²	
	Fusarium Seed Scab	
	Pythium Damping-Off	
10 fl. oz.	Common Bunt ¹	Take-All
	Loose Smut	Common Root Rot
	Flag Smut	(Cochliobolus spp.)
	Seed-borne Septoria	Rhizoctonia Root Rot
	General Seed Rots ²	
	Fusarium Seed Scab	
	Pythium Damping-Off	

¹Dividend XL RTA controls both seed-borne and soil-borne common bunt.

²General seed rots controlled include those caused by saprophytic organisms, such as *Penicillium* spp. and *Aspergillus* spp.

³The 2.5 fl. oz. rate should only be used in the following states: TX, OK, KS, CO, MO, NE, ND, SD, MN, MT, CA.

⁴Partial control can either mean erratic control from good to poor or consistent control at a level below that generally considered acceptable for commercial disease control.

STORAGE AND DISPOSAL	(
Do not contaminate water, food, or feed by storage or disposal.	ι ττιτικτ τ. τ ε τ ε τ	
Pesticide Storage		((((((

Keep container tightly closed when not in use. Store out of the reach of children.

Spill Response

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Handling [less than 5 gallons]

<u>Non-refillable container.</u> Do not reuse <u>or refill thisempty</u> container. <u>Offer for recycling if</u> <u>available.</u> Triple rinse <u>container</u> (or equivalent) <u>promptly after emptying.</u> Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Then and offer for recycling if availableer reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities, by burning. If burned, <u>staykeep</u> out of smoke.

Syngenta Refillable Container Handling [greater than 5 gallons]

If this is a Syngenta Refillable container., and is to be refilled. Do not rinse or introduce any pesticide other than Refill this container with Dividend XL RTA only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Reseal and return the container to an authorized Syngenta refilling facility. If the Syngenta container is not to be refilled, triple rinse (or equivalent), and Then offer for recycling if availableer or even reconditioning, or puncture and dispose of in a sanitary landfill, or by incinesation, or, by open burning if allowed by state and local authorities, by burning. If burned, keepstay 000000 000 out of smoke.

Apron XL®, Dividend®, Dividend® XL RTA®, Tilt®, the Syngenta logo and the CP FRAME are trademarks of a Syngenta Group Company

6.6

cι

U.S. Patent No. 5,266,585

©2007 Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409

www.syngenta-us.com

SCP 826A-L1J 0207 (21/2 gals. - Product ID 53445) SCP 826A-L2J 0207 (____gals. - Product ID 26024)

000 ¢. 00 0 0 0 0 0 ٥ 000000 00 00 00 ø 0 00 ¢ 00 õ ¢ 33335 3 3 6 3 3 0 6 3 9 0 0 0 00 0 ο 0 2 2 0 0 0 0 0 0 o 0 0 0 0 0 0 0 0 0

-11-

Base Label

Dividend® XL RTA®

Fungicide

A seed treatment for control of diseases of wheat and barley

Active Ingredients:	
Difenoconazole*	
Mefenoxam**	
Other Ingredients:	96.52%
Total:	100.00%

*CAS No. 119446-68-3 **CAS Nos. 70630-17-0 and 69516-34-3

Dividend XL RTA contains 0.31 lb. difenoconazole and 0.025 lb. mefenoxam per gallon.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See directions for use in attached booklet.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

EPA Reg. No. 100-826

EPA Est. 100-NE-001

2.5 gallons Net Contents

FIRST AID		
lf on skin or	Take off contaminated clothing.	
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.	
	 Call a poison control center or doctor for treatment advice. 	
	NOTE TO PHYSICIAN	
If ingested, induc	e emesis and treat symptomatically.	
Have the product container or label with you when calling a poison control center or		
doctor or going fo	or treatment.	
HOT LINE NUMBER		
For 24 Hour Medical Emergency Assistance (Human or Animal) or		
Chemical Emergency Assistance (Spill, Leak, Fire, or Accident),		
Call		
1-800-888-8372		

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Weare long-sleeved shirt and long pants, socks and shoes, and chemical-resistant gloves are made of any waterproof material. Wash thoroughly with soap and water handling.

ccèce.

Environmental Hazards

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Keep container tightly closed when not in use. Store out of the reach of children.

-13-

Spill Response

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Handling [less than 5 gallons]

<u>Non-refillable container.</u> Do not reuse <u>or refill this empty</u>-container. <u>Offer for recycling</u> <u>if available</u>. Triple rinse <u>container (or equivalent) promptly after emptying</u>. <u>Triple rinse</u> <u>as follows: Empty the remaining contents into application equipment or a mix tank and</u> <u>drain for 10 seconds after the flow begins to drip</u>. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a <u>mix</u> tank and <u>begins to drip</u>. Shake for 10 seconds. Pour rinsate into application equipment or a <u>mix</u> tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow <u>begins to drip</u>. Repeat this procedure two more times. Then, and offer for recycling <u>if</u> <u>availableor reconditioning</u>, or puncture and dispose of in a sanitary landfill, or by incineration, or <u>by open burning</u>, if allowed by state and local authorities, <u>by burning</u>. If burned, <u>staykeep</u> out of smoke.

Container Handling [greater than 5 gallons]

Refillable container. Refill this container with Dividend XL RTA only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Dividend® XL RTA® and the Syngenta logo are trademarks of a Syngenta Group Company

©2007 Syngenta

Manufactured for: Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

SCP 826A-L1J 0207

DIV XL RTA 826-L1J-L2J 0207 PRN2007-4 NOTIF-MAY2009 - pl - 5/26/09

 19

19