

and the state of t

-----

000100-00834-052599

Printed: 07:43:04 Friday, 18 Jun, 1999 # 105 / 3383

Systems Integration Group, Inc.

I

100-834 5-25-99

MAY 1-3-1999 Emme, MAY 2 5 1999

Ms. Carolyn F. Brinkley Novartis Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300

Dear Ms. Brinkley:

ĺ

PM 23

Subject: Barricade<sup>®</sup> 65WG Herbicide EPA Reg. No. 100-834 Application and Letter Dated May 10, 1999, Request To Amend Registration by Adding Supplemental Labeling for Weed Control in Overseeded Perennial Ryegrass in Arizonia, California, Nevada and Texas

The proposed supplemental labeling bearing claims for use of Barricade 65WG Herbicide for the control of <u>Poa annua</u> in perennial ryegrass over-seeded golf courses (excluding golf course putting greens), lawns and sod nurseries has been reviewed as an amendment to the registration of the subject pesticide product under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended. The proposed labeling is an acceptable amendment to the subject pesticide product registration under the Act provided that you:

- Correct the reference to Barricade 65WG <u>Supplementary</u> to read "Barricade" 65WG Supplemental Label for the States of Texas, Arizona, Nevada and California".
- 2. The statement "Failure to follow the directions for use and precautions on this label may result in poor insect control, crop injury, or illegal residues." must be restated as follows: ".....may result in poor weed control, turf or crop injury or undesirable environmental effects.

CONCURRENCES							
SYMBOL							
SURNAME			· · ·				
DATE			}				

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

3. Submit one (1) copy of your final printed label reflecting the above comments prior to your shipment of the subject pesticide product under this supplemental labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for snipment of this product under the subject labeling constitutes acceptance of these conditions.

A stamped copy of the proposed label is enclosed for your records.

Sincerely yours,

Joanne I. Miller Product Hanager (23) Herbicide Branch Registration Division (7505C)

Enclosure

1.2**6**-1.15 (2.35) 2.1-5

2011 N 🔺

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY +U.S. GPO : 1985-467-853

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

-2-

(Barricade 65WG Supplementary Label for the States of Texas, Arizona, Nevada and California.)

### SUPPLEMENTAL LABELING

Barricade® 65WG HERBICIDE EPA Reg. No. 100-834

For use on golf courses (excluding golf course putting greens), lawns and sod nurseries

Controls *Poa annua* in Perennial Ryegrass Overseedings Use in Arizona, California, Nevada, and Texas <u>only</u>.

Active Ingredient:	
Prodiamine (CAS No. 29091-21-2)	
Other Ingredients:	35.0%
Total:	100.0%

## KEEP OUT OF REACH OF CHILDREN

CAUTION

1

è

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### This label must be in the possession of the user at the time of application

Follow all applicable directions, restrictions, and precautions, including statements pertaining to the Worker Protection Standard, on the EPA-registered Barricade® 65WG label.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

ACCEPTED				
with COMMENTS				
In EPA Letter Dated				

MAY 2 5 1999 Under the Federal Insecticide,

Fundicide, and Rodenticide Act as amonded, for the pesticide registered autor EPA Reg. No.

#### **General Information**

This label is for perennial rye grass only at a minimum seeding rate of 350 pounds per acre. Use this product only in Arizona, California, Nevada and Texas <u>only</u>.

# How Much and When to Apply

Amount to Apply	When to Apply	Expected Control	Precautions
0.58 to 1.0 lb/A	6 to 8 weeks before rye grass overseeding	1 application for 70% or greater control of <i>Poa Annua</i>	Some seedling mortality and temporary reduction in root growth of new seedlings may occur. To reduce the potential for seedling mortality maintain a moist seedbed with light, frequent irrigation
	second	second application	
	application: 4 to 8 weeks after overseeding or when perennial rye grass roots are in the second inch of soil	for enhanced control	Note: Make no more than 2 applications per year for this use.

Barricade® trademark of Novartis ©1999 Novartis

Novartis Crop Protection, Inc. Turf & Ornamentals Group Greensboro, North Carolina 27419

Apr 13, 1999

