,	-885 reverse before completing form.	4/13/6	1001	Page 18
<b>\$EPA</b>	United States Environmental Protectio Washington, DC 204	<u> </u>	Registration Amendment  X Other	OPP Identifier Number NOTIFICATION
	Application	on for Pesticide - Sec	tion l	
Company/Product Number     100-885	1	EPA Produc     Cynthia Giles-Park		Proposed Classification
Company/Product (Name) Dividend® XL Fungicide		PM# 22		x None Restricted
5. Name and Address of App Syngenta Crop Prote P. O. Box 18300 Greensboro, NC 274	ection, Inc.	6. Expedited F	Review. In accordance wi lar or identical in composit	ith FIFRA Section 3(c)(3) (b)(i), tion and labeling to:
	s is a new address	Product Name		
		Section - II		
Amendment - Explain	below.	F	Final printed labels in respondency letter dated	onse to NOTIFICATION
Resubmission in resp	onse to Agency letter dated		Me Too* Application.	APR 1 3 2001
X Notification - Explain t	pelow.		Other - Explain below.	HIII . O EVVI
updated to reflect Syngenta Crop Pr formed by the merger of Novartis Cr statement. No other changes occur	under sections 12 and 14 of FIFRA. The retection, Inc. 2) The Conditions of Sale approtection, Inc. and Zeneca Ag Produin the statement other than the name charter which Syngenta holds the trademark been updated.	and Warranty statement has be- lucts, we have chosen to use the lange. 3) The copyright date ref	en changed to reflect the name e former Zeneca warranty state flects Syngenta. 4) Trademark	e change. Because Syngenta has been ement as the Syngenta warranty statements have been updated to
1. Material This Product W				
Child-Resistant Packaging Yes* No	Unit Packaging Yes No	Water Soluble Pack		of Container  Metal Plastic Glass
*Certification must be submitted	If "Yes" No. per Unit Packaging wgt. Containe		No. per container	Paper Other (Specify)
Location of Net Contents     Label	Information 4. Size	e(s) Retail Container	On On	of Label Directions Label Labeling accompanying product
6. Manner in Which Label is	P	ithograph [ aper glued stenciled		
Contact Point (Complete)	" dispath, balant for identificati	Section - IV	- ' '	this application 1
Name Nan S. Padgett	items directly below for identification	Title	Tel	ephone No. (Include Area Code) 6-632-7567
I certify that the statemen I acknowledge that any kr both under applicable law	Certific ts I have made on this form and all nowingly false or misleading statem .	attachments thereto are tr	ue, accurate and complete	6. Date Application
2. Signature	3.	. Title abel Group Leader		
4. Typed Name Nan S. Padgett	5. N	. Date March 26, 2001		••••

PULL HERE TO OPEN -

# DividendX



# **FUNGICIDE**

A seed treatment for control of diseases of wheat NOTIFICATION APR 1 3 2001

Active Ingredients:

Difenoconazole: (CAS #119446) . . . . 16.50%

(R)-[(2,6-dimethylphenyl)-

methoxyacetylamino]-propionic 

Other Ingredients:

82.12%

Total:

100.00%

Dividend XL contains 1.54 lbs. difenoconazole and 0.13 lb. (R)-[(2,6-dimethylphenyl)methoxyacetylamino]-propionic acid methyl ester per gallon.

EPA Reg. No. 100-885 EPA Est. 5905-GA-1

KEEP OUT OF REACH OF CHILDREN.

See additional precautionary statements and directions for use inside booklet.

SCP 885A-L1C 0201

2.5 GALLONS

U.S. Standard Measure

syngenta

# CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

SCF 130-885A-L1C

....

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

# **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

# **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: coveralls, socks plus shoes, and waterproof gloves.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, AND/OR ILLEGAL RESIDUES.

# **GENERAL INFORMATION**

Dividend XL is a systemic seed dressing that controls or suppresses certain seed-borne, soil-borne, and fall foliar diseases of wheat. It is a mixture of Dividend and Apron XL<sup>TM</sup> LS. Apron XL LS provides Pythium damping-off activity and Dividend provides activity on the remaining diseases claimed on this label. An EPA-approved coloring agent, Pigment Red 48 has been added to the formulation.

Note: Apron XL LS is a systemic fungicide having a specific mode of action. Apron XL LS could be subject to development of insensitive strains of fungi. Development of insensitivity cannot be predicted. Therefore, Syngenta cannot assume liability for crop damage resulting from insensitive strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible Apron XL LS insensitive strains of fungi which may occur.

# **MIXING PROCEDURES**

Apply Dividend XL as a water-based slurry through standard slurry or mist-type commercial seed treaters. Prepare a slurry by mixing Dividend XL in up to 16 fl. oz. of water per 100 lbs. of seed. Mix the slurry thoroughly with the seed to provide uniform coverage.

# WHEAT

Apply Dividend XL to wheat seed at the rates given in the following table:

### Winter Wheat

Rate/CWT	Diseases Controlled	Fall Season Foliar Diseases Controlled <sup>1</sup>	Diseases Partially Controlled <sup>2</sup>
2 fl. oz.	Common Bunt <sup>3</sup> , Dwarf Bunt, Loose Smut, Flag Smut, Seed-borne Septoria, General Seed Rots <sup>4</sup> , Fusarium Seed Scab, Pythium Damping-Off	Fall Season Powdery Mildew, Fall Season Leaf Rust, Fall Season Septoria Leaf Blotch	Common Root Rot (Cochliobolus spp.), Fusarium Root Rot, Fusarium Crown Rot, Take-All, Rhizoctonia Root Rot
1 fl. oz.	Common Bunt <sup>3</sup> , Dwarf Bunt, Flag Smut, Seed-borne Septoria, Loose Smut, General Seed Rots <sup>4</sup> , Fusarium Seed Scab, Pythium Damping-Off		Common Root Hot (Cochliobolus spp.), Rhizoctonia Root Rot

<sup>&</sup>lt;sup>1</sup> Dividend XL provides control of fall season powdery mildew, fall season leaf rust, and fall season Septoria leaf blotch in winter wheat for the first 6 weeks after planting. For full season control of these foliar diseases, use Tilt® fungicide according to label instructions.

#### **Spring Wheat**

Rate/CWT	Diseases Controlled	Diseases Partially Controlled <sup>3</sup>	
2 fl. oz.	Common Bunt <sup>1</sup> , Loose Smut, Flag Smut, Seed-borne Septoria, General Seed Rots <sup>2</sup> , Fusarium Seed Scab, Pythium Damping-Off	Take-All, Common Root Rot ( <i>Cochliobolus</i> spp.). Rhizoctonia Root Rot	
1 fl. oz.	Common Bunt <sup>1</sup> , Seed-borne Septoria, Loose Smut, General Seed Rots <sup>2</sup> , Fusarium Seed Scab, Pythium Damping-Off	Common Root Rot (Cochliobolus spp.), Rhizoctonia Root Rot	

<sup>&</sup>lt;sup>1</sup>Dividend XL controls both seed-borne and soil-borne common bunt.

**Important:** (1) Do not use treated seed for feed, food, or oil. (2) Green wheat may not be grazed until 55 days after planting. (3) Do not plant any crop other than wheat within 30 days to fields in which treated seeds were planted.

Note: Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with diffenoconazole fungicide. Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs. Green wheat may not be grazed until 55 days after planting. Do not plant any crop other than those on this label within 30 days in fields in which treated seeds were planted."

# STORAGE AND DISPOSAL

# Pesticide Storage and Disposal

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<sup>&</sup>lt;sup>2</sup>Partial control can either mean erratic control from good to poor or consistent control at a level below that generally considered acceptable for commercial disease control.

<sup>&</sup>lt;sup>3</sup>Dividend XL controls both seed-borne and soil-borne common bunt.

<sup>\*</sup>General seed rots controlled include those caused by saprophytic organisms, such as Penicillium and Aspergillus.

<sup>&</sup>lt;sup>2</sup>General seed rots controlled include those caused by saprophytic organisms, such as Penicillium and Aspergillus.

<sup>&</sup>lt;sup>3</sup>Partial control can either mean erratic control from good to poor or consistent control at a level below that generally considered acceptable for commercial disease control.

# **Container Disposal**

Do not reuse empty container. Triple rinse (or equivalent), and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities. If burned, keep out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

# **PRECAUTIONARY STATEMENTS**

### Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

# Statement of Practical Treatment

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

Note to Physician: If ingested, induce emesis and treat symptomatically.

# **Personal Protective Equipment**

### Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- · Shoes plus socks
- · Waterproof gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

# **Engineering Control Statements**

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

# **User Safety Recommendations**

## Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### **Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

Apron XL™, Dividend®, and Tilt® trademarks of Syngenta U.S. Patent No. 5,266,585

©2001 Syngenta

Syngenta Crop Protection, Inc. Seed Treatment Products Greensboro, North Carolina 27409 www.syngenta-us.com SCP 885A-L1C 0201

# DividendXL FUNGICIDE

A seed treatment for control of diseases of wheat

Active Ingredients:
Difenoconazole:
(CAS #119445) 16.50%
(R)-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester 1.38%

Other Ingredients: 82.12%

Total: 100.00%

Dividend XL contains 1.54 lbs. difenoconazole and 0.13 lb. (R)-[(2,6-dimethylphenyl)-methoxy-acetylamino]-propionic acid methyl ester per gallon.

EPA Reg. No. 100-885 EPA Est. 5905-GA-1

Dividend® trademark of Syngenta U.S. Patent No. 5,266,585

©2001 Syngenta

Syngenta Crop Protection, Inc. Seed Treatment Products Greensboro, North Carolina 27409 www.syngenta-us.com SCP 885A-L1C 0201

2.5 GALLONS U.S. Standard Measure

See directions for use in attached booklet.

# **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

# KEEP OUT OF REACH OF CHILDREN.

# **CAUTION**

**Precautionary Statements** 

#### Hazards to Humans and Domestic Animals

Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### Statement of Practical Treatment

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**Note to Physician:** If ingested, induce emesis and treat symptomatically.

#### **Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

#### Container Disposa

Do not reuse empty container. Triple rinse (or equivalent), and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities. If burned, keep out of smoke

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

