



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

. OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms Pat Dinnen Syngenta Crop Protection P.O.BOX 18300 Greensboro, NC 27419

JAN 8 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated September 8, 2009 for:

**EPA Registration 100-885** 

Dividend ® XL

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)

Office of Pesticide Programs

2	2
_	_
١	В

Please read instructions on rever	rse before completing form.					
	nited State	S	R	tration		OPP Identifier Number
<b>⊕EPA</b>	Environmental Protection Agency			mendment		Notification
AFIL	Washington, DC	• •	× Ot	ther		710
	A P	Contract to the contract of				
Company/Product Number		ation for Pesticide - S	duct Manage	r 3	Pron	osed Classification
100-885		Tony Kish		·	. 110p	osed Orassinoation
4. Company/Product (Name	)	PM#			x N	one Restricted
Dividend XL  5. Name and Address of Ap	plicant (Include ZIP Code)	22 6. Expedito	ad Paviou	n accordance i	with EIED	A Section 3(c)(3) (b)(i),
Syngenta Crop Pr		my product is				
P. O. Box 18300	27440	EDA Bog No				
Greensboro, NC 2	27419	EPA Reg. No.				
Check if this	s is a new address	Product Name			-	
		Section - II	<del>-</del>	<del></del>		
		· ·			-	<del></del>
Amendment - Explain	below.			ed labels in res	•	
Resubmission in resp	onse to Agency letter dated		Agency let "Me Too" A	ter dated Name   Name	OTIFI	CATION
			_	•	IAN .	- 8 2010
X Notification - Explain	Delow.		J Other - Exp	plain below.	JAIV	0 FOID
Explanation: Use addition	nal page(s) if necessary. (Fo	or Section I and Section	II.).			
Notification of label change per PR Notice 2007-4. This Notification is consistent with the guidance of PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§156.10, 156.140, 156.144 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to						
CFR §§156.10, 156.140,	willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.					
emorcement action and per	iaities under sections 12 and	14 OFFICA.				
Syngenta is amending the	Storage and Disposal section	on of the label by Notif	fication acco	ording to the	directio	ns stated in PR Notice
2007-4.						
		•				
		Section - III	<del></del>			<del>,</del>
	1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging Yes*	Unit Packaging Yes	Water Soluble P	ackaging	2. Type	of Conta	
No No	x No	x No	•	х	Plas	
*Certification must	If "Yes" No. p	per If "Yes"	No. per	$\dashv$ $\vdash$	Glas	
be submitted	,	ainer   Unit Packaging wg			Pap Othe	er er (Specify)
2 Landian of Net Contents	Information 14 6	Nizo(a) Batail Cantainas		E Legation		Discotions
3. Location of Net Contents		Size(s) Retail Container II. and 250 gal.			n Cabel n Label	Directions
x Label C	Container	•		o	n Labeling	accompanying product
6. Manner in Which Label is	Affixed to Product	Lithograph Paper glued	X Othe	er <u>Press</u>	ure Sensi	( ( ( )
		Stenciled				( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
		Section - IV		( (	. ( ) ( )	ς
Contact Point (Complete Name	items directly below for identific	cation of individual to be co	ntacted, if ne			<i>application.).</i> No. (Irîcîûde Area Code)
Pat Dinnen	· · · · · · · · · · · · · · · · · · ·	Label Group Leader	· · · · · · · · · · · · · · · · · · ·		86-€32-24	94
	its I have made on this form and nowingly false or misleading sta			ate and comple	ecec gé <sub>ce</sub>	6. Date Application Received (Stamped)
Signature	•	3. Title				
Pat Alianen		Regulatory Specialist				( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
Typed Name     Pat Dinnen		5. Date September 8, 2009				

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com



# **FedEx**

September 8, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attention: Ms. Linda Arrington

SUBJECT: DIVIDEND® XL

EPA REG. NO. 100-885

NOTIFICATION OF LABEL CHANGE PER PR NOTICE 2007-4

Syngenta Crop Protection, Inc. is submitting Notification for Dividend XL, EPA Reg. No. 100-885. Syngenta is amending the Storage and Disposal section of the label by Notification according to the directions stated in PR Notice 2007-4.

#### Attached are:

- One copy of the label with the changes clearly marked
- One unmarked copy of the label
- A CD of the unmarked copy of the label for "Electronic Comparison and Review"
- Certificate with Respect to Label Integrity Form
- Completed EPA Form 8570-1

Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-2494.

Sincerely,

Pat Dinnen

Pat Dinnen
Label Group Leader
Regulatory Affairs

Pat Dinner

Enclosures

# Certification with Respect to Label Integrity

Version: 9/11/02

I certify that the information (including, but not limited to, text, tables, and graphics) contained in the electronic file identified below by file name and submitted with this certification is the same information as that on the paper copies of these documents included with this submission.

PROPOSED LABEL		
EPA Registration #	Date Submitted to EPA	Electronic file name
100-885	9/8/2009	000100-00885.20090908.DIV-XL_PRN2007-4_SEP2009.pdf

I certify that the statements that I have made on this form are true, accurate, and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.

Pat alinnen	September 8, 2009
Signature	Date
Pat Dinnen	_
Name (typed)	
Label Group Leader	_
Title	•



# NOTIFICATION

# Dividend® XL

JAN - 8 2010

# **Fungicide**

A seed treatment for control of diseases of wheat by commercial seed treaters

Active Ingredients:	
Difenoconazole*	
Mefenoxam**	1.38%
Other Ingredients:	82.12%
Total:	100.00%

<sup>\*</sup>CAS No. 119446-68-3

Dividend XL contains 1.54 lbs. difenoconazole and 0.13 lb. mefenoxam per gallon.

# KEEP OUT OF REACH OF CHILDREN.

# **CAUTION**

See additional precautionary statements and directions for use inside booklet.

EPA Reg. No. 100-885

EPA Est.

**SCP 885A** 

2.5 gallons Net Contents

<sup>\*\*</sup>CAS Nos. 70630-17-0 and 69516-34-3

6	)
-	8

	FIRST AID
If inhaled	<ul> <li>Remove victim to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
	NOTE TO PHYSICIAN

If ingested, induce emesis and treat symptomatically.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### **HOT LINE NUMBER**

For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call

1-800-888-8372

# PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

#### CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

# Personal Protective Equipment (PPE)

# Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- · Shoes plus socks
- Chemical-resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

# **Engineering Control Statements**

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

# **User Safety Recommendations**

#### **Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### **Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

# CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the extent consistent with applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

IT IS SYNGENTA'S AND SELLER'S INTENTION THAT in no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

# 9/18

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- Coveralls
- Socks plus shoes
- Chemical-resistant gloves made of any waterproof material

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, AND/OR ILLEGAL RESIDUES.

# **GENERAL INFORMATION**

Dividend XL is a systemic seed dressing that controls or suppresses certain seed-borne, soil-borne, and fall foliar diseases of wheat. It is a mixture of Dividend and Apron XL® LS. Apron XL LS provides Pythium damping-off activity and Dividend provides activity on the remaining diseases claimed on this label. An EPA-approved coloring agent, Pigment Red 48 has been added to the formulation.

Note: Apron XL LS is a systemic fungicide having a specific mode of action. Apron XL LS could be subject to development of insensitive strains of fungi. Development of insensitivity cannot be predicted. Therefore, Syngenta cannot assume liability for crop damage resulting from insensitive strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible Apron XL LS insensitive strains of fungi which may occur.

# **MIXING PROCEDURES**

Apply Dividend XL as a water-based slurry through standard slurry or mist-type commercial seed treaters. Prepare a slurry by mixing Dividend XL in up to 16 fl. oz. of water per 100 lbs. of seed. Mix the slurry thoroughly with the seed to provide uniform coverage.

# WHEAT

Apply Dividend XL to wheat seed at the rates given in the following table:

# Winter Wheat

Rate/ CWT	Diseases Controlled	Fall Season Foliar Diseases Controlled <sup>1</sup>	Diseases Partially Controlled <sup>2</sup>
2 fl. oz.	Common Bunt <sup>3</sup> Dwarf Bunt Loose Smut Flag Smut Seed-borne Septoria General Seed Rots <sup>4</sup> Fusarium Seed Scab Pythium Damping-Off	Fall Season Powdery Mildew Fall Season Leaf Rust Fall Season Septoria Leaf Blotch	Common Root Rot (Cochliobolus spp.) Fusarium Root Rot Fusarium Crown Rot Take-All Rhizoctonia Root Rot
1 fl. oz.	Common Bunt <sup>3</sup> Dwarf Bunt Flag Smut Seed-borne Septoria Loose Smut General Seed Rots <sup>4</sup> Fusarium Seed Scab Pythium Damping-Off		Common Root Rot (Cochliobolus spp.) Rhizoctonia Root Rot

<sup>&</sup>lt;sup>1</sup>Dividend XL provides control of fall season powdery mildew, fall season leaf rust, and fall season Septoria leaf blotch in winter wheat for the first 6 weeks after planting. For full season control of these foliar diseases, use Tilt® fungicide according to label instructions.

<sup>&</sup>lt;sup>2</sup>Partial control can either mean erratic control from good to poor or consistent control at a level below that generally considered acceptable for commercial disease control.

<sup>&</sup>lt;sup>3</sup>Dividend XL controls both seed-borne and soil-borne common bunt.

<sup>&</sup>lt;sup>4</sup>General seed rots controlled include those caused by saprophytic organisms, such as Penicillium and Aspergillus.

# **Spring Wheat**

Rate/CWT	Diseases Controlled	Diseases Partially Controlled	
2 fl. oz.	Common Bunt <sup>1</sup> Loose Smut Flag Smut Seed-borne Septoria General Seed Rots <sup>2</sup> Fusarium Seed Scab Pythium Damping-Off	Take-All Common Root Rot (Cochliobolus spp.) Rhizoctonia Root Rot	
1 fl. oz.	Common Bunt <sup>1</sup> Seed-borne Septoria Loose Smut General Seed Rots <sup>2</sup> Fusarium Seed Scab Pythium Damping-Off	Common Root Rot (Cochliobolus spp.) Rhizoctonia Root Rot	

<sup>&</sup>lt;sup>1</sup>Dividend XL controls both seed-borne and soil-borne common bunt.

**Important:** (1) Do not use treated seed for feed, food, or oil. (2) Green wheat may not be grazed until 55 days after planting. (3) Do not plant any crop other than wheat within 30 days to fields in which treated seeds were planted.

**Note:** Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with difenoconazole and mefenoxam fungicides. Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs. Green wheat may not be grazed until 55 days after planting. Do not plant any crop other than those on this label within 30 days in fields in which treated seeds were planted."

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

# **Pesticide Storage**

Store in a tightly closed container out of reach of children.

<sup>&</sup>lt;sup>2</sup>General seed rots controlled include those caused by saprophytic organisms such as Penicillium and Aspergillus.

<sup>&</sup>lt;sup>3</sup>Partial control can either mean erratic control from good to poor or consistent control at a level below that generally considered acceptable for commercial disease control.

# Spill Response

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1–800–888–8372.

# **Pesticide Disposal**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

# Container Disposal Handling [less than 5 gallons]

Non-refillable container. Do not reuse or refill thisempty container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying., Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ½ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then and offer for recycling if available or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, by open burning if allowed by state and local authorities, by burning. If burned, staykeep out of smoke.

# Container Refilling and Disposal Handling [Bulk]

If this is a Syngenta refillable container and is to be refilled, do not rinse or introduce any pesticide other than Dividend XL. Reseal and return the container to an authorized Syngenta refilling facility. If the Syngenta container is not to be refilled, triple rinse (or equivalent) and Refillable container. Refill this container with pesticide only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, by open burning if allowed by state and local authorities, by burning. If burned, staykeep out of smoke.

Apron XL®, Dividend®, Tilt®, and the Syngenta logo are trademarks of a Syngenta Group Company

# ©200X Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for:
Syngenta Crop Protection, Inc.
Greensboro, North Carolina 27409
www.syngenta-us.com

SCP 885A

# Base Label (For 2½ gallons)

# Dividend® XL

# **Fungicide**

A seed treatment for control of diseases of wheat by commercial seed treaters

Active Ingredients:	
Difenoconazole*	16.50%
Mefenoxam**	
Other Ingredients:	82.12%
Total:	100.00%

<sup>\*</sup>CAS No. 119446-68-3

Dividend XL contains 1.54 lbs. difenoconazole and 0.13 lb. mefenoxam per gallon.

# KEEP OUT OF REACH OF CHILDREN.

# **CAUTION**

See directions for use in attached booklet.

# AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

EPA Reg. No. 100-885

EPA Est.

**SCP 885A** 

2.5 gallons Net Contents

<sup>\*\*</sup>CAS Nos. 70630-17-0 and 69516-34-3

	FIRST AID	
If inhaled	<ul> <li>Remove victim to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give</li> </ul>	
	<ul> <li>artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment</li> </ul>	
advice.		

-12-

If ingested, induce emesis and treat symptomatically.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

# **HOT LINE NUMBER**

For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call

1-800-888-8372

# PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### **Environmental Hazards**

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

# **Pesticide Storage**

Store in a tightly closed container out of reach of children.

# **Spill Response**

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1–800–888–8372.

# **Pesticide Disposal**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

# Container Disposal Handling [less than 5 gallons]

Non-refillable container. Do not reuse or refill thisempty container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then and offer for recycling if available or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or by open burning, if allowed by state and local authorities, by burning. If burned, staykeep out of smoke.

# Container Refilling and Disposal Handling [Bulk]

If this is a Syngenta refillable container, and is to be refilled, do not rinse or introduce any pesticide other than Dividend XL. Reseal and return the container to an authorized Syngenta refilling facility. If the Syngenta container is not to be refilled, triple rinse (or equivalent) and Refillable container. Refill this container with pesticide only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, by open burning if allowed by state and local authorities, by burning. If burned, staykeep out of smoke.

Dividend® and the Syngenta logo are trademarks of a Syngenta Group Company

# ©200X Syngenta

Manufactured for:
Syngenta Crop Protection, Inc.
Greensboro, North Carolina 27409
www.syngenta-us.com

SCP 885A

DIV XL 885 MAS 0906 - bb - 9-3-09 DIV XL 885 MAS 0906 PRN2007-4 NOTIF-SEP2009-B - pd - 01/06/10