

100-893

11/23/2009

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

November 23, 2009

Thomas Parshley
Syngenta Crop Protection, Inc.
PO Box 18300
Greensboro, NC 27419

Subject: Varsity Fire Ant Bait, EPA Reg. # 100-893
label amendment submitted 7/6/09, revised 11/17/09, 11/19/09 (D417841)
accepted (11/19/09 version)

Dear Mr. Parshley:

This amendment updates the container disposal section along with several minor label changes. The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is ACCEPTED provided that you submit two (2) copies of your final printed labeling prior to releasing your product for shipment.

If the above provisions are not complied with the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A copy of your label stamped "accepted" is enclosed for your records.

Sincerely yours,

A handwritten signature in black ink, appearing to be "TSH".

Thomas C. Harris
Insecticide / Rodenticide Branch
Registration Division (7505C)
Office of Pesticide Programs
harris.thomas@epa.gov
(703) 308-9423

enclosure

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION OR FOR RESEARCH PURPOSES.

Varsity®

Fire Ant Bait

To control imported fire ants on turf, lawns and landscapes, and other noncrop areas

Active Ingredient:

Abamectin (CAS No. 65195-56-4 and No. 65195-55-3) 0.011%*

Other Ingredients: 99.989%

Total: 100.000%

*1 lb. of Varsity contains 50 mg. abamectin

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use [inside booklet] [on bag].

EPA Reg. No. 100-893

EPA Est. xxxxx

SCP 893A-M(draft-b)

- 2 pounds
- 3 pounds
- 25 pounds
- Net Weight

ACCEPTED
NOV 23 2009

**Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:**

EPA. Reg. No: 100-893

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	
<p>HOT LINE NUMBER For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call 1-800-888-8372</p>	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wash thoroughly

with soap and water after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Environmental Hazards

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Observe all cautions and limitations on this label.

USE INFORMATION

WHERE TO USE

To control imported fire ants on turf, lawns and landscapes, and other noncrop areas.

HOW VARSITY WORKS

Varsity is formulated in an oil bait that functions as an attractant to imported fire ants.

Varsity is a stomach insecticide which acts slowly to reduce fire ant colonies. An effective fire ant insecticide should be slow acting so that the bait can be passed by the workers throughout the ant colony and eventually to the queen. Varsity is toxic to fire ants; however, it is most effective against the fire ant queen and causes an immediate halt of egg production and disappearance of worker brood. The disappearance of worker ants leads to the decline and eventual elimination of the fire ant colony.

WHEN TO APPLY

Apply when ants are actively foraging (typically when soil temperatures are greater than 60°F [15°C]) or consult your state agricultural experiment station or state extension service for optimum timing of application. In cases where reinfestation occurs or when very large mounds remain active, retreatment may be desirable after 3-4 months. Apply after dew or rainfall has dried for maximum effectiveness. For best results, do not apply if rainfall is anticipated within 4-6 hours after application.

Note: Allow 7-10 days after applying Varsity before using a contact insecticide. This allows worker ants time to distribute bait throughout the colony.

HOW TO APPLY

Broadcast Application: Apply Varsity uniformly on areas to be treated at a rate of 1 lb. of bait/A. Do not exceed 1 lb. of bait/A.

Individual Mound Treatment: For best results, use 5-7 tbs. of Varsity per mound. Sprinkle the bait uniformly in a circle around the base of the mound, out to a distance of approximately 2-4 ft. Apply at a rate of 1 lb. of bait/A. Do not contaminate kitchen utensils with this product.

LIMITATIONS: Do not use in pastures, rangeland, or croplands.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Consult federal, state, or local disposal authorities for approved alternative procedures.

Pesticide Storage

Varsity may be an attractant to rodents and domestic animals. Store in a cool, secure, dry place. To maintain maximum effectiveness, close container tightly after each use and use within 5 months after opening.

Pesticide Disposal

To avoid waste, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state and local governments or by industry).


Container Handling(plastic jug)

Non-refillable container. Do not reuse or refill this container. Completely empty jug into application equipment. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other means allowed by state and local authorities.

Container Handling (bag)

Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or by other means allowed by state and local authorities.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

Varsity® and the Syngenta logo and the CP FRAME  are trademarks of a Syngenta Group Company
U.S. Patent No. 4,310,519

©2009 Syngenta

For non-emergency (e.g. current product information) call
Syngenta Crop Protection at 1-800-334-9481.

Manufactured for :
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, North Carolina 27419-8300

SCP 893A-M (draft-b)

VAR 893A-M(draft-b)-lg-11-19-09clean 000100-00893.20091119.b.pdf

9/11

(Non-detachable Container Label for plastic jug)

**NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER
COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED
PRODUCTION OR FOR RESEARCH PURPOSES.**

Varsity®

Fire Ant Bait

To control imported fire ants on turf, lawns and landscapes, and other noncrop areas

Active Ingredient:

Abamectin (CAS No. 65195-56-4 and No. 65195-55-3) 0.011%*

Other Ingredients: 99.989%

Total: 100.000%

*1 lb. of Varsity contains 50 mg. abamectin

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in attached booklet.

EPA Reg. No. 100-893

EPA Est. xxxxxxx

SCP 893A-M(draft-b)

2 pounds

3 pounds

Net Weight

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum or using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<p align="center">HOT LINE NUMBER For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call 1-800-888-8372</p>	

11/11

Environmental Hazards

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Consult federal, state, or local disposal authorities for approved alternative procedures.

Pesticide Storage

Varsity may be an attractant to rodents and domestic animals. Store in a cool, secure, dry place. To maintain maximum effectiveness, close container tightly after each use and use within 5 months after opening.

Pesticide Disposal

To avoid waste, use all material in this container by application according to label directions. If waste cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state and local governments or by industry).

Container Handling

Non-refillable container. Do not reuse or refill this container. Completely empty jug into application equipment. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other means allowed by state and local authorities.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

Varsity® and the Syngenta logo are trademarks of a Syngenta Group Company

U.S. Patent No. 4,310,519

©2009 Syngenta

Manufactured for :

Syngenta Crop Protection, Inc.

P.O. Box 18300

Greensboro, North Carolina 27419-8300

SCP 893A-M(draft-b)

VAR 893A-M(draft)-lg-11-19-09clean 000100-00893.20091119.b.pdf