

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Pat Dinnen Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419

AUG 13 2010

Subject:	Notification	s; Per PR-Notice 98-10
	100-669	Curacron 8E Insecticide-Miticide
	100-893	Varsity Fire Ant Bait
	100-894	Clinch Ant Bait
	100-896	Avid 0.15 EC Miticide/Insecticide
	J 100-897	Zephyr 0.15 EC Miticide/Insecticide
	100-898	Agri-Mek 0.15 EC Miticide/Insecticide
	100-903	Denim Insecticide
	100-912	Fulfill Insecticide
	100-1204	Avicta 500 FS

Dear Ms. Dinnen:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 6, 2010 for the products referenced above. The Registration Division (RD) has conducted a review of these requests for applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the application have been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact me at (703) 306-0415 or davis.kable@epa.gov.

Sincerely.

Kable Bo Davis Entomologist

Insecticide-Rodenticide Branch Registration Division (7505P)

Please read instructions on reverse before completing form.				
	United State	S	istration	OPP Identifier Number
ŞEPA	Environmental Protect	tion Agency	Amendment	Notification
AFIV	Washington, DC		X Other	Troumouton.
	Annlies	tion for Pesticide - S	oction I	
Company/Product Number			duct Manager 3.	Proposed Classification
100-897		Tom Harris		
 Company/Product (Name) Zephyr 0.15EC Miticide/Inse 		PM# 7		None Restricted
5. Name and Address of App Syngenta Crop Pro P. O. Box 18300			d Review. In accordance with imilar or identical in composition	
Greensboro, NC 2	7419	EPA Reg. No.		· · · · · · · · · · · · · · · · · · ·
Check if this	is a new address	Product Name		
		Section - II		
Amendment - Explain	below.		Final printed labels in respon	se to
			Agency letter dated	
Resubmission in respo	onse to Agency letter dated] "Me Too" Application.	
X Notification - Explain b	elow.		Other - Explain below NOTIFI	CATION
Explanation: Use additiona	al page(s) if necessary. (Fo	r Section I and Section I	l.).	
Notification of label change	per PR Notice 98-10.		AUG 1	3 2010
This Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CRF 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. The following changes are being made via this notification: Removal of U.S. Patent No.				
**************************************		Section – III		
1. Material This Product Wi		1 W/-4 0-1-1- D-	- Landa D. Turn of	0-4-
Child-Resistant Packaging Yes*	Unit Packaging Yes	Water Soluble Pa	ckaging 2. Type of	Container Metal
No	X No	x No	х	Plastic Glass
*Certification must be submitted	If "Yes" No. p Unit Packaging wgt. Conta		No. per container	Paper Other (Specify)
3. Location of Net Contents I		ize(s) Retail Container	<u></u>	Label Directions
X Label Co	ontainer 1 gal.	and 2.5 gal.	x On La	beling accompanying product
6. Manner in Which Label is a	Affixed to Product	Lithograph Paper glued Stenciled	x Other <u>Pressure</u>	Sensitive c c c
		Section – IV		, 0 .
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephore No. (Include Area Code)				
Pat Dinnen Label Group Leader 336-632-2494				
				o. Bato Application
2. Signature		3. Title	i.e.	600
Pat dinnen		Regulatory Specialist		6 6

5. Date August 6, 2010

4. Typed Name Pat Dinnen

Syngenta Crop ection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com



FedEx

August 6, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Linda Arrington

SUBJECT: NOTIFICATION PER PR NOTICE 98-10

LABEL CHANGE TO REMOVE EXPIRED PATENT NUMBERS

In accordance with PR Notice 98-10 Syngenta Crop Protection, Inc. is submitting Notification for several of our EPA registered products. The purpose of this Notification is to remove expired patent numbers from our labels. Syngenta is requesting these Notifications be expedited as soon as possible. Following are EPA Registration Numbers for this Notification.

100 (40 D:	100 000 4 :10 1500	100 00¢ D :0
100-640 – Prime+	100-896 – Avid 0.15EC	100-996 – Bonzi Ornamental
		Growth Regulator
100-669 - Curacron 8E	100-897 – Zephyr 0.15EC	100-1006 Probuild TC Teriticide
Insecticide/Miticide	Miticide/Insecticide	
100-705 - Beacon Herbicide	100-898 – Agri-Mek 0.15EC	100-1131 – Callisto Herbicide
	Miticide/Insecticide	
100-722 - Award Fire Ant Bait	100-903 - Denim Insecticide	100-1148 - Camix Selective
		Herbicide
100-768 Custom-Pak Amber	100-910 - Dual IIG Magnum	100-1152 - Lumax Selective
	Herbicide	Herbicide
100-816 – Dual Magnum	100-911 - Spirit Herbicide	100-1158 – Maxim MZ
Herbicide		Fungicide
100-817 - Bicep II Magnum	100-912 – Fulfill Insecticide	100-1161 – Expert Herbicide
Herbicide	:	
100-818 – Dual II Magnum	100-923 - NorthStar Herbicide	100-1165 - Brawn Herbicide
Herbicide		
100-827 – Bicep Lite II Magnum	100-927 - Rave Herbicide	100-1201 – Lexar Herbicide
Herbicide		
100-829 – Dual II Magnum SI	100-949 – Palisade EC	100-1204 – Avicta 500FS
Herbicide		
100-849 - Solicam DF Herbicide	100-950 - Pennant Magnum	100-1218 - Demon Max
	Herbicide	Insecticde
100-893 - Varsity Fire Ant Bait	100-964 – Medal Herbicide	100-1359 – Callisto Xtra
100-894 - Clinch Ant Bait	100-965 – Medal II Herbicide	



Ms. Linda Arrington August 6, 2010 Page 2

Attached are:

- One marked copy of the label showing where the patent number was deleted and one unmarked copy of the label for each EPA Registration Number.
- A CD of the unmarked label and the Certification with Respect to Label Integrity Form for each EPA Registration Number.
- Completed EPA Form 8570-1 for each EPA Registration Number.

Thank you in advance for approving this request. If you have any questions, please contact me at 336-632-2494.

Sincerely,

Pat Dinnen

Label Group Leader

Pat Dinnen

Enclosures

RESTRICTED USE PESTICIDE

TOXIC TO FISH, MAMMALS, AND AQUATIC ORGANISMS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Zephyr® 0.15EC Miticide/Insecticide

	Group	6	Insecticide
A stirre to any discret.			
Active Ingredient: Abamectin ¹		2.0	%*
Other Ingredients:		98.0	%
Total:		100.0	%
¹ CAS No. 65195-56-4 and 65195-55-3	NOTIFICATION		
*1 gal. contains 0.15 lb. abamectin	i	م م مالا	210

AUG 1 3 2010

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-897

EPA Est. xxxx

Product of xxxx
Formulated in xxxxx

SCP 897A-L1H 0409 (2.5 gal.) SCP 897A-L2B 0409 (1 gal.)

Net Contents



	FIRST AID		
if swallowed	 Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 		

NOTE TO PHYSICIAN

Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of this product can be minimized by early administration of chemical adsorbents (e.g., activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements.

In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, continued by benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call

1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING/AVISO

May be fatal if swallowed. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if inhaled or absorbed through skin. Avoid breathing spray mist or contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category B on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Coveralls worn over short-sleeved shirt and short pants
- Chemical-resistant gloves EPA chemical-resistance Category B (e.g., barrier laminate or butyl rubber ≥14 mils)
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing, or loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

90419

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothes immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This pesticide is toxic to fish and wildlife.

For terrestrial uses: do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Use of this product may pose a risk to threatened and endangered species of fish, amphibians, crustaceans (including fresh water shrimp), and insects. All use of this product in the state of California should comply with the recommendations of the California Endangered Species Project. Before using this product in California, consult with your county agriculture commissioner to determine use limitations that apply in your area.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

ATTENTION

This product contains a chemical (N-methyl pyrrolidone) known to the state of California to cause birth defects or other reproductive harm.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

Restricted Use Pesticide

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restrictedentry interval (REI) of 12 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves EPA chemical-resistance Category B (e.g., barrier laminate or butyl rubber >14 mils)
- Chemical-resistant footwear plus socks
- Protective eyewear

FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR PEST CONTROL, AND/OR ILLEGAL RESIDUES.

GENERAL INFORMATION

Zephyr 0.15 EC 0.15EC is an emulsifiable concentrate that will control spider mites (twospotted, carmine, Pacific, and strawberry) on cotton when the product is applied according to the **Directions for Use.** Thorough coverage of foliage is essential for good mite control.

Chemigation: Do not apply this product through any type of irrigation system.

Spray Drift Precautions

Observe the following precautions when spraying in the vicinity of aquatic areas such as lakes; reservoirs; rivers; permanent streams, marshes or natural ponds; estuaries and commercial fish farm ponds.

- Do not apply with ground application equipment within 25 ft., or with aircraft within 150 ft. of lakes; reservoirs; rivers; permanent streams, marshes, natural ponds; estuaries, or commercial fish farm ponds.
- All aerial and ground application equipment must be properly calibrated, using appropriate carriers, and maintained. For aerial application, mount the spray boom in a manner that minimizes drift caused by wing tip vortices. Use the minimum practical boom length, but do not exceed 75% of the wing span or rotor diameter.
- Use the largest droplet size consistent with good pest control. Minimize the
 formation of very small droplets by selecting appropriate nozzles, orienting
 nozzles away from the air stream as much as possible and avoiding excessive
 spray boom pressure. Release the spray at the lowest height consistent with
 good pest control and flight safety. Avoid application more than 10 ft. above the
 crop canopy.
- Make aerial or ground applications when wind velocity favors on-target product deposition (approximately 3-10 mph). Do not apply when wind velocity exceeds 15 mph. Avoid applications when wind gusts approach 15 mph. Avoiding application when the wind direction is toward the aquatic area can reduce the risk of exposure to aquatic areas. Do not cultivate within 10 ft. of the aquatic area to allow growth of a vegetative filter strip.
- Low humidity and high temperatures increase the evaporation rate of spray droplets and therefore increase the likelihood of spray drifting to aquatic areas. Avoid spraying during conditions of low humidity and/or high temperature.

120419

Do not make aerial or ground applications during temperature inversions.
 Inversions are characterized by stable air and temperatures that increase with height above the ground. Mist or fog may indicate the presence of an inversion in humid areas. The applicator may detect the presence of an inversion by producing smoke and observing a smoke layer near the ground surface.

Resistance Management

Zephyr 0.15 EC is a Group 6 insecticide (contains the active ingredient, abamectin). Because of the inherent risks of pests developing resistance to any product, it is strongly advised that Zephyr 0.15 EC be used in a sound resistance management program. Treatment may not be effective against labeled pests if mite-tolerant strains develop. When applying Zephyr 0.15 EC use resistance management practices.

Resistance management practices may include, but are not limited to:

- Rotating Zephyr 0.15 EC with other products with different modes of action (products not in Group 6),
- Using labeled rates at the specified spray intervals,
- Using non-chemical alternatives such as beneficial arthropods,
- · Rotating susceptible and non-susceptible plants, and
- Using various cultural practices.

For additional information about these or other resistance management practices, consult your local agricultural advisor or company representative.

CROP USE DIRECTIONS

Cotton

For control of spider mites

Mix with water as indicated below. Thorough coverage of the crop is essential for optimum results. Inadequate coverage may result in reduced control. For best coverage and control apply Zephyr 0.15 EC with ground application equipment.

Pest	Fl. oz./A	Instructions
Carmine spider mite	4-6 (Early Season Cotton- See Instructions)	Apply when mites first appear. The use rate depends on the size of the plant and density of the foliage. Repeat application if needed to maintain control. See Use Restrictions below.
spider mite		
Strawberry spider mite	8-16	The lower use rates of 4-6 fl. oz./A are only recommended if cotton is early season and under 10 inches in height. Do not use less than 4 fl. oz./A. West of the Rocky Mountains - the
Twospotted spider mite		lower use rates may only be used on cotton less than 10 inches in height and applied only with ground equipment.
		Note: Zephyr 0.15 EC may be used without a wetting agent. Spreading and penetrating surfactants can improve mite control. When necessary to improve the wetting of foliage and to smooth out spray deposits, a nonionic surfactant is recommended. Do not use binder or sticker-type surfactants.

Use Restrictions

- PHI: Do not apply within 20 days of harvest.
- Application Method: Ground or aerial application permitted.
- Minimum Amount of Water: Do not apply in less than 5 gals. of water/acre. Use sufficient volume to insure thorough coverage.
- Maximum Amount per Application: Do not apply more than 16 fl. oz./A per application.
- Application Interval: Wait at least 21 days before repeating application.
- Maximum Amount per Season: Do not apply more than 32 fl. oz./A per season.
- Grazing/Feeding: Do not feed or allow livestock to graze treated cotton.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Storage

Store in a tightly closed container in a cool, dry place.

Pesticide Disposal

Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after use. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

Zephyr®, the Syngenta logo and the CP FRAME are trademarks of a Syngenta Group Company

U.S. Patent No. 4,310,519

©2009 Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for : Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300 SCP 897A-L1H 0409(2.5 gal.) SCP 897A-L2B 0409(1 gal)

ZEP 0.15EC 897A-M(4-21-09) – pl – 10/8/09 ZEP 0.15EC 897A-M(4-21-09) NOTIF AUG2010 – ea – 07/12/10 000100-00897.20100805.PATENT_NOTIF_AUG2010-HI.pdf

(NON-DETACHABLE CONTAINER LABEL)

RESTRICTED USE PESTICIDE

TOXIC TO FISH, MAMMALS, AND AQUATIC ORGANISMS FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Zephyr® 0.15EC Miticide/Insecticide

	Group	6	Insecticide
Active Ingredient:			
Active Ingredient: <u>Abamectin¹</u>		2.0	%*
Other Ingredients:		98.0	<u>~</u>
Total:		100.0	%

¹ CAS No. 65195-56-4 and 65195-55-3

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

EPA Reg. No. 100-897 EPA Est. xxxxx

SCP 897A-L1H 0409(2.5 gal.) SCP 897A-L2B 0409(1 gal.)

Net Contents

^{*1} gal. contains 0.15 lb. abamectin

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING/AVISO

May be fatal if swallowed. Causes substantial but temporary eye injury. Do not get in eyes, or on clothing. Harmful if inhaled or absorbed through skin. Avoid breathing spray mist and contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

	FIRST AID
If swallowed	 Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.



NOTE TO PHYSICIAN

Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of this product can be minimized by early administration of chemical adsorbents (e.g., activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements.

In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since this product is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal)
Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)
Call

1-800-888-8372

Environmental Hazards

This pesticide is toxic to fish and wildlife.

For terrestrial uses: do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Use of this product may pose a risk to threatened and endangered species of fish, amphibians, crustaceans (including fresh water shrimp), and insects. All use of this product in the state of California should comply with the recommendations of the California Endangered Species Project. Before using this product in California, consult with your county agriculture commissioner to determine use limitations that apply in your area.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Storage

Store in a tightly closed container in a cool, dry place.

Pesticide Disposal

Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes.

Chemigation: Do not apply this product through any type of irrigation system.

Zephyr® and the Syngenta logo are trademarks of a Syngenta Group Company

©2009 Syngenta

Manufactured for : Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300

ZEP 0.15EC 897A M(4-21-09) - pl - 10/8/09 ZEP 0.15EC 897A-M(4-21-09) NOTIF AUG2010 - ea - 07/12/10 000100-00897.20100805.PATENT_NOTIF_AUG2010-HI.pdf