

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Teresa Cox Regulatory Product Manager Syngenta Crop Protection, Inc. PO Box 18300 Greensboro, NC 27419-8300

MAR 3 0 2009

Dear Ms. Cox:

SUBJECT:

Switch 62.5 WG

EPA Registration Number 100-953

Your submission of November 21, 2007 adding grape

OPPIN decision number 386544

The supplemental label for grape, referred to above, submitted in connection with registration under section (3) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended is acceptable provided that this supplemental label is incorporated into the main label within 18 months or at the next label printing, whichever comes first.

Please submit one copy of your final printed supplemental labeling before the product is released for shipment. A stamped copy of the label is enclosed for your records.

If you have any questions, please contact Lisa Jones on my team at (703) 308-9424 or jones.lisa@epa.gov.

Sincerely yours,

Shaja B/Joyner//
Product Manager (20)

Fungicide Branch

Registration Division (7505C)

Enclosure:

Stamped supplemental label

SUPPLEMENTAL LABEL

syngenta

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300

Switch® 62.5WG Fungicide

Broad spectrum fungicide for the control of certain diseases

Active Ingredients:

Cyprodinil (CAS No. 121552-61-2)	37.5%
Fludioxonil (CAS No. 131341-86-1)	
Other Ingredients:	37.5%
Total:	100.0%

Switch 62.5WG is a water-dispersible granule.

EPA Reg. No. 100-953

KEEP OUT OF REACH OF CHILDREN.

CAUTION

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

Before using Switch 62.5WG as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



MAR 3 0 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 100 - 952

CROP USE DIRECTIONS

Crop	Disease	Rate oz./Acre	Remarks
Grapes	Botrytis (grey mold) (B. cinerea)	11-14	Begin applications of Switch at early bloom. Up to three additional applications may be made at berry touch, veraison, or preharvest. Botrytis Bunch Rot is most effectively controlled by ground application, using sufficient water volume to provide thorough coverage. Thorough coverage of bunches is essential. Do not apply closer than a 21-day interval.
	Sour rot (caused by a fungal complex)		For sour rot, make an application at veraison followed by 1-2 additional applications. Do not apply closer than a 21-day interval.
			Resistance Management: After 2 applications of Switch 62.5 WG, alternate with another fungicide with a different mode of action for 2 applications.

Specific Use Restrictions

- Application may be made by ground. Aerial application in California only. Make no more than one application
 by air. Use a minimum of 20 gallons/A spray volume by air. Make additional applications by ground up to the
 maximum allowable a.i./A per plot of land per year.
- Do not use an adjuvant.
- Do not apply more than 56 oz./A of Switch 62.5 WG per plot of land per year.
- Do not apply more than 1.4 lb. a.i./A of cyprodinil containing products and 0.9 lb. a.i./A of fludioxonil containing products per plot of land per year.
- · Do not apply within 7 days of harvest.

Switch 62.5WG® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2009 Syngenta

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300

SWI 62.5WG 953A-S5 1107-B-TolPet - bb - 3-24-09

000100-00953.20071120B.grapes.pdf