NOW

9 2007



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND FOXIC SUBSTANCES

Y.,

Mr. Fred J. Pearson NAFTA Insecticide Team Leader Syngenta Regulatory Affairs Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419

RE: Notification to correct Typo EPA Registration Number: 100-960 Date of Submission: October 4, 2007

Dear Mr. Pearson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated October 4, 2007, for the product Flagship® 0.22G. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" received and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

n

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com

Tel 336 632 6000



October 4, 2007

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

ATT: Ms. Joyce Edwards

SUBJECT: FLAGSHIP® 0.22G EPA REG. NO. 100-960 NOTIFICATION OF CORRECTION OF TYPO

Dear Ms. Edwards.

Syngenta Crop Protection Inc., is submitting a Notification for Flagship® 0.22G (EPA Reg. No. 100-960) to correct the typo on page 6 which inadvertently omitted the words "crop or" from the sentence in the first bullet under the "Restrictions" heading. This sentence should read "Do not exceed 120 pounds (0.265 lb ai.) of product per acre per crop or year, whichever is shorter". This same inadvertent omission has been corrected on page 7, under the "Application Timing" heading, to read "Repeat applications of Flagship 0.22G as needed, but no sooner than every 7 days and do not exceed a total of 120 pounds per acre per crop or year, whichever is shorter." This statement as approved on page 8 is correct. Two copies of labeling (one with the corrections high lighted) are attached.

To complete this Notification, EPA form 8570-1 is enclosed.

The label code is SCP 960A-M (NOTIF).

Thank you in advance for approving this request. However, should you have any questions, please contact me at 336.632-2365 or via e-mail at fred.pearson@syngenta .com.

Sincerely.

en

Fred J. Pearson NAFTA Insecticide Team Leader Syngenta Regulatory Affairs

Enclosures:*

2 copies of labeling (1 with corrections high lighted) EPA Form 8570-1

cc: Ms. Venus Eagle PM (01) IRB

| Please read instructions | on reverse before comple | ting form. | · · · · · · · · · · · · · · · · · · · | | | |
|---|---|---|--|--|---|--|
| | Unite | d States | · [] | Registration | | OPP Identifier Number |
| \$EPA | | Protection Agency on, DC 20460 | x | Amendment Other | | NOTIFICATION |
| | A | pplication for Pesticid | e - Section | 1 | | |
| Company/Product Nu 100-960 | | | A Product N | 1 | 3. Prop | osed Classification |
| Company/Product (Na FLAGSHIP® 0.22G | ame) | PM# PM (01) | IRB | | X N | lone Restricted |
| Syngenta Crop F P. O. Box 18300 Greensboro, NC | | | t is similar or i No | v. In accordance dentical in comp | | A Section 3(c)(3) (b)(i), I labeling to: |
| | | | | | | |
| | | Section - II | | | • | |
| Amendment - Exp | response to Agency letter da | ated | Agency | rinted labels in re r letter dated o" Application. Explain below. | sponse to | |
| Syngenta Crop Protect on page 6 which inad- neading. This senten whichever is shorter". neading, to read "Rep total of 120 pounds pe | vertently omitted the w ce should read "Do no This same inadverter peat applications of Fla er acre per crop or yea | a Notification for Flagsh ords " crop or " from the t exceed 120 pounds (0 it omission has been co gship 0.22G as needed, r, whichever is shorter." | sentence ir 265 lb ai.) c rected on p but no soor | h the first bulle of product per age 7, under her than every | et under t acre per the "App 7 days a | the "Restrictions" crop or year, lication Timing" and do not exceed a |
| The label code is SCF | P 960A-M (NOTIF). | | | | | |
| | | Section – III | | | | |
| Material This Product Child-Resistant Packaging Yes* No Certification must be submitted | t Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. | No. per If "Yes" | vle Packaging No. pe g wgt. contai | er | e of Conta Met Plas Glas Pap Oth | al stic ss |
| 3. Location of Net Conte | ents Information | 4. Size(s) Retail Containe | r | 5. Locatio | on of Label | Directions |
| Label | Container | | | | On Label On Labeling | g accompanying product |
| . Manner in Which Lab | el is Affixed to Product | Lithograph Paper glued Stenciled | | Other | | |
| ······································ | | Section – IV | | | | <u> </u> |
| . Contact Point (Comp | lete items directly below for | identification of individual to L | e contacted, il | <i>necessary, to pr</i> ד | <u>rocess this</u> Felenhone | applicétion.j ^{c. c} No. (Include Area Code) |
| Fred J. Pearson | | NAFTA Inse Syngenta Re | | n Leader 🛛 3 | 333.632- | 2365 ', , , , , (|
| | y knowingly false or mislead | Certification orm and all attachments there ding statement may be punish 3. Title | | | | 6. Date Application Rescived (Stamped) |
| Fra | Them | NAFTA Insectici Syngenta Regula | | | ۱ , ۱ , ۱ , ۱ , ۱ , ۱ , ۱ , ۱ , ۱ , ۱ , | |
| 4. Typed Name Fred J. Pearson | , | October 4, 2007 | | | | ίζεις του μ. Για του |

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

.

| €PA | United States Environmental Protec Washington, DC | ction Agency 20460 | Amendmer × Other | | OPP Identifier Number NOTIFICATION |
|--|--|---|---|--|--|
| | | ation for Pesticide - Sect | | | |
| 1. Company/Product N 100-960 | , | Venus Eagle | uct Manager | 3. Pro | oposed Classification |
| 4. Company/Product (N FLAGSHIP® 0.22G | | PM# PM (01) IRB | · · · · · · · · · · · · · · · · · · · | x | None Restricted |
| Syngenta Crop P. O. Box 1830 Greensboro, No | NC 27419 | my product is simila EPA Reg. No. | | | FRA Section 3(c)(3) (b)(i), nd labeling to: |
| | ck if this is a new address | Product Name | · | · | |
| | | Section - II | | | |
| Amendment - E | - | Ag | gency letter dated | 1 · | NOTIFICATION |
| | in response to Agency letter dated | | Me Too" Application | U | NOV - 9 2002 |
| X Notification - Exp | plain below. | - <u>x</u> Ot | ther - Explain Deice | w | |
| heading. This senter whichever is shorter heading, to read "Re total of 120 pounds p | advertently omitted the words "or ence should read "Do not excee r". This same inadvertent omiss epeat applications of Flagship 0 per acre per crop or year, which CP 960A-M (NOTIF). | eed 120 pounds (0.265 lb a ssion has been corrected o 0.22G as needed, but no s chever is shorter." This sta | ai.) of product p on page 7, und sooner than ev | per acre pe der the "App very 7 days | er crop or year, plication Timing" s and do not exceed a |
| | | Section – III | | | |
| Material This Produ Child-Resistant Packaging Yes* No *Certification must be submitted | Juct Will Be Packaged In: ng Unit Packaging Yes No If "Yes" No. packaging wgt. Unit Packaging wgt. Conta | | aging 2. No. per container | Gia Par | |
| 3. Location of Net Cont | | Size(s) Retail Container | | cation of Labe | |
| Label | Container | IZe(5) Netan Contains | | On Label | ng accompanying product |
| 6. Manner in Which Lat | abel is Affixed to Product | Lithograph Paper glued Stenciled | Other | | |
| | | Section – IV | | | |
| | nplete items directly below for identifica | cation of individual to be contacted | led, if necessary, t | | |
| Name Fred J. Pearson | | Title NAFTA Insecticide T Syngenta Regulatory | | Telephone 336.632- | |
| I acknowledge that a both under applicable | tements I have made on this form and any knowingly false or misleading state ole law. | tement may be punishable by fir | e, accurate and co ne or imprisonmer | mpleté: ; · · · | 6. Lette Application Received (Stamped) |
| 2. Signature | | 3. Title NAFTA Insecticide Team Syngenta Regulatory Affi | | | |
| 4. Typed Name Fred J. Pearson | - | 5. Date October 4, 2007 | | · | |
| | | | Mailer and Statements - | | |

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

(printed bag or booklet)

Flagship® 0.22G

NOTIFICATION NOV - 9 2007

Insecticide

Group 4A Insecticide

For systemic control of insect pests on ornamental plants grown in greenhouses, lathand shade-houses, containers, field nurseries (including non-bearing fruit and nut trees) and on Christmas trees.

Active Ingredient:

| Thiamethoxam ¹ | · · · · · · · · · · · · · · · · · · · | 0.22% |
|---------------------------|---------------------------------------|--------|
| Other Ingredients: | | 99.78% |
| Total: | • | 100.0% |

¹CAS No. 153719-23-4

Flagship 0.22G is a granule that contains 0.035 ounces of active ingredient per pound of formulated product.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-960

EPA Est. xxxxx

Product of xxxxx Formulated in the USA

SCP 960A-M (NOTIF)

Net weight

| · | FIRST AID |
|---------------|--|
| If in eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
| | Call a poison control center or doctor for treatment advice. |
| lf on skin or | Take off contaminated clothing. |
| clothing | Rinse skin immediately with plenty of water for 15-20 minutes. |
| | Call a poison control center or doctor for treatment advice. |
| • | ct container or label with you when calling a poison control center ing for treatment. |

--2--

For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call

1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eve irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

Personal Protection Equipment Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant-gloves made of any waterproof material Category A (e.g.) barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinylchloride [PVC] or viton)
- Shoes plus socks
- Protective eyewear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

4,7

Engineering Control Statements

When handlers use closed systems or enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

·3·

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

-5-

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical resistant gloves made of any waterproof material Category A (e.g., barrier laminate, butyl rubber, neoprene rubber, natural rubber, polyethylene, polyvinylchloride [PVC] or viton)
- Shoes plus socks
- Wear protective eyewear

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas without protective clothing until application is complete.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR INSECT CONTROL, AND/OR ILLEGAL RESIDUES.

-6--

GENERAL INFORMATION

Flagship 0.22G is a broad spectrum insecticide when applied at label rates to the growing media of ornamental plants. It is systemically active against certain foliar (sucking and chewing) and soil pests. Rainfall or irrigation causes the active ingredient of Flagship 0.22G to be released from the granule. Once released, it is readily absorbed by plant foliage or carried into the soil. In the soil, the active ingredient in Flagship 0.22G will control soil pests upon contact or ingestion of the active ingredient and is also readily taken up by plant roots. The active ingredient moves upwards in the plant to the site of pest infestation. Through feeding on the plant, pests are exposed to the active ingredient in Flagship 0.22G. Feeding will stop within minutes to hours of exposure and be followed by death of the pest. The moderate persistence of Flagship 0.22G in the soil and foliage also provides long residual control of labeled pests. Flagship 0.22G is not active as an ovicide or as an insect growth regulator.

Restrictions:

- Do not exceed 120 pounds (0.265 lb. ai.) of product per acre per crop or year, whichever is shorter.
- Do not distribute Flagship 0.22G from the palm of the hand.

Resistance Management

Flagship 0.22G belongs to the neonicotinoid class of chemistry (Group 4A Insecticide) which is not known to be cross-resistant to any other class of insecticide. However, insect pests are known to develop resistance to products used repeatedly. Because resistance development cannot be predicted, the use of Flagship 0.22G should conform to sound resistance management strategies established for the crop and use area. Strategies should include rotation of chemicals with different modes of action, limitation of the number of successive generations of the target pest being treated with the same compound, and adherence to labeled directions.

Consult your local pest control advisor or extension office for additional methods for preventing resistance development. Syngenta encourages responsible product stewardship to ensure effective long-term control of the insect pests on this label.

Sites of Application

Flagship 0.22G can be applied to ornamental plants grown in greenhouses, lath- and shade-houses, containers, field nurseries (including non-bearing fruit and nut trees), and Christmas trees.

-7--

Application Methods

Flagship 0.22G is effective as systemic insecticide when applied to the soil using broadcast or banded applications. To apply, use calibrated granular equipment that uniformly broadcasts or bands Flagship 0.22G into the desired area. With irrigation or rainfall, move Flagship 0.22G into the root zone of plants or the location of soil-dwelling pests. Watering-in should occur within 3 days of treatment and optimally within 24 hours. Excessive watering or leaching may reduce the effectiveness of Flagship 0.22G. If leaching, allow a minimum of 7 days after watering-in for maximum uptake of Flagship 0.22G by the plant's root system.

Application Timing

Flagship 0.22G must move to the site of pest infestation, such as in the root zone or the aboveground portion of the host plant. After watering-in Flagship 0.22G is readily takenup by the roots and moves upwards in the plant to feeding sites of pests. Systemic activity of Flagship 0.22G may be delayed for one or more weeks depending on plant size, rate of uptake from the soil and rate of translocation within the plant. Systemic activity in large plants may require several weeks before control of stem and foliar pests is achieved. If economic thresholds for target pests are low, or plants are historically damaged, Flagship 0.22G should be applied preventively (before pests are evident) to the growing media.

Repeat applications of Flagship 0.22G as needed, but no sooner than every 7 days and do not exceed a total of 120 pounds per acre per crop or year, whichever is shorter.

Flagship 0.22G is effective at labeled rates when applied as a preventive and curative treatment against white grubs. As a preventive treatment, Flagship 0.22G may be applied up to 45 days before the historical peak of adult flight for the targeted species. As a curative grub treatment, make the application from egg hatch to 2nd instar (grubs less than half their full size). For optimum white grub control, apply Flagship 0.22G from peak adult flight through peak egg hatch of the primary species being targeted.

17

Recommendations for Applications to Soil or other Growing Media of Ornamental Plants

For plants grown in greenhouses, lath- and shade-houses, containers, field nurseries (including non-bearing fruit and nut trees), and Christmas trees.

| Pests | Dosage of Flagship 0.22G | Remarks | |
|--|------------------------------------|--|--|
| Aphids | 40 - 120 lb./A | Apply to the soil or growing media | |
| Mealybugs | or 4.8 – 13.8 lb./5,000 sq. ft. | preventively in situations where tolerance of insects or damage is | |
| | • | low. Allow a minimum of one week | |
| Whiteflies | | for smaller plants and at least two weeks for large plants (typically found in nurseries, Christmas tree | |
| | | plantations) to translocate Flagship | |
| | | 0.22G to feeding sites of the target pest. | |
| | • | Note: If leaching, allow a minimum of 7 days after watering-in for | |
| · · | | maximum uptake of Flagship 0.22G by the plant's root system. | |
| Larvae (grubs) of: | 90 - 120 lb./A or | Application timing: | |
| Asiatic garden beetle (Maladera castanea) | 10.6 – 13.8 lb./5,000 sq. ft. | Apply up to 45 days before the historical peak of adult flight to 2 nd | |
| European chafer | | instar grub of the species being targeted. | |
| (Rhizotrogus majalis) | | For optimum control, treat from | |
| Japanese beetle | · · · | peak flight to peak egg hatch. | |
| (Popillia japonica) | | Note: If leaching, wait a minimum | |
| May or June beetle <i>(Phyllophaga</i> species <i>)</i> | | of 7 days after water-in for maximum uptake of Flagship 0.22G by the plant's root system. | |
| Oriental beetle | | | |

Note: Do not exceed 120 pounds per acre per crop or year, whichever is shorter, when making applications to ornamentals.

For specific information about developmental stages of the target pest, associated damage, and action thresholds to properly time applications, consult with your State Cooperative Extension Service.

Please refer to additional comments under **General Information** section relating to ornamental applications to soil and related irrigation events.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage

Store in a cool, dry place.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup, procedures and disposal of wastes. In the event of a major spill, fire, or other emergency call 1-800-888-8372, day or night.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of unused pesticide is a violation of Federal law. If these wastes cannot be used according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Container Disposal

Completely empty the bag into granular application equipment. Then dispose of the empty bag by depositing in a sanitary landfill, or by other procedures allowed by state and local ordinances.

Flagship®, the Syngenta logo and the CP FRAME are trademarks of a Syngenta Group Company ©2007 Syngenta

For non-emergency (e.g., current product information), call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300 www.syngenta-us.com

SCP 960A-M (NOTIF)

FLAG 0.22G 960A-M(NOTIF)-lg-10-4-07

-9-

(non-detachable container label)

Flagship® 0.22G

Insecticide

For systemic control of insect pests on ornamental plants grown in greenhouses, lathand shade-houses, containers, field nurseries (including non-bearing fruit and nut trees) and on Christmas trees.

Active Ingredient:

| Thiamethoxam ¹ | | 5 |
|---------------------------|--------|---|
| Other Ingredients: | 99.78% | 5 |
| Total: | 100.0% | 5 |

¹CAS No. 153719-23-4

Flagship 0.22G is a granule that contains 0.035 ounces of active ingredient per pound of formulated product.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-960 EPA Est. xxxxx

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to product agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas without protective clothing until application is complete.

SCP 960A-M (NOTIF)

Net weight

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

-11-

Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

| | FIRST AID |
|------------------------------------|--|
| If in eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| If on skin or clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Have the produc or doctor, or goir | t container or label with you when calling a poison control center |
| | HOT LINE NUMBER |
| | our Medical Emergency Assistance (Human or Animal) or al Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372 |

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage

Store in a cool, dry place.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup, procedures and disposal of wastes. In the event of a major spill, fire, or other emergency call 1-800-888-8372, day or night.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of unused pesticide is a violation of Federal law. If these wastes cannot be used according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Container Disposal

Completely empty the bag into granular application equipment. Then dispose of the empty bag by depositing in a sanitary landfill, or by other procedures allowed by state and local ordinances.

Flagship® and the Syngenta logo are trademarks of a Syngenta Group Company ©2007 Syngenta Protection

Manufactured for: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300 www.syngenta-us.com

SCP 960A-M (NOTIF)

FLAG 0.22G 960A-M (NOTIF)-Ig-10-4-07

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com

Tel 336 632 6000



October 4, 2007

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

ATT: Ms. Joyce Edwards

SUBJECT: FLAGSHIP® 0.22G EPA REG. NO. 100-960 NOTIFICATION OF CORRECTION OF TYPO

Dear Ms. Edwards,

Syngenta Crop Protection Inc., is submitting a Notification for Flagship® 0.22G (EPA Reg. No. 100-960) to correct the typo on page 6 which inadvertently omitted the words "crop or" from the sentence in the first bullet under the "Restrictions" heading. This sentence should read "Do not exceed 120 pounds (0.265 lb ai.) of product per acre per crop or year, whichever is shorter". This same inadvertent omission has been corrected on page 7, under the "Application Timing" heading, to read "Repeat applications of Flagship 0.22G as needed, but no sooner than every 7 days and do not exceed a total of 120 pounds per acre per crop or year, whichever is shorter." This statement as approved on page 8 is correct. Two copies of labeling (one with the corrections high lighted) are attached.

To complete this Notification, EPA form 8570-1 is enclosed.

The label code is SCP 960A-M (NOTIF).

Thank you in advance for approving this request. However, should you have any questions, please contact me at 336.632-2365 or via e-mail at fred.pearson@syngenta .com.

Sincerely.

Fred J. Pearson NAFTA Insecticide Team Leader Syngenta Regulatory Affairs

Enclosures:

2 copies of labeling (1 with corrections high lighted) EPA Form 8570-1

cc: Ms. Venus Eagle PM (01) IRB