

**ACCEPTED**  
 SEP 25 2002  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act  
 I hereby certify that the pesticide  
 registered under EPA Reg. No. 100-986

# Brodifacoum Concentrate

**For formulation only into registered end-use rodenticides used in and around buildings and transport vehicles, and in sewers**

Active Ingredient:	
Brodifacoum	
3-[3-(4'-bromo[1,1'-biphenyl]4-yl)-1,2,3,4-tetra-hydro-1-naphthalenyl]4-hydroxy-2H-1-benzopyran-2-one . . . . .	0.25%
Other Ingredients:	99.75%
Total:	100.00%

## **KEEP OUT OF REACH OF CHILDREN. WARNING/AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**See additional precautionary statements and directions for use on label.**

EPA Reg. No. 100-986  
EPA Est. 61282-WI-1

Product of the United Kingdom  
Formulated in the USA

**SCP 986A-L1 0402**

\_\_\_\_\_ gallons  
U.S. Standard Measure



## Brodifacoum Concentrate

FIRST AID	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.</li> <li>• Do not give anything by mouth to an unconscious person.</li> <li>• Get medical attention.</li> </ul>
<b>If on skin</b>	<ul style="list-style-type: none"> <li>• Wash with plenty of soap and water.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Flush with plenty of water.</li> <li>• Get medical attention if irritation persists.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Remove to fresh air.</li> <li>• Get medical attention.</li> </ul>
<p><b>Note to Physician or Veterinarian</b></p> <p>This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K<sub>1</sub> are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, Vitamin K<sub>1</sub> is antidotal at doses of 10-20 mg (not mg/kg). For animal cases, Vitamin K<sub>1</sub> is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.</p>	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment</p>	
<p><b>HOT LINE NUMBER</b></p> <p>For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident) Call <b>1-800-888-8372</b></p>	

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

##### WARNING

May be fatal if swallowed, inhaled or absorbed through skin. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Repeated inhalation, dermal contact or oral ingestion may result in accumulative toxicity.

If consumed by humans, call a physician at once.

#### Environmental Hazards

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a National Pollutant Discharge Elimination System (NPDES) permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

3 7 3

## Brodifacoum Concentrate

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Formulators using this product are responsible for obtaining EPA registration for their formulated products.

Only for formulation into a rodenticide for:

1. Control of Norway rats, roof rats, and house mice in and around homes, industrial, commercial, and agricultural buildings, public buildings, similar man-made structures, sewers, and in and around transport vehicles (boats, ships, trains) and related port or terminal buildings.
2. Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration.
3. Uses for experimental purposes that are in compliance with USEPA requirements.

### STORAGE AND DISPOSAL

#### Prohibitions

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container.

#### Storage

Store in locked storage area. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

#### Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

#### Container Disposal

Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

The Syngenta logo is a trademark of a Syngenta Group Company.

©2002 Syngenta

For non-emergency (e.g. current product information) call  
Syngenta Crop Protection at 1-800-334-9481.

Product of the United Kingdom  
Formulated in the USA

Syngenta Crop Protection, Inc.  
Greensboro, North Carolina 27409  
www.syngenta-us.com  
SCP 986A-L1 0402