

100-990

9/28/2009

10/18



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Pat Dinnen  
Regulatory Specialist  
Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419

SEP 28 2009

SUBJECT: Application for Pesticide Notification – Label Changes per PR Notice 2007-4  
Demon® WP Insecticide  
EPA Reg. No. 100-990  
Application Dated May 28, 2009

Dear Ms. Dinnen:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the actions requested fall within the scope of PRN 2007-4. The label submitted with the application are considered “acceptable”, date stamped “Notification”, and will be placed in our records.


Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

 United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <hr/> Notification
--	--	---

**Application for Pesticide - Section I**

1. Company/Product Number 100-990	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Demon WP Insecticide	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Syngenta Crop Protection, Inc. P. O. Box 18300 Greensboro, NC 27419  <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____  Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain below.  <input type="checkbox"/> Resubmission in response to Agency letter dated _____  <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application.  <input type="checkbox"/> Other - Explain below.
--	---

**NOTIFICATION**

**SEP 28 2009**

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.).

Notification of label change per PR Notice 2007-4. This Notification is consistent with the guidance of PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§156.10, 156.140, 156.144 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Syngenta is amending the Storage and Disposal section of the label by Notification according to the directions stated in PR Notice 2007-4.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
*Certification must be submitted		If "Yes" Unit Packaging wgt.    No. per Container	If "Yes" Unit Packaging wgt.    No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 lb. and Bulk		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input checked="" type="checkbox"/> Other <u>Prescore Sensitive</u>		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application?)		
Name Pat Dinnen	Title Label Group Leader	Telephone No. (Include Area Code) 336-532-2494
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature  <i>Pat Dinnen</i>	3. Title Regulatory Specialist	
4. Typed Name Pat Dinnen	5. Date May 28, 2009	

30f18

Syngenta Crop Protection Inc.  
P.O. Box 18300  
Greensboro, NC 27419-8300  
www.syngenta.com



**FedEx**

May 28, 2009

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Attention: Ms. Linda Arrington

**SUBJECT: DEMON® WP INSECTICIDE  
EPA REG. NO. 100-990  
NOTIFICATION OF LABEL CHANGE PER PR NOTICE 2007-4**

Syngenta Crop Protection, Inc. is submitting Notification for Demon WP Insecticide, EPA Reg. No. 100-990. Syngenta is amending the Storage and Disposal section of the label by Notification according to the directions stated in PR Notice 2007-4.

Attached are:


- One copy of the label with the changes clearly marked
- One unmarked copy of the label
- A CD of the unmarked copy of the label for "Electronic Comparison and Review"
- Certificate with Respect to Label Integrity Form
- Completed EPA Form 8570-1

Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-2494.

Sincerely,

Pat Dinnen  
Label Group Leader  
Regulatory Affairs

Enclosures



4018

**Demon® WP Insecticide**

A general surface, crack and crevice and/or spot treatment for residual and contact control of ants, carpenter ants, cockroaches, crickets, spiders and other insect pests.

For use by commercial applicators in, on and around buildings and structures for the control of listed pests, including on lawns, ornamental trees and shrubs around residential, institutional, public, commercial, agricultural and industrial buildings; and parks, recreational areas and athletic fields.

**NOTIFICATION**  
**SEP 28 2009**

Active Ingredient:

Cypermethrin <sup>1</sup> : (±)α-cyano-(3-phenoxyphenyl)methyl(±)- <i>cis,trans</i> -3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate*	40.0%
Other Ingredients:	60.0%
<b>Total:</b>	<b>100.0%</b>

\**Cis/trans* ratio: 45/55 ± 10

<sup>1</sup>Synthetic pyrethroid

**KEEP OUT OF REACH OF CHILDREN.**

**WARNING/AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)


**See additional precautionary statements and directions for use in booklet.**

EPA Reg. No. 100-990  
EPA Est. XXXXX

Product of XXXXX  
Formulated in XXXXX

SCP 990A-M(6-13-06)

Net Weight







**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, INC. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. To the extent permitted by applicable law, **SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on lawns or grounds.

---

#### GENERAL INFORMATION

---

For use as a general surface, crack and crevice and/or spot treatment for residual and contact pest control in, on, and around buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use in nonfood/nonfeed areas include, but are not limited to, aircraft (cargo and non-cabin areas only), apartment buildings, boiler rooms, buses, closets, correctional facilities, decks, entries, factories, fencing, floor drains (that lead to sewers), food granaries, food grain mills, food manufacturing, processing and serving establishments; furniture, garages, garbage rooms, greenhouses (non-commercial), hospitals (non-patient areas), hotels and motels, houses, industrial buildings, laboratories, livestock/poultry housing, landscape vegetation, locker rooms, machine rooms, mausoleums, mobile homes, mop closets, mulch, nursing homes, offices, patios, pet kennels, porches, railcars, restaurants, storage rooms, schools, sewers (dry), stores, trailers, trees, trucks, utility passages, vessels, vestibules, warehouses, wineries and yards.

Repeat treatments as necessary, but not more than once every 7 days.

#### Food Handling Establishments (For Use in Non-Food Areas Only)

Demon WP may be used as a general surface, crack and crevice and/or spot treatment in the non-food areas of food handling establishments.

Examples of non-food areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

**Do not** use Demon WP in food areas of food handling establishments, restaurants or other areas where food is commercially prepared, processed or served. Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

#### Residential Food Areas



In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

**Application Equipment Preparation**

For best results, thoroughly wash out sprayer and screens with water and detergent before using Demon WP. To avoid sprayer clogging, do not use strainers or screens finer than 50 mesh size.

**Mixing Procedures**

Demon WP must be diluted with water for application using hand-held or power-operated application equipment. For best results, dilution should be achieved using the following steps:


1. Fill applicator tank 1/2 with water.
2. Add desired amount of Demon WP.
3. Close application equipment and agitate, stir or shake applicator tank.
4. Finish filling applicator tank and agitate again before use to ensure satisfactory suspension.

**Note:**

- Shake or re-agitate application equipment before use if application is interrupted.
- Mix only amount of application volume required for each use.
- Do not store dilution in application equipment overnight.

**Tank Mixing**

Demon WP may be tank mixed with other currently registered pesticides unless expressly prohibited by the product label. A small volume-mixing test with the other products is recommended to ensure compatibility. Observe all restrictions and precautions on the label of these products.



**APPLICATION PROCEDURES**

**Recommended Application Rates for Structural Pests (Hand Application Equipment):**

Pests	Concentration of Active Ingredient	Dilution Rate
Ants Aphids <sup>c</sup> Assassin Bugs <sup>c</sup> Boxelder Bugs California Oakworm <sup>c</sup> Centipedes Chiggers <sup>c,d</sup> Chinch Bugs <sup>c</sup> Cockroaches (Maintenance) Crickets Earwigs Elm Leaf Beetle <sup>c</sup> Firebrats Fleas <sup>d</sup> Flies <sup>b</sup> Millipedes Mites <sup>c</sup> Mosquitoes Pillbugs Silverfish Sowbugs Termites <sup>e</sup>	0.1%	1 scoop <sup>a</sup> / 1 gal. water
Ants <sup>c</sup> Bees Carpenter Ants Carpenter Bees Cockroaches (Clean-out) Fire Ants (Mounds) <sup>c</sup> Scorpions Sod Webworms <sup>c</sup> Spiders Ticks Wasps	0.2%	2 scoops <sup>a</sup> / 1 gal. water

<sup>a</sup> 1 scoop = 0.33 oz. (9.5 gm.) of Demon WP (equivalent to 2 level tablespoons).

<sup>b</sup> Not for indoor use in California for fly control.

<sup>c</sup> Not approved for use in California.

<sup>d</sup> Outdoor use only.

<sup>e</sup> Above ground only.

**SPECIFIC USE DIRECTIONS**

**INDOOR SURFACES USE**

Demon WP may be used as a crack and crevice and/or spot treatment for indoor surfaces use.

**Cockroaches, Spiders, Crickets, Scorpions, Silverfish, Ticks, and Firebrats**


Apply as a coarse, low pressure treatment to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, cabinets, furniture, sinks, furnaces, stoves, behind and under refrigerators, the underside of shelves, drawers, and similar areas. Pay particular attention to cracks and crevices. Also see **Outdoor Surfaces Use**.

**Ants**

Apply to any trails, around doors and windows, and similar areas where ants (including carpenter ants) may be found. Where ants are trailing inside, apply as a residual surface treatment to active areas such as baseboards, corners, around pipes, in and behind cabinets, behind and under refrigerators, sinks, furnaces and stoves, cracks and crevices. When combining baits and residual surface insecticides, apply surface insecticides in cracks and crevices, along baseboards, and infested surfaces and outside barrier treatments. Apply perimeter barrier treatments and treat nest to prevent infestation as described in **Outdoor Surfaces Use**.

**Assassin Bugs, Boxelder Bugs, Sowbugs, Pillbugs, Millipedes, Elm Leaf Beetle, and Centipedes**

Apply around doors and windows and similar areas where these, or similar perimeter pests, may be found or where they may enter premises. Apply to baseboards, storage areas, and other locations. Apply perimeter barrier treatments to prevent infestation as described in **Outdoor Surfaces Use**.



**OUTDOOR SURFACES USE**

Apply with either hand-held or power application equipment as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps, garages and other similar areas where these pests are found. Also, may be used as a spot treatment in applications to lawns in landscaped areas in and around residential, commercial, institutional and industrial buildings, and similar areas where these insect pests are active.

**Carpenter Ants**

Apply as a coarse wet spray treatment, but avoid runoff around doors, door frames, windows and similar areas where these ants enter premises or hide.

**Fire Ants (Mounds)**

For individual fire ant mounds, apply Demon WP as a drench. Gently sprinkle a total of one gallon over the surface of mounds up to 12 inches in diameter. Use 2 gallons for larger mounds. Thoroughly wet mound and surrounding area. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration. If possible, applications should be made on warm days after recent rainfall. All colonies in the vicinity should be treated, including those that have not yet constructed a mound.

**Bees, Flies, Mosquitoes, and Wasps**

Apply directly to walls, window screens, and other exterior resting areas as a residual surface treatment. Use caution when treating nests of stinging insects as Demon WP does not provide instant knockdown. Protective equipment for the applicator may be required. For best results, treat bee, wasp and hornet nests late in the day when most insects will be present. Allow 2-3 days for colony to die.

For mosquito control, apply as a general structural perimeter spray to landscape plantings, turf, and building foundations to control mosquitoes. Yards or other frequented areas enclosed by landscaping can benefit from the creation of a mosquito barrier to reduce invading mosquitoes by the treatment of perimeter vegetation. For best results, apply Demon WP at recommended rates in 2-5 gallons of water per 1,000 sq. ft. Higher volumes applied result in better coverage and, as a rule, will improve control.

Application to vegetation away from structures may require additional applicator certification, e.g. in turf or ornamental categories. Consult your state regulatory agency, for requirements. Not for use in wide area mosquito abatement programs.

**Fleas and Ticks**

To control nuisance fleas and ticks (e.g. dog ticks) apply to yards, runs, and other outside areas where pets may frequent. To control ticks, apply using a coarse fan spray

to vegetation brush, branches, rock walls, and other areas near habitation where ticks may harbor or frequent. Treat entire area rather than making spot treatments, and retreat as necessary to maintain control. Do not apply to pasture or cropland, and do not allow animals and people access to treated areas until the deposit has dried. Applications can begin in the spring and can continue until frost to control both larvae and adult ticks.

**Cluster Flies**


Make exterior treatments in late summer or early fall before flies are observed alighting on surfaces. Apply thoroughly on siding, under eaves, and around windows and doors, paying particular attention to south-facing surfaces. Apply just enough dilution to adequately cover the area without excessive dripping or runoff. Heavy precipitation prior to frost may require re-treatments to maintain protection.

**Scorpions**

Treat and remove accumulations of lumber, firewood and other materials that serve as harborage sites. Apply as a coarse spray treatment to the point of drip.

**Sod Webworms**

Apply as a spot treatment when pests first appear (do not apply as a broadcast spray). Delay watering or mowing the treated area for 12-24 hours after treatment. Use 1-5 gallons of solution per 800-1,600 sq. ft. when making application. Retreat when needed but not more than every two weeks.



**OUTDOOR PERIMETER BARRIER TREATMENT AROUND STRUCTURES**

Applying a continual band of insecticide around a building foundation and around windows, doors, service line entrances, eaves, vents, and other areas can greatly reduce the potential for entry by crawling pests. To facilitate application, remove debris and leaf litter from next to the foundation, trim vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other potential pest harborage next to the foundation. To help prevent infestation of buildings, apply as a band to soil and vegetation 6-10 ft. wide around and adjacent to the building. Also, treat the building foundation to a height of 2-3 ft. where pests are active and may find entrance. Apply as a coarse spray treatment to thoroughly and uniformly wet the band area, using 1-5 gallons of treatment solution applied to 800-1,600 sq. ft.

Amount of concentrate is dependent upon pest species (see pest table and comments), infestation levels, and service interval desired.

**Rate Table for Perimeter Barrier Applications around Structures**

Application Rate: Scoops <sup>a</sup> of Demon WP	Gals. of Water <sup>b</sup>	Area of Coverage (sq. ft.)
1 scoop (0.33 oz.)	1-5 gals.	800-1600 sq. ft.
2 scoops (0.66 oz.)	1-5 gals.	800-1600 sq. ft.

<sup>a</sup> Scoop = 0.33 oz. (9.5 gms.) of Demon WP (equivalent to 2 level tbs.).  
<sup>b</sup> Application volume may be greater than 5 gals./800-1600 sq. ft. if required under heavy vegetative or landscaping materials in order to obtain desired coverage.

**Dilution Examples for Perimeter Barrier Applications around Structures**

**Low Rate (One Scoop<sup>a</sup>/1000 sq. ft.)**

Sprayer Output	Demon WP to Add		
	Total Mix Volume		
	5 gallons	10 gallons	50 gallons
1 gal./1000 sq. ft.	5 scoops (1.65 oz.)	10 scoops (3.3 oz.)	50 scoops (16.5 oz.)
2 gal./1000 sq. ft.	2.5 scoops (0.825 oz.)	5 scoops (1.65 oz.)	25 scoops (8.25 oz.)
5 gal./1000 sq. ft.	1 scoop (0.33 oz.)	2 scoops (0.67 oz.)	10 scoops (3.3 oz.)

High Rate (Two Scoops<sup>a</sup>/1000 sq. ft.)

Application Volume	Demon WP to Add		
	Total Mix Volume		
	5 gallons	10 gallons	50 gallons
1 gal./1000 sq. ft.	10 scoops (3.3 oz.)	20 scoops (6.6 oz.)	100 scoops (33 oz.)
2 gal./1000 sq. ft.	5 scoops (1.65 oz.)	10 scoops (3.3 oz.)	50 scoops (16.5 oz.)
5 gal./1000 sq. ft.	2 scoops (0.67 oz.)	4 scoops (1.32 oz.)	20 scoops (6.6 oz.)

<sup>a</sup> Scoop = 0.33 oz. (9.5 gms.) of Demon WP (equivalent to 2 level tbs.).

For example, to apply the low-rate of Demon WP at a volume of 5 gal./1000 sq. ft., mix 10 scoops of concentrate in 50 gals. of water.

To calculate the percent active ingredient in the finished Demon WP spray solution, use the following formula:

$$\frac{\text{No. of Scoops Added}}{\text{No. of Gal. of Total Mix Volume}} \times 0.1 = \% \text{ Active Ingredient}$$

**Termites above Ground**

For control of termites, subterranean aerial colonies, Formosan aerial colonies or drywood termites in localized areas of infested wood in structures, apply a 0.1% solution to voids and galleries in damaged wood and in spaces between wooden members of a structure and between wood and foundations where wood is vulnerable. Application may be made to inaccessible areas by drilling, and then injecting the emulsion with a crack and crevice injector into the damaged wood or void spaces. Application to attics, crawl spaces, unfinished basements, or man-made voids may be made with a coarse fan spray of 0.1% solution to control workers and winged reproductive forms of termites in mud shelter tubes. This type of application is not intended to be a substitute for soil treatment for extensive infestation of drywood termites or other wood-infesting insects. This treatment is intended to kill localized infestations of workers and winged reproductive forms of termites.

For termites active inside trees, utility poles and/or fence posts, drill to find the interior infested cavity and inject 0.1% solution using treatment tool with a splash back guard.

Termite carton nests in trees or building voids may be injected with 0.25-0.50% solution using a pointed injection tool. Multiple injection points to varying depths may be necessary. It is desirable to physically remove carton nest material from building voids.

11/02/18

when such nests are found. For enhanced penetration of unfinished wood or other porous materials, utilize the emulsifiable concentrate version of Demon Max.

**GENERAL RESTRICTIONS AND PRECAUTIONS**

Do not apply this product in or on conduits, motor housings, junction boxes, switch boxes, or other live electrical equipment because of possible shock hazard. Let treated surfaces/areas dry before allowing humans and pets to contact treated surfaces/areas. For best results, thoroughly wash out sprayer and screen with water and detergent before using Demon WP. Do not use this product with oil. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes.

Demon WP will not stain or cause damage to any painted or varnished surface, plastic, fabric or other surface when water applied alone causes no damage.

For ground application only. Do not apply by air.

**DO NOT APPLY THIS PRODUCT TO EDIBLE CROPS.**

During any application to ceilings of a structure, cover surface below with plastic shielding or similar material.

Do not use as an indoor space spray, such as in misters, foggers, or aerosol-generating equipment.

Use only in well ventilated areas.

Do not apply this product in any room being used as living, eating or recovery area by patients, the elderly, or infirm when they are in the room.

Do not apply to classrooms when in use.


Do not apply to areas of institutions (including libraries, sports facilities, etc.) when occupants are present in the immediate treatment area.

Do not use in warehouses where raw or cured tobacco is stored.

Do not use in warehouses while raw agricultural commodities for food or feed are being stored.

During indoor surface use, do not apply as a broadcast spray application.

Do not use in greenhouses on plants grown for food or feed, for sale or other commercial use, or for research purposes.





Do not allow applications to contact water inhabited by fish, such as in aquariums and ornamental fish ponds that are in/around structures being treated.

---

**STORAGE AND DISPOSAL**

---

**Prohibitions**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**Storage**

Mix only as needed. Do not store diluted material. Keep container closed when not in use. Do not store near food or feed. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste storage area until proper disposal can be made.

**Pesticide Disposal**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Handling [less than 5 gallons]**

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Container Handling [greater than 5 gallons]**

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least once complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and

