

100-1055

7/3/2012

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Decision 464737
300
1155
S-919601

JUL 3 2012

Syngenta Crop Protection Inc
P O Box 18300
Greensboro NC 27419

Attention Mr Thomas Parshley

Subject Weatherblok Bait with Bitrex®
EPA Reg No 100 1055
Revisions to Use Restrictions (Including 100 Feet of Structures)
Your Amended Application of May 1 2012

Purpose This submission revises the Use Restrictions to the labeling of
this product under sec 3 of the Federal Insecticide Fungicide
and Rodenticide Act (FIFRA) and recent Agency guidance

Labeling The labeling submitted with the above letter under the Federal
Insecticide Fungicide and Rodenticide Act (FIFRA) is
acceptable

Per 40 CFR 156 10(a)(6) submit one copy of your final printed
labeling before you release the product for shipment


As defined in 40 CFR 152 3 final printed labeling means the
label or labeling of the product when distributed or sold
Clearly legible reproductions or photo reductions will be
accepted for unusual labels Note that a clean copy of the
master label in most cases does not meet the definition of final
printed labeling

**Existing
stocks** You may distribute or sell existing stocks of this product with
current labeling for eighteen (18) months from the date of this
letter

Consequence for non compliance If these conditions are not complied with the registration will be subject to cancellation in accordance with FIFRA section 6(e)
Your release for shipment of the product constitutes acceptance of these conditions

Questions If you have questions about this letter please contact Mr Dan Peacock at 703 305 5407 (phone) 703 305 6596 (fax) or peacock.dan@epa.gov (E Mail)

Sincerely



John Hebert
Product Manager (07)
Insecticide-Rodenticide
Branch
Registration Division (7505P)

- Enclosure**
- 1 Stamped Label
 - 2 Minimum Type Sizes for Final Printed Labels

3/10

000100 01055 20120702

(Master Label)
(pail outer box for pouches/bags inner pouch/bag)

WeatherBlok® Bait With Bitrex®

INDIVIDUAL SALE PROHIBITED BY LAW (inner pouch/bag)

Norway rats and house mice may consume a lethal dose in one night s feeding with first dead rodents appearing four or five days after feeding begins

Active Ingredient

Brodifacoum

3 [3 (4 bromo [1 1 biphenyl] 4 yl) 1 2 3 4 tetrahydro 1 naphthalenyl] 4 hydroxy 2H 1 benzopyran 2 one

ACCEPTED JUL 3 2012

0.005%

Other Ingredients^[1]

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under

Total

0.005%

[¹ contains Bitrex® brand denatonium benzoate]

EPA Reg No 100-1055

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements and directions for use on label

Distribution to and sales in consumer stores including grocery stores drug stores hardware stores and club stores is prohibited

EPA Reg No 100 1055

EPA Est No XXXX

Product of XXXX

Formulated in the USA

Product ID XXXX

SCP 1055 M (draft 100 ft b)

16 pounds (in 20 gram (0.7 ounce)[bars] [blocks]) (pail)

4 pounds (in 20 gram (0.7 ounce)[bars] [blocks]) (printed inner pouch/bag)

16 pounds (4x4 pounds in 20 gram (0.7 ounce) [bars] [blocks]) (outer box for pouches/bags)

Net Weight

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals**CAUTION**

Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long sleeved shirt, long pants, shoes plus socks and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center doctor or HOT LINE NUMBER immediately for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by the poison control center or doctor
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 20 minutes • Call a poison control center doctor or 1 800 888 8372 for treatment advice
<p>HOT LINE NUMBER For 24 Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill Leak Fire or Accident) Call 1 800 888 8372</p>	
<p>NOTE TO PHYSICIAN</p> <p>If swallowed this material may reduce the clotting ability of the blood and cause bleeding If ingested administer vitamin K₁ intramuscularly or orally Vitamin K₁ is antidotal at doses of 10 20 mg (<u>not</u> mg/kg) Repeat as necessary based on monitoring of prothrombin times</p>	
<p>TREATMENT FOR PET POISONING If animal eats bait call veterinarian or HOT LINE NUMBER at once</p> <p>NOTE TO VETERINARIAN</p> <p>Anticoagulant Brodifacoum For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times) give Vitamin K₁ at doses of 2 5 mg/kg If needed check prothrombin times every 3 days until values return to normal (up to 30 days) In severe cases blood transfusions may be needed</p>	

Environmental Hazards

This product is extremely toxic to mammals and birds Dogs cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait This pesticide is toxic to fish Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas Do not contaminate water when disposing of equipment wash water or rinsate

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

Syngenta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when used in accordance with directions under normal use conditions. To the extent permitted by applicable law, (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or Syngenta and (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall Syngenta be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Syngenta and Seller offer this product and Buyer and User accept it subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Syngenta.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ THIS LABEL Read this entire label and follow all use directions and use precautions Use only for the sites pests and application methods described on this label

Important Do not expose children pets, or other nontarget animals to rodenticides To reduce exposure

- Store product not in use in a location out of reach of children and pets When used in residential structures this product must be applied in tamper resistant bait stations All above ground outdoors applications must be in tamper resistant bait stations These stations must be resistant to destruction by dogs and by children under 6 years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait If bait can be shaken from stations when they are lifted units must be secured or otherwise immobilized Even stronger bait stations are needed in areas open to hooved livestock raccoons bears or other potentially destructive animals or in areas prone to vandalism
- Dispose of product container and unused spoiled and unconsumed bait as specified on this label

Note Bait stations are mandatory for outdoor above ground use Tamper resistant bait stations must be used if children pets non target mammals or birds may access the bait

USE RESTRICTIONS

This product may only be used to control Norway rats roof rats and house mice *in and within* 100 feet of man made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or harboring or attracting rodent infestations Examples of such structures include homes and other permanent or temporary residences food processing facilities industrial and commercial buildings trash receptacles agricultural and public buildings transport vehicles (ships trains aircraft) docks and port of terminal buildings and related structures around and associated with these sites Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited This product must not be applied directly to food or feed crops Do not broadcast bait

Do not place near or inside ventilation duct openings Do not contaminate water food feedstuffs food or feed handling equipment or milk or meat handling equipment or surfaces that come into direct contact with food When used in USDA inspected

facilities this product must be applied in tamper resistant bait stations Do not broadcast bait

Burrow baiting with WeatherBlok Bait is prohibited

Do not sell this product in individual containers holding less than 16 pounds of bait

SELECTION OF TREATMENT AREAS

Determine areas where rats and/or mice will most likely find and consume the bait Generally these areas are along walls by gnawed openings in corners and concealed places between floors and walls or in locations where rodents or their signs have been observed Remove as much food as possible

APPLICATION DIRECTIONS

Norway and Roof Rats

Apply 4 22 (20 g (0 7 oz)) blocks of WeatherBlok Bait with Bitrex (usually at intervals of 15 30 ft) per placement Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease

For use in sewers securely attach one end of wire to WeatherBlok Bait with Bitrex and the other end to a stationary structure such as the bottom step of a manhole ladder or to a sewer grate allowing just enough wire for the block to rest on manhole benching If benching is not present suspend block a few inches above the high water line or place WeatherBlok Bait with Bitrex on a board supported by opposing steps of the ladder Securing WeatherBlok Bait with Bitrex in this manner will prevent removal by rats or water Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease

House Mice

Apply 1 bait block per placement Space placements at intervals of 8 12 feet Two blocks may be needed at points of very high mouse activity Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease

Follow Up

Replace contaminated or spoiled bait immediately Collect and dispose of all dead animals and (when baiting operations are to be ceased) unconsumed bait according to the **Disposal** paragraph To prevent reinfestation limit food water and harborage as much as possible If reinfestation does occur repeat treatment Where a continuous source of infestation is present establish or maintain bait stations and replenish with census or toxic bait as needed

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

Pesticide Storage

Store only in original container in a cool dry place inaccessible to children and pets
Keep containers closed and away from other chemicals

Pesticide Disposal

Dispose of wastes resulting from the use of this product at an approved waste disposal facility or call your local solid waste agency for alternative disposal instructions Never dispose of unused product down any indoor or outdoor drain

Container Handling (*pail pouch bag and outer box*)

Nonrefillable container Do not reuse or refill this container When completely empty offer for recycling if available or dispose of empty container in a sanitary landfill or by incineration or if allowed by state and local authorities by burning If burned stay out of smoke

[Optional Marketing Claims

Made With Talon® Rodenticide

Second Generation Anticoagulant

Kills warfarin resistant Norway Rats and House Mice

Satisfaction Guaranteed or Your Money Back]

WeatherBlok® Talon® the ALLIANCE FRAME the SYNGENTA Logo and the PURPOSE ICON are trademarks of a Syngenta Group Company

[Bitrex® is a trademark of Macfarlan Smith Ltd Edinburgh Scotland]

© 2012 Syngenta

For non emergency (e.g. current product information) call Syngenta Crop Protection at 1 800 334 9481

Manufactured for
Syngenta Crop Protection LLC
P O Box 18300
Greensboro North Carolina 27419 8300

SCP 1055 M(draft 100 ft b)

WeatherBlok 1055 M(draft 100 ft) CLEAN – pl
000100 01055 20120501 WEATHERBLOK_AMEND_MAY2012 pdf

WeatherBlok 1055 M(draft 100 ft b) CLEAN – pl – 7/2/12
000100 0155 20120702 WEATHERBLOK_AMEND_b_JUL2012 pdf