



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

August 16, 2010

Mr. Tom Parshley Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419

> Subject: Label Notification(s) for Pesticide Registration Notice 2008-1 Updating the Environmental Hazard Language per EPA letter

> > Dated June 4, 2009

Dear Mr. Parshley:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2008-1 dated May 19, 2010 for the following product(s):

Scimitar WP Insecticide in Water-Soluble Packets	EPA Reg. No. 100-1065
Demand CS Insecticide	EPA Reg. No. 100-1066
Scimitar CS Insecticide	EPA Reg. No. 100-1078
Demand Pestab Insecticide	EPA Reg. No. 100-1082
Scimitar GC Insecticide	EPA Reg. No. 100-1088
Demand EZ Insecticide	EPA Reg. No. 100-1232
Scimitar GR Insecticide	EPA Reg. No. 100-1238
Demand G Insecticide	EPA Reg. No. 100-1240

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2008-1 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Regina Foushee'-Smith at 703-605-0780.

Sincerely,

Richard J. Gebken Product Manager Insecticide Branch

Registration Division (7505P)

Please read instructions on reverse before completing form.

Typed Name

Tom Parshley

**OPP Identifier Number** 

JUN 1 6 2010

**United States** Registration **\$EPA Environmental Protection Agency** Amendment Notification Washington, DC 20460 Other Application for Pesticide - Section I Company/Product Number **EPA Product Manager** 3. Proposed Classification Mark Suarez 100-1078 Company/Product (Name) PM# Restricted None 13 Scimitar® CS Insecticide Name and Address of Applicant (Include ZIP Code) Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), Syngenta Crop Protection, Inc. my product is similar or identical in composition and labeling to: P. O. Box 18300 NOTIFICATION Greensboro, NC 27419 EPA Reg. No. AUG 1 6 2010 Check if this is a new address Product Name Section - II Amendment - Explain below. Final printed labels in response to Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. X Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For Section I and Section II.). Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009, letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging Type of Container Yes\* Yes Yes Metal No No No Plastic х х Glass \*Certification must If "Yes" No. per If "Yes" No. per Paper be submitted Unit Packaging wgt. Container Unit Packaging wgt. container Other (Specify) Location of Net Contents Information Size(s) Retail Container Location of Label Directions On Label 1 pt. x Label Container On Labeling accompanying product x Other Manner in Which Label is Affixed to Product Lithograph Pressure Sensitive Paper glued Stenciled Section – IV Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone No. (Include Area Code) 336-632-7207 Tom Parshley Senior Regulatory Manager Certification Date Application Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stainped) both under applicable law. Signature Title Senior Regulatory Manager RECEIVED ON Date

May 19, 2010

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com



**FedEx** 

May 19, 2010

Document Processing Desk (NOTIF-PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

SUBJECT: SCIMITAR® CS INSECTICIDE EPA REG. NO. 100-1078

......NOTIFICATION OF LABEL CHANGE PER JUNE 4, 2009 LETTER FROM ENVIRONMENTAL PROTECTION AGENCY

Syngenta Crop Protection, Inc. is submitting Notification for Scimitar CS Insecticide, EPA Reg. No. 100-1078. Syngenta is amending the Environmental Hazards and Directions for Use sections of the label by Notification according to the directions stated in the June 4, 2009, letter from EPA.

#### Attached are:

- One copy of the label with the changes clearly marked
- One unmarked copy of the label
- A CD of the unmarked copy of the label for Electronic Comparison and Review
- Completed EPA Form 8570-1.

Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-7207.

Sincerely,

Tom Parshley

Thomas Slaudiley

Senior Regulatory Manager

**Enclosures** 

Page 1

### Scimitar® CS Insecticide

For Use by Individuals/Firms Licensed or Registered by the State to Apply Pesticide Products. States May Have More Restrictive Requirements Regarding Qualifications of Persons Using This Product. Consult the Pest Control Regulatory Agency of Your State Prior to Use of This Product.

For Use to Control Insect Pests on Ornamentals and Lawns in Landscaped Areas Around Residential, Institutional, Public, Commercial and Industrial Buildings, Parks, Recreational Areas and Athletic Fields

Active Ingredient:
Lambda-cyhalothrin\*  $[1\alpha(S^*),3\alpha(Z)]-(\pm)\text{-cyano}(3\text{-phenoxyphenyl})\text{methyl-3-} \\ (2\text{-chloro-3,3,3-trifluoro-1-propenyl})-2,2-\\ \\ \underline{\text{dimethylcyclopropanecarboxylate}} \\ \underline{\text{Other Ingredients:}} \\ \underline{\text{90.3\%}} \\ \underline{\text{Total}}$ 

Contains 0.88 lb. active ingredient per gallon or 0.22 lb. active ingredient per quart.

### KEEP OUT OF REACH OF CHILDREN.

### **CAUTION**

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-1078 EPA Est. No.

Product of XXXXX Formulated in the USA

SCP 1078A-M(Notif Pyrethroid Occupational)

**Net Contents** 

<sup>\*</sup>Synthetic pyrethroid.

	FIRST AID			
If on skin or	Take off contaminated clothing.			
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.			
	Call a poison control center or doctor for treatment advice.			
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If swallowed	Call a poison control center or doctor immediately for treatment			
	advice.			
	Do not give any liquid to the person.			
	• Do not induce vomiting unless told to do so by the poison control center or doctor.			
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
If inhaled	Move person to fresh air.			
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			
Have the product container or label with you when calling a poison control center or				
doctor or going for treatment.				
HOT LINE NUMBER				
For 2	4 Hour Medical Emergency Assistance (Human or Animal)			
Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)				
Call				
	1-800-888-8372			

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

### **CAUTION**

Harmful if absorbed through skin. Prolonged or frequently repeated skin centact may cause allergic skin reactions in some individuals. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist or vapors. Wash thoroughly with scap and water after handling, and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

### **Environmental Hazards**

This product is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24

hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on this label. Care should be used when making applications to avoid household pets, particularly fish and reptile pets.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Use of this pesticide adjacent to water may affect aquatic organisms. To protect these organisms, do not apply this pesticide within 25 ft. of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. In the state of New York, do not apply within 100 ft. of coastal marshes or streams that drain into coastal marshes.

Do not make applications when wind speed is 15 mph or greater.

Notify State and/or Federal authorities and Syngenta immediately if you observe any adverse environmental effects due to the use of this product.

# **Physical and Chemical Hazards**

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE**: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA Crop Protection, Inc. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on lawns or grounds.

Scimitar® CS may be used for applications to maintain indoor or outdoor areas where turf and ornamentals are grown such as residential landscaped areas and non-residential landscapes around institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields.

**IMPORTANT:** Time application to flowering plants during periods when pollinating insects are not present, such as early morning or late evening.

This product is restricted for use in New York State. Only for sale to, use and storage by certified applicators.

- Do not apply this product through any type of irrigation system.
- Do not apply this product to edible crops.
- Do not apply this product by aerial application.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
  - 1 Treatment to soil or vegetation around structures:
  - 2 Applications to lawns, turf, and other vegetation;
  - 3 Applications to building foundations, up to a maximum of 3 feet.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

### MIXING

Scimitar CS Insecticide is intended for dilution with water for spray application and may be used in all types of application equipment. Fill application tank with 1/2 - 3/4 volume of water. Adjust water pH with a buffering agent if necessary to achieve a pH of 5-7. Slowly add Scimitar CS to applicator tank water with maximum agitation. If other chemicals are added to the applicator tank, add Scimitar CS last. Do not mix with EC formulations or oils. Fill tank to desired volume and continue to agitate while making applications. Shake or re-agitate application equipment before use if application is interrupted. Make up only amount of application volume as required.

**Scimitar CS Mixing Chart For Ornamental Insect Pest Control** 

(Scimitar CS to add per spray tank)

Rate of Scimitar CS	25 gals.	50 gals.	100 gals.	200 gals.	300 gals.
1.5 fl. oz.	0.4 fl. oz.	0.8 fl. oz.	1.5 fl. oz.	3.0 fl. oz.	4.5 fl. oz.
3 fl. oz.	0.8 fl. oz.	1.5 fl. oz.	3.0 fl. oz.	6.0 fl. oz.	9.0 fl. oz.
5 fl. oz.	1.3 fl. oz.	2.5 fl. oz.	5.0 fl. oz.	10.0 fl. oz.	15.0 fl. oz.

Scimitar CS Mixing Chart for Turf Insect Pest Control

(Scimitar CS to add per 100 gal. spray tank)

	Application Rate Per 1,000 Sq. Ft. of Turf				
Rate of Scimitar CS	2 gal.	4 gal.	6 gal.	8 gal.	10 gal.
5 fl. oz./A 10 fl. oz./A	5.7 fl. oz. 11.5 fl. oz.	2.9 fl. oz. 5.7 fl. oz.	1.9 fl. oz. 3.8 fl. oz.	1.4 fl. oz. 2.9 fl. oz.	1.2 fl. oz. 2.3 fl. oz.

Conversion Rate: 1 fluid ounce (fl. oz.) equals 29 milliliters (ml).

# Compatibility

Scimitar CS has been found to be compatible with most commonly used fungicides, miticides, liquid fertilizers, and other insecticides. Check physical compatibility using the correct proportion of products in a small jar if local experience is unavailable.

# Insect Pests Controlled In Ornamentals by Scimitar CS Insecticide

Use	Pest	Amount of Scimitar CS		
Ornamentals in Residential	Ants (including Imported fire ants)	1.5 - 5 fl. oz./100 gals.		
Landscaped Areas and	Armyworms	or		
Landscaped Areas Around	Azalea caterpillars	44 - 148 ml./100 gals.		
Institutional, Public, Commercial	Aphids	3		
and Industrial Buildings, Parks,	Bagworms			
Recreational Areas, and Athletic	Black vine weevils (adult)			
Fields (Including Trees, Shrubs,	Boxelder bugs			
Flowers, Evergreens, Foliage	Budworms			
Plants and Groundcovers)	California oakworms			
,	Cankerworms			
	Cockroaches			
	Crickets			
	Cutworms			
	Eastern tent caterpillars			
	Elm leaf beetles			
	European sawflies			
	Fall webworms			
	Flea beetles			
	Forest tent caterpillars			
	Gypsy moth larvae			
	Japanese beetles (adults)			
	June beetles (adults)			
	Lace bugs			
	Leaf-feeding caterpillars			
	Leafhoppers			
	Leafminers (adults)			
	Leaf rollers			
	Leaf skeletonizers			
	Midges			
	Mosquitoes			
	Oleander moth larvae			
	Pillbugs			
	Pine sawflies Pine shoot beetles			
	Pinetip moths			
	Plant bugs			
	Root weevils			
	Sawflies	}		
	Scale insects (crawlers)			
	Spiders			
	Spittlebugs	1		
	Striped beetles			
	Striped oakworms			
	Thrips	1		
	Tip moths			
	Tussock moth larvae			
	1 GOOGON MOUTIAI VAC	I .		

Use	Pest	Amount of Scimitar CS
(Continued)		
	Broadmites	3 - 5 fl. oz./100 gals.
	Brown softscale	or
	California redscale (crawler)	88 - 148 ml./100 gals.
	Clover mites	
	Mealybugs	
	Pineneedlescale (crawler)	
	Spider mites	
	Whiteflies	

Start application to ornamentals prior to the establishment of high insect pest populations. Make reapplications as necessary to keep pest populations under control, using higher rates as pest pressure increases.

Apply at 7-day intervals if treatment is necessary.

Do not apply more than 0.36 lbs. of the a.i. (52.4 fl. oz. of concentrate) per acre per year.

Good spray coverage is necessary to provide the most effective level of control. Addition of a spreader-sticker at specified rates may enhance the control of insects on certain species of ornamentals having waxy, hard to wet foliage.

For spot treatments use 0.5 fl. oz. Scimitar CS per 1 to 2-1/2 gals. of water.

Consult your state university or local Cooperative Extension Service office for specific pest control application timing in your area.

**NOTE**: While phytotoxicity testing has been carried out on a wide range of ornamental plants under various environmental conditions, and no phytotoxicity has been observed, certain cultivars may be sensitive to the final spray solution.

Prespray a selection of ornamental plants and observe them for 7 - 10 days prior to treating large areas if local use experience is unavailable.

### Scale

Thoroughly cover the plant with Scimitar CS spray, including trunks, stems, twigs and foliage for control of scale insects.

### **Bagworm**

Apply Scimitar CS when bagworm larvae begin to hatch. Spray directly on the larvae. Application is the most effective when the larvae are young

# Insect Pests Controlled on Lawns by Scimitar CS Insecticide

Use	Pest	Amount of Scimitar CS
Lawns around Residential, Institutional, Public, Commercial and Industrial Buildings, Parks, Recreational Areas and Athletic Fields	Ants (including Imported fire ants) Armyworms Centipedes Crickets Cutworms Earwigs Fleas (adult) Grasshoppers Japanese beetles (adult) Millipedes Mites Pillbugs Sod webworms Sow bugs Ticks (including species which transmit Lyme disease)	3.4 - 7 ml./1000 sq. ft. or 5 - 10 fl. oz./A
	Bluegrass billbug (adult) Black turfgrass ataenius (adult) Chiggers Fleas (adult) Grubs (suppression) Hyperodes weevils (adult) Mole crickets (nymphs and young adults)	7 ml./1000 sq. ft. or 10 fl. oz./A

Start application to turf prior to the establishment of high insect pest populations and significant turf damage. Make reapplications as necessary to keep pest populations under control, using higher rates as pest pressure increases.

Apply at 7-day intervals if treatment is necessary.

Do not apply more than 0.36 lb. of a.i. (52.4 fl. oz. of concentrate) per acre per year.

For spot treatments use 0.5 fl. oz. of Scimitar CS per 1 to 2-1/2 gals. of water.

Do not apply when turfgrass is waterlogged or when soils are saturated with water (i.e. will not accept irrigation).

Keep children and pets off treated areas until spray has dried following the application.

# Surface Insect Control (armyworm, cutworms, fleas, etc.)

Apply Scimitar CS at specified rates in 2 - 5 gals. of water/1,000 sq. ft. The use of a spreader-sticker may be useful if high rainfall amounts are forecast, otherwise the addition of adjuvants is not necessary under normal conditions for surface insect control in turf. Delay watering or mowing for 12 - 24 hrs. for optimum control of surface-feeding insect pests.

# Thatch Inhabiting Insect Control (chinch bugs, billbugs, etc.)

Apply Scimitar CS at specified rates in 2 - 10 gals. of water/1,000 sq. ft. The use of a non-ionic wetting agent, penetrant or similar adjuvant is recommended. Lightly irrigate after application with up to 1/2 inch of water to move the Scimitar CS into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

# Subsurface Insect Control (mole crickets, grubs, etc.)

Apply Scimitar CS at specified rates in 4 - 10 gals. of water/1,000 sq. ft. The use of a non-ionic wetting agent, penetrant or similar adjuvant is strongly recommended. Use the highest water application rates possible with your sprayer. Apply Scimitar CS to turf wet with dew, rain or irrigation. Water-in immediately after application with 1/4 - 1/2 inch of water for optimum results.

### **Fire Ant Control**

Treat individual mounds with a drench application using a watering can. Use 0.5 fl. oz. of Scimitar CS/2.5 gals. of water. Thoroughly soak each mound and a 3 ft. diameter circle around each mound. Gently apply the mixture to avoid disturbing the mound. Disturbing the mound may cause the ants to migrate and reduce the effectiveness of the treatment. For best results, apply in early morning or late evening hours. Make additional treatments as needed.

## **Mosquito Control**

Apply as a spray around landscape plantings, turf, and building foundations to control mosquitoes. Apply Scimitar CS at specified rates in 2 - 5 gals. of water/1,000 sq. ff.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

# **Pesticide Storage**

Keep container closed when not in use. Do not store near food or feed. Shake well before use. Protect from freezing. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste storage area until proper disposal can be made.

# **Pesticide Disposal**

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

# **Container Handling**

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Completely empty container into application equipment or a mix tank. Drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of empty container in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Scimitar®, the Syngenta logo and the CP FRAME are trademarks of a Syngenta Group Company. ©2010 Syngenta

For non-emergency (e.g., current product information) call Syngenta Crop Protection at 1-800-334-9481

Manufactured for: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP 1078A-M(Notif Pyrethroid Occupational)

SCI CS 1078 M(Notif Pyrethroid Occupational) – pl – 5/5/10 000100-01078.20100519.SCIMITAR-CS\_NOTIF\_MAY2010.pdf