



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

August 16, 2010

Mr. Tom Parshley Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419

> Subject: Label Notification(s) for Pesticide Registration Notice 2008-1 Updating the Environmental Hazard Language per EPA letter Dated June 4, 2009

Dear Mr. Parshley:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2008-1 dated May 19, 2010 for the following product(s):

EPA Reg. No. 100-1065 Scimitar WP Insecticide in Water-Soluble Packets EPA Reg. No. 100-1066 Demand CS Insecticide Scimitar CS Insecticide EPA Reg. No. 100-1078 Demand Pestab Insecticide EPA Reg. No. 100-1082 EPA Reg. No. 100-1088 Scimitar GC Insecticide Demand EZ Insecticide EPA Reg. No. 100-1232 Scimitar GR Insecticide EPA Reg. No. 100-1238 Demand G Insecticide EPA Reg. No. 100-1240

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2008-1 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Regina Foushee'-Smith at 703-605-0780.

Sincerely,

Richard J. Gebken Product Manager Insecticide Branch

Registration Division (7505P)

and Cealle

Please read instructions on reverse before complex. jorm.

United States			Registration	OPP Identifier Number	
Environmental Protection Agency			Amendment	Notification	
Washington, DC 20460		×	Other		
Applic	cation for Pesticid	e - Section	11		
Company/Product Number 100-1082	2. EP Mark Sua	A Product Mar arez	nager 3.	Proposed Classification	
4. Company/Product (Name)	PM#			x None Restricted	
DEMAND® PESTAB® Insecticide 5. Name; and Address of Applicant (Include ZIP Code)		pedited Revie	w. In accordance with	th FIFRA Section 3(c)(3) (b)(i),	
Syngenta Crop Protection, Inc.			identical in composit		
P. O. Box 18300 Greensboro, NC 27419	EPA Reg	. No	NOTIFICAT	TION	
Check if this is a new address	Product i	Name	AUG 16	2010	
	Section - II				
Amendment - Explain below.			printed labels in respo	onse to	
Resubmission in response to Agency letter dated _			oo" Application.		
X Notification - Explain below.		Other	- Explain below.		
Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009, letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR part 156 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.					
	Section – II	I			
Material This Product Will Be Packaged In:					
Child-Resistant Packaging Yes* No Unit Packaging X Yes No	Water Solu Yes X No	uble Packaging	2. Type o	of Container Metal Plastic	
· · · · · · · · · · · · · · · · · · ·	p. per If "Yes" ontainer Unit Packagii	No. p ng wgt. conta		Glass Paper Other (Specify)	
Location of Net Contents Information 4.	Size(s) Retail Contain	er		of Label Directions	
x Label Container	3 gm.			Label Labeling accompanying product	
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled X Other Pressure Sensitive					
	Section - I				
Contact Point (Complete items directly below for ident Name		be contacted,			
Name Tom Parshley	Title Senior Regula	tory Manager	l l	ephone No. (Include Area Code) (32-7207	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamped)					
2. Signature	3. Title			नाहाटाङाकान	
Thomas Dauddey	Senior Regulatory I	Manager		(e:11-11-	
4. Typed Name Tom Parshley	5. Date May 19, 2010				

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com



FedEx

May 19, 2010

Document Processing Desk (NOTIF-PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

SUBJECT: DEMAND® PESTAB® INSECTICIDE

EPA REG. NO. 100-1082

......NOTIFICATION OF LABEL CHANGE PER JUNE 4, 2009, LETTER FROM

ENVIRONMENTAL PROTECTION AGENCY

Syngenta Crop Protection, Inc. is submitting Notification for DEMAND PESTAB Insecticide, EPA Reg. No. 100-1082. Syngenta is amending the Environmental Hazards and Directions for Use sections of the label by Notification according to the directions stated in the June 4, 2009, letter from EPA.

Attached are:

- One copy of the label with the changes clearly marked
- One unmarked copy of the label
- A CD of the unmarked copy of the label for Electronic Comparison and Review
- Completed EPA Form 8570-1.

Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-7207.

Sincerely,

Tom Parshley

Thomas Slaudiley

Senior Regulatory Manager

Enclosures

DEMAND® PESTAB® Insecticide

For Use by Individuals/Firms Licensed or Registered by the State to Apply Pesticide Products. States May Have More Restrictive Requirements Regarding Qualifications of Persons Using This Product. Consult the Pest Control Regulatory Agency of Your State Prior to Use of This Product.

For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on lawns or grounds.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use inside booklet.

EPA Reg. No. 100-1082 EPA Est. No.XXXX

Product of XXXX

SCP 1082A-M(Notif Pyrethroid Occupational)

Net Contents

¹Synthetic pyrethroid

	FIRST AID		
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. 		
	 Do not induce vomiting unless told to do so by a poison control center or doctor. 		
	 Do not give anything by mouth to an unconscious person. 		
If on skin or	Take off contaminated clothing.		
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.		
	Call a poison control center or doctor for treatment advice.		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 		
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	Call a poison control center or doctor for treatment advice		
If inhaled	Move person to fresh air.		
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.		
	Call a poison control center or doctor for treatment advice		
Have the produc	t container or label with you when calling a poison control center or		
doctor, or going for treatment.			
	HOT LINE NUMBER		
	Hour Medical Emergency Assistance (Human or Animal) or		
Chemical Emergency Assistance (Spill, Leak, Fire, or Accident),			
Call			
1-800-888-8372			

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING/AVISO

MAY BE FATAL IF SWALLOWED. HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. CAUSES MODERATE EYE IRRITATION. AVOID CONTACT WITH SKIN, EYES OR CLOTHING AND BREATHING SPRAY MIST. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated crothing and wash before reuse.

Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run-off to water bodies or drainage system. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on this label. When making applications, care should be used to avoid household pets, particularly fish and reptile pets.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

When treating tall trees (>15 feet from the ground) with high pressure sprays or during any application with air assisted equipment (mist blowers), do not apply within 150 feet of aquatic areas.

Physical and Chemical Hazards

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Syngenta Crop Protection, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Syngenta and Seller harmless for any claims relating to such factors.

Syngenta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Syngenta, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

IT IS SYNGENTA'S AND SELLER'S INTENTION THAT in no event shall Syngenta or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Syngenta and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of Syngenta.

-5-

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on lawns or grounds.

This product is restricted for use in the state of New York. Only for sale to, use, and storage by Certified Applicators.

- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 - 1 Treatment to soil or vegetation around structures;
 - 2 Applications to lawns, turf, and other vegetation;
 - 3 Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches, and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only.

• Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur, except as directed by this label.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not use empty container.

STORAGE: Mix only as needed. Do not store diluted material. Do not store near food or feed. Keep tablets in original package and store in a cool, dry area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: After tablet is removed, dispose of packaging in trash or by incineration.

GENERAL INFORMATION: STRUCTURAL AND PERIMETER PEST CONTROL

For use as a general surface (nonfood/nonfeed areas), crack and crevice or spot treatment in, on and around buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include but are not limited to industrial buildings, houses, apartment buildings, laboratories, buses, greenhouses (non-commercial), stores, warehouses, vessels, railcars, trucks, trailers, aircraft (cargo and other non-cabin areas only), schools, nursing homes, hospitals, restaurants, hotels, livestock/poultry housing, pet kennels, food granaries, food grain mills and food manufacturing, processing and servicing establishments.

Nonfood/nonfeed areas of food/feed handling establishments include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

For indoor applications, DEMAND PESTAB Insecticide can be reapplied at 21-day intervals if necessary. More frequent treatments are limited to spot treatments.

Do not allow tablets to become wet before adding to the spray tank. Minimize direct handling of tablets to avoid moisture. Tear or cut tablet package and drop tablet directly into tank to be used for application.

Mixing Instructions

DEMAND PESTAB Insecticide is intended for dilution with water for application using hand held or power operated application equipment as a coarse spray for crack and crevice or spot and general surface (non-food/non-feed areas only) treatments. Do not use strainers finer than 50 mesh size. Fill applicator tank with ½ the desired volume of water and add tablet(s) of DEMAND PESTAB Insecticide per the table below. Add the remaining water needed and wait 1-2 minutes for tablet(s) to dissolve. Close and agitate, stir or shake before use in order to ensure proper suspension of the tablet. Shake or reagitate application equipment before use if application is interrupted. Mix only amount of treatment volume as required. A general surface treatment of DEMAND PESTAB Insecticide may be applied by using a paintbrush or other porous applicator attached to a handle.

Do not store dilution in application equipment overnight.

Foam Applications:

DEMAND PESTAB Insecticide may be converted to a foam and the foam used to treat structural voids to control or prevent pests including ants, bees, termites (above ground only), wasps, or other arthropods harboring in walls, under slabs, or in other void areas.

Tank Mixing

DEMAND PESTAB Insecticide may be tank mixed with other currently registered pesticides unless expressly prohibited by the product label. A small volume mixing test with the other products is recommended to ensure compatibility. If other chemicals are added to the applicator tank, DEMAND PESTAB Insecticide should be added ast. If mixed with EC formulations or oils, use within 24 hours. Fill tank to desired volume and continue to agitate while making applications.

DEMAND PESTAB Insecticide may be tank mixed with an Insect Growth Regulator (IGR) such as ARCHER® Insect Growth Regulator.

Observe all restrictions and precautions which appear on the labels of these products.

PESTS	CONCENTRATION OF ACTIVE INGREDIENT	DILUTION RATE
Ants Bedbugs (Adult) Bees Boxelder Bugs Carpenter Bees Carpet Beetles Cigarette Beetles Cigarette Beetles Centipedes Clover Mites Cockroaches² Confused Flour Beetles Crickets Earwigs Firebrats Fleas³ Flies Lesser Grain Borers Millipedes Mosquitoes Red Flour Beetles Rice Weevil Saw-toothed Grain Beetles Silverfish Sowbug Spiders Termites (above ground only) Ticks Wasps	0.015 - 0.03%	0.015%: 1 tablet ¹ /gal. water 0.03%: 2 tablets ¹ /gal. water
Cockroaches ² Crickets ⁷ Flies ⁶ Litter Beetles ⁴ (adults/immature stages such as Darkling, Hide and Carrion) Mosquitoes ⁵ Pillbugs Scorpions Spiders ⁷ Spider Mites (Two spotted, Spruce) Ticks ⁷	0.06%	0.06%: 4 tablets ¹ /gal. water

¹1 DEMAND PESTAB = 5.6 grams (0.2 oz)

²For cockroaches the recommended rate for maintenance treatments is 0.015% and for clean-out treatments is 0.03%. In addition, more frequent applications may be necessary on concrete surfaces. For SEVERE infestations, use 0.06% rate.

³For outdoor use only and use 0.03% rate.

⁴For control of LIGHT beetle infestations, use 0.03% rate.

⁵For residual control, use 0.06% rate.

Rates for flies may be increased to 0.06% when environmental conditions are severe and/or populations are high.

⁷For clean-out/severe infestations, use 0.06% rate.

SPECIFIC USE DIRECTIONS

ANTS: Apply to any trails around doors and windows and other places where ants may be found. For best results, locate and treat nests. Where ants are trailing inside, apply as a residual surface treatment to active areas such as baseboards, corners, around pipes, in and behind cabinets, behind and under refrigerators, sinks, furnaces and stoves, cracks and crevices. When combining baits and residual surface insecticides, apply surface insecticides in cracks and crevices, along baseboards, and infested surfaces and outside barrier treatments. Use baits in other areas that are untreated by residual insecticides; also see OUTDOOR SURFACES USE.

COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, SILVERFISH, AND SPIDERS: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, cabinets, behind and under refrigerators, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR SURFACES USE.

BEES, FLIES, MOSQUITOES, AND WASPS: Apply directly to walls, ceilings, window screens, and other resting areas as a residual surface treatment. May be used inside residential buildings as well as in and around carports, garages, and storage sheds; also see **OUTDOOR SURFACES USE**.

CARPENTER BEES: Apply coarse spray to thoroughly wet wood surfaces where bees have been previously active or to provide protection against further damage. Apply early in the spring to prevent bees from invading wood. When bees have infested wood, surface applications can help control embedded larvae and bees that emerge from the wood. Periodic applications can be made to maintain protection of treated areas.

PANTRY PESTS (i.e., Carpet beetle, Cigarette beetle, Confused flour beetle, Lesser grain borer, Red flour beetle, Rice weevil, and Saw-toothed grain beetle): Apply to cupboards, shelving, and storage areas. Remove all utensils, uncovered foodstuffs (or any having original package opened), and shelf paper before making application. Allow treated surfaces to dry and cover shelves with clean paper before replacing any utensils, foodstuff, or other items. Any foodstuff accidentally contaminated with treatment solution should be destroyed.

BOXELDER BUGS, CENTIPEDES, MILLIPEDES, PILLBUGS, AND SOWBUGS:
Apply around doors and windows and other places where these pests may be found or where they may enter premises. Treat baseboards, storage areas, and other locations.
Apply barrier treatments to prevent infestation as described below; also see
OUTDOOR SURFACES USE.

FLEAS AND TICKS: To control nuisance fleas and ticks (e.g. dog ticks) apply to kennels, yards, runs and other areas where pets may frequent. For best coverage to control ticks, apply using a coarse fan spray to vegetation brush, branches, rock walls, and other areas near habitation where ticks may harbor or frequent. Treat entire area rather than making spot treatments, and retreat as necessary to maintain control. Do not apply to pasture or cropland and do not allow animals and people access to treated areas until the deposit has dried. Applications can begin in the spring and can continue until frost to control both larvae and adult ticks; also see OUTDOOR SURFACES USE.

CLUSTER FLIES: Apply in late summer or early fall before flies are observed alighting on surfaces. Apply thoroughly on siding, under eaves, and around windows and doors, paying particular attention to south-facing surfaces, but do not allow runoff to occur. Heavy precipitation prior to frost may require retreatments to maintain protection. In winter and spring when flies become active and are emerging, interior crack and crevice and void treatments can help reduce the infestation, along with ULV or general surface application in infested attics or unoccupied lofts.

LITTER BEETLES (DARKLING, HIDE AND CARRION BEETLES) AND FLIES IN ANIMAL HOUSING (SUCH AS POULTRY HOUSES): To control adult litter beetles, apply DEMAND PESTAB Insecticide to walls and floors at cleanout, before reintroduction of animals. This will suppress beetles that escaped earlier treatment and will help delay onset of future infestations. Pay attention to areas where beetles frequently occur, such as walls, supports, cages, stalls and around feeders. To help control flies, apply a directed application to horizontal surfaces and overhead areas and allow to dry before reintroduction of animals; also see LIVESTOCK/POULTRY HOUSING STRUCTURES AND PET KENNELS.

Application Within Food Handling Establishments: (places other than private residences in which exposed food is held, processed, prepared, or served) including, but not limited to, areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing foods, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas. Use as a crack and crevice or spot treatment in and around both food and nonfood areas. Apply in small amounts directly into cracks and crevices, using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment and bases. Food contact surfaces and equipment should be cleaned with an effective cleaning compound and rinsed with potable water before using.

Limit individual spot treatments to an area no larger than 20% of the treated surface. Individual spot treatments should not exceed two square feet. Take extreme care that the product is not introduced into the air. Avoid contamination of food and food processing surfaces.

Authorized for use in edible areas of Federally inspected meat, poultry and egg processing facilities as a crack and crevice treatment.

Application Within Food Serving Areas (facilities where foods are served, such as dining rooms): Apply as a crack and crevice or spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when facility is in operation. Food must be covered or removed in area being treated. Do not apply directly to food or allow applications to contaminate food.

Application of this product in the Food Areas and/or Food Serving Areas of Food Handling Establishments other than as a spot and/or crack and crevice treatment is not permitted.

Use of application equipment such as the micro-injector or Actisol applicator in food areas should be limited to crack and crevice treatment only.

LIVESTOCK/POULTRY HOUSING STRUCTURES AND PET KENNELS

Apply as a general surface (including directed sprays) and/or crack and crevice treatment. Control is enhanced when interior and exterior perimeter applications are made in and around the livestock and pet housing structures. Normal cleaning practices of the structure also must be followed along with applications of DEMAND PESTAB Insecticide to effectively control the crawling and flying insect pests listed in the table.

For unoccupied areas of livestock barns or housing structures, apply to floors, vertical and overhead surfaces where crawling or flying insect pests are or may be present. Feeders, waterers and feed carts should be covered before application to prevent contamination. Do not apply to milk rooms or feed rooms. Pay attention to animal areas including stantions, pipes, windows and doors, and areas where insect pests hide or congregate. Exterior applications to south facing walls and foundation perimeters can help prevent interior infestations of flying and crawling insect pests.

For poultry houses, apply to floor area (birds grown on litter) or to walls, posts, and cage framing (birds grown in cages). Application should also be made into cracks and crevices around insulation. Reapply after each growout or sanitization procedure. Indoor control can be enhanced by making perimeter treatments around the outside of building foundations to prevent immigrating adult beetles. Apply in a uniform band 1-3 feet up and 2-6 feet out from foundation. Maintaining a year-round treatment program will prevent background populations from reaching problem levels.

DO NOT make applications of DEMAND PESTAB Insecticide in areas where animals are present in the facility. Allow treated surfaces to completely dry before restocking the facility.

DO NOT make applications to any animal feedstuffs, water or watering equipment.

DO NOT contaminate any animal food, feed or water in and around livestock, poultry or pet housing when making applications.

OUTDOOR SURFACES USE

For control of ants, bees, centipedes, cockroaches, crickets, fleas, flies, millipedes, mosquitoes, scorpions, sowbugs, pillbugs, spiders, termites (above ground only), ticks, wasps and other similar perimeter arthropod pests. Apply with either hand or power application equipment as a residual treatment to ornamental plants next to foundations of buildings and to surfaces of buildings, porches, screens, window frames, eaves, patios, garages, refuse dumps and other similar areas where these insect pests are active. For termites, this type of application is not intended as a substitute for soil treatment labeled termiticides or mechanical alteration to control subterranean termites, or fumigation for extensive infestation of drywood termites or other wood infesting insects.

BARRIER TREATMENTS: Applying a continual band of insecticide around a building foundation and around windows, doors, service line entrances, eaves, vents and other areas can greatly reduce the potential for entry by crawling pests. To facilitate application, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other potential pest harborage next to the foundation. Apply the band up to 10 feet wide around the structure (or according to state regulations governing commercial pest control) and upwards along the foundation to 3 feet and around windows, doors, and roof overhangs. Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area so that the insecticide will reach the soil or thatch level where pests may be active.

Amount of concentrate is dependent upon pest species (see pest table and comments), infestation levels, and service interval desired.

RATE TABLE FOR PERIMETER BARRIER APPLICATIONS

Application Rate: No. of DEMAND PESTABS	Gallons of Water ¹	Area of Coverage (sq. ft.)
1	1-5 gallons	800-1600 sq. ft.
2	1-5 gallons	800-1600 sq. ft.
4	1-5 gallons	800-1600 sq. ft.

¹Application volume may be greater than 5 gallons per 800-1600 sq ft if required under heavy vegetative or landscaping materials in order to obtain desired coverage.

EXAMPLES OF DILUTIONS FOR PERIMETER BARRIER APPLICATIONS

Application Volume Gallons of Solution/ Application Rat No. of DEMAND PESTABS/		No. of DEMAND PESTABS to Dilute in Water According to Spray Tank Volumes		
1000 sq ft	1000 sq ft	5 gals	10 gals	
1 gal/1000 sq ft	1	5	10	
	2	10	20	
	4	20	40	
2 gal/1000 sq ft	1	3	5	
	2	5	10	
	4	10	20	
5 gal/1000 sq ft	1	1	2	
	2	2	4	
	4	4	8	

NOTE: Do not use water-base sprays of DEMAND PESTAB Insecticide in conduits, motor housings, junction boxes, switch boxes or other electrical equipment because of possible shock hazard. For best results, thoroughly wash out sprayer and screen with water and detergent before using DEMAND PESTAB Insecticide. DEMAND PESTAB Insecticide has not stained or caused damage to painted or varnished surfaces, plastics, fabrics or other surfaces where water applied alone causes no damage.

- Let treated surfaces dry before allowing humans and pets to contact surfaces.
- Do not apply this product in any room being used as living, eating, sleeping or recovery area by patients, the elderly, or infirm when they are in the room.
- Do not apply to classrooms when in use.
- Do not apply this product to edible growing crops or stored raw agricultural commodities used for food or feed.
- Do not allow applications to contact water inhabited by fish, such as in aquariums and ornamental fish ponds that are located in/around structures being treated.

GENERAL INFORMATION: LAWNS/TURFGRASS AND ORNAMENTALS

DEMAND PESTAB Insecticide may be used for applications to maintain indoor or outdoor areas where turf and ornamentals are grown such as residential landscaped areas and non-residential landscapes around institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields.

Applicators must ensure that they are certified in the necessary pesticide certification categories to allow application of DEMAND PESTAB Insecticide away from structures, such as to turf and ornamental plantings. Structural pest control certification categories may limit the distance away from structures for pesticide application. Consult your state extension office or pesticide regulatory officials for further information.

General Mixing Instructions

DEMAND PESTAB Insecticide is to be mixed with water and may be used in all types of standard application equipment. Fill applicator tank with the desired volume of water and add DEMAND PESTAB Insecticide. It is suggested that the water be 5 to 7 pH. Adjust water pH with a buffering agent if necessary. Slowly add DEMAND PESTAB Insecticide to applicator tank water with maximum agitation. Close and shake or reagitate applicator tank before use if application is interrupted. Make up only amount of treatment volume as required.

Tank Mixing

DEMAND PESTAB Insecticide may be tank mixed with other currently registered pesticides unless expressly prohibited by the DEMAND PESTAB Insecticide product label. A small volume mixing test with the other products is recommended to ensure compatibility. If other chemicals are added to the applicator tank, DEMAND PESTAB Insecticide should be added last. If mixed with EC formulations, use within 24 hours. Fill tank to desired volume and continue to agitate while making applications.

Observe all restrictions and precautions which appear on the labels of these products.

IMPORTANT: Time application to flowering plants during periods when pollinating insects are not present, such as early morning or late evening.

- Do not apply this product through any type of irrigation system.
- Do not apply this product to edible crops.
- Do not apply this product by aerial application.

- Use of this pesticide adjacent to water may affect aquatic organisms. To protect these organisms, do not apply this pesticide within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not make outdoor broadcast applications to turf and ornamentals when wind speed is 15 miles per hour or greater.
- In the state of New York, do not apply within 100 feet of coastal marshes or streams that drain into coastal marshes.

USE	PEST	AMOUNT OF DEMAND PESTAB
ORNAMENTALS IN RESIDENTIAL	Ants (Including Imported fire ants)	1.2 to 4.8 ozs./
LANDSCAPED AREAS AND	Armyworms	1.2 to 4.8 02s./ 100 gals
LANDSCAPED AREAS AROUND	Azalea caterpillar	or
INSTITUTIONAL, PUBLIC,	Aphids	6 to 24 PESTABS/
COMMERCIAL AND INDUSTRIAL	Bagworms	100 gals
BUILDINGS, PARKS,	Black vine weevil (adult)	Joo gans
RECREATIONAL AREAS, AND	Boxelder bugs	
ATHLETIC FIELDS (Including	Budworms	
Trees, Shrubs, Flowers,	California oakworm	
Evergreens, Foliage Plants and	Cankerworms	
Groundcovers)	Cockroaches	
	Crickets	
	Cutworms	
	Eastern Tent caterpillar	
	Elm leaf beetles	
	European sawfly	
	Fall webworm	
	Flea beetles	
	Forest tent caterpillar	
	Gypsy moth larvae	
	Japanese beetles (adults)	
	June beetles (adults)	
	Lace bugs	
	Leaf-feeding caterpillars	
	Leafhoppers	
	Leafminers (adults)	
	Leaf rollers	
	Leaf skeletonizers	
	Midges	
	Mosquitoes	
	Oleander moth larvae	
	Pillbug Pine sawfly	
	Pine shoot beetles	
	1	
	Pinetip moths Plant bugs	
	Root weevil	
	Sawfly	
	Scale insects (crawlers)	
	Spiders	
	Spittlebugs	
	Striped beetles	
	Striped oakworm	
	Thrips	
	Tip moth	
	Tussock moth larvae	
	Wasps	
	Broadmite	2.4 to 4.8 ozs./
	Brown softscale	100 gals
	California redscale (crawler)	or
	Clover mites	12 to 24 PESTABS/
	Mealybugs	100 gals
	Pineneedlescale (crawler)	9
	Spider mites	

Application to ornamentals should be started prior to the establishment of high insect pest populations. Make reapplications as necessary to keep pest populations under control, using higher rates as pest pressure increases.

Apply at 7-day intervals if retreatment is necessary. More frequent treatments should be limited to spot treatments.

Do not apply more than 0.36 pounds of the active ingredient (52.4 fl oz of concentrate) per acre per year.

Good spray coverage is necessary to provide the most effective level of control. Addition of a spreader-sticker at recommended rates may enhance the control of insects on certain species of ornamentals having waxy, hard to wet foliage.

For spot treatments use six (0.2 oz) DEMAND PESTABS per 3 to 6 gallons of water.

Consult your state university or local Cooperative Extension Service office for specific pest control application timing in your area.

NOTE: While phytotoxicity testing has been carried out on a wide range of ornamental plants under various environmental conditions, and no phytotoxicity has been observed, certain cultivars may be sensitive to the final spray solution.

It is advised to prespray a selection of ornamental plants and observe them for 7 to 10 days prior to treating large areas if local use experience is unavailable.

Scale. Thoroughly cover the plant with DEMAND PESTAB Insecticide spray, including trunks, stems, twigs and foliage for control of scale insects.

Bagworm. Apply DEMAND PESTAB Insecticide when bagworm larvae begin to hatch. Spray directly on the larvae. Application is the most effective when the larvae are young.

DEMAND PESTAB MIXING CHART FOR ORNAMENTAL INSECT PEST CONTROL (DEMAND PESTABS to add per spray tank)

No. of DEMAND PESTABS	25 Gallons	50 Gallons	100 Gallonം
6 (1.2 oz)	2	4	6
12 (2.4 oz)	4	8	12
24 (4.8 oz)	6	12	24

PEST	NO. OF DEMAND PESTABS
Ants (Including Imported fire ants) Armyworms Centipede Crickets Cutworms Earwigs Fleas (adult) Grasshopper Japanese beetle (Adult) Millipedes Mites Mosquitoes (Adult) Pillbugs Sod webworms Sow bugs Ticks (including species which may transmit Lyme disease)	½ to 1 PESTAB/1000 sq ft or 2.82 to 5.65 grams/1000 sq ft
Bluegrass billbug (adult) Black turfgrass ataenius (adult) Chiggers Fleas (adult) Grubs (suppression) Hyperodes weevil (adult) Mole cricket (nymphs and young adults) Mole Crickets (mature adults) Chinch Bugs	1 PESTAB/1000 sq ft or 5.65 grams/1000 sq ft 2 PESTABS/1000 sq ft
	Ants (Including Imported fire ants) Armyworms Centipede Crickets Cutworms Earwigs Fleas (adult) Grasshopper Japanese beetle (Adult) Millipedes Mites Mosquitoes (Adult) Pillbugs Sod webworms Sow bugs Ticks (including species which may transmit Lyme disease) Bluegrass billbug (adult) Black turfgrass ataenius (adult) Chiggers Fleas (adult) Grubs (suppression) Hyperodes weevil (adult) Mole cricket (nymphs and young adults)

Conversion rate: 1 gram equals 0.035 oz.

Application to turf should be started prior to the establishment of high insect pest populations and significant turf damage. Make reapplications as necessary to keep pest populations under control, using higher rates as pest pressure increases.

Apply at 7-day intervals if retreatment is necessary. More frequent treatments should be limited to spot treatments.

Do not apply more than 0.36 pounds of active ingredient (57.6 oz. or 288 PESTABS) per acre per year.

For spot treatments use six (0.2 oz.) of DEMAND PESTABS per 3 to 6 gallons of water.

Do not apply when turfgrass is waterlogged or when soils are saturated with water (i.e. will not accept irrigation).

Keep children and pets off treated areas until spray has dried following the application.

Surface Insect Control (armyworm, cutworms, fleas, etc.) For best results apply DEMAND PESTAB Insecticide at recommended rates in 2 to 5 gallons of water per 1,000 sq. ft. The use of a spreader-sticker may be useful if high rainfall amounts are forecast, otherwise the addition of adjuvants is not necessary under normal conditions for surface insect control in turf. Delay watering or mowing for 12 to 24 hours for optimum control of surface-feeding insect pests.

Thatch Inhabiting Insect Control (chinch bugs, billbugs, etc.) For best results apply DEMAND PESTAB Insecticide at recommended rates in 2 to 10 gallons of water per 1,000 sq. ft. The use of a non-ionic wetting agent, penetrant or similar adjuvant is recommended at label rates. Lightly irrigate after application with up to ½ inch of water to move the DEMAND PESTAB Insecticide into the thatch layer. If irrigation is not available, then use high water application rates for optimum results.

Subsurface Insect Control (mole crickets, grubs, etc.) For best results apply DEMAND PESTAB Insecticide at recommended rates in 4 to 10 gallons of water per 1,000 sq. ft. The use of a non-ionic wetting agent, penetrant or similar adjuvant is strongly recommended following label rates. Use the highest water application rates possible with your sprayer. Apply DEMAND PESTAB Insecticide to turf wet with dew, rain or irrigation. Water-in immediately after application with ½ to ½ inch of water for optimum results.

Fire Ant Control Treat individual mounds with a drench application using a watering can. Use two DEMAND PESTABS per 2½ gallons of water. Thoroughly scalt each mound and a 3 foot diameter circle around each mound. Gently apply the mixture to avoid disturbing the mound. Disturbing the mound may cause the ants to migrate and reduce the effectiveness of the treatment. For best results, apply in early morning or late evening hours. Make additional treatments as needed.

Mosquito Control Apply as a general spray around landscape plantings, turf, and building foundations to control mosquitoes. For best results apply DEMAND PESTAB Insecticide at recommended rates in 2 to 5 gallons of water per 1,000 sq. ft.

DEMAND® PESTAB®, ARCHER®, and the Syngenta logo are registered trademarks of a Syngenta Group Company

Micro-Injector® registered trademark of Whitmire Micro-gen Research Laboratories, Inc.

Actisol® Registered trademark of Roussel-Uclaf

©2004 Syngenta

Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

SCP 1082A-M(Notif Pyrethroid Occupational)

DEM–PEST 1082A-M(Notif Pyrethroid Occupational) CLEAN – pl – 4/29/10 000100-01082.20100519.DEMAND-PESTAB_NOTIF_MAY2010.pdf