

100-1098

9/19/2012

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Ruhi Rezaaiyan
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419

SEP 19 2012

Subject: Abound Flowable Fungicide
EPA Reg. No. 100-1098
Amendment to add sugarcane
Decision # 451264

Dr. Rezaaiyan,

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided the following change is made.

1. On page 2, within the Specific Use Restrictions, delete "Do not apply within 45 days of harvest (45 day PHI) for animal feed."

A copy of the label stamped "Accepted with Comments" is enclosed for your review. If you have any questions, please contact Shaunta Hill at 703-3437-8961 or by email at hill.shaunta@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "C. Giles-Parker".

Cynthia Giles-Parker
Acting Product Manager 20
Fungicide Branch
Registration Division (7504P)

SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, North Carolina 27419-8300
SCP

**ACCEPTED
with COMMENTS
In EPA Letter Dated
SEP 19 2012**

**Abound®
Flowable Fungicide**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
100-1098**

Broad spectrum fungicide for control of plant diseases

Active Ingredient:

Azoxystrobin: methyl (E)-2-{2-[6-(2-cyanophenoxy) pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate*	22.9%
Other Ingredients:	77.1%
Total:	100.0%

Contains 2.08 lbs. of active ingredient per gallon
*IUPAC

KEEP OUT OF REACH OF CHILDREN.

CAUTION

EPA Reg. 100-1098

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed. Before using Abound Flowable Fungicide as permitted according to this Supplemental Labeling, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and/or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



DIRECTIONS FOR USE

Crop	Target Diseases	Use Rate fl. oz. product/A (lb. a.i./A)	Remarks
Sugarcane	Brown Rust (<i>Puccinia melanocephala</i>) Orange Rust (<i>Puccinia kuehnii</i>)	9.0-12.0 (0.15-0.20)	<p>Abound applications should begin prior to rust development, and continue throughout the season every 14-28 days following resistance management guidelines. Scout fields and begin applications at the earliest sign of rust. An adjuvant may be used at recommended rates. For ground applications, apply Abound in sufficient water volume for adequate coverage and canopy penetration. Applications may be made by ground, air or chemigation.</p> <p>Do not apply more than two sequential applications of Abound or other Group 11 fungicide, before alternation with a fungicide that is not in Group 11. Do not make more than four foliar applications of Abound or other Group 11 fungicide per acre per year.</p>

Specific Use Restrictions:

- Do not apply more than 0.80 lb. a.i./A per season of azoxystrobin-containing products.
- Do not apply within 30 days of harvest (30-day PHI).
- Do not apply within 45 days of harvest (45-day PHI) for animal feed.
- When applying by air, use no less than 5 gallons spray solution per acre.

Abound® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2011 Syngenta

ABO FLO 1098 MAR11 TOL PET SUPPLEM 3-29-11 – df
000100-01098.20110329.ABO_FLO-MAR11-TOLPET-SUPPLEM.PDF