100-1117

10-10-2002



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON D.C. 20460

OFFICE OF PREVENTION. PESTICIDES AND TOXIC SUBSTANCES

OCT 10 2002

Mr. Jerry Wells Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27418

Subject: Touchdown Herbicide EPA Registration No. 100-1117 Your supplemental labeling submitted as a notification on July 15, 2002

Dear Mr. Wells:

ſ

The supplemental labeling referred to above is acceptable provided you adhere to the following conditions:

1. Incorporate the changes in this supplemental label into the master label at the next label revision or within 18 months of receipt of this letter, whichever occurs first.

2. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions about this letter, you may call Tobi Colvin-Snyder at 703-305-7801.

Sincerely, 10 Im Tompkins

(

Product Manager (25) Herbicide Branch Registration Division (7505C)

# PRODUCT INFORMATION



. . .

Syngenta Crop Protection, Inc. Greensboro, NC 27409 www.syngenta-us.com

# SUPPLEMENTAL LABEL FOR TOUCHDOWN® HERBICIDE FOR SUGARCANE RIPENER - FLORIDA

#### ACCEPTED with COMMENTS In EPA Letter Dated

EPA Reg. No. 100-1117

OCT O 2002 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amouded, for the posticide registered under EPA Reg. Nu.

Active Ingredient:	
*Glyphosate, N-(phosphonomethyl) glycine	
Other Ingredients:	71.0%
Total:	100.0%

\*Contains 3 pounds of glyphosate acid in each gallon, in the diammonium salt form.

### **KEEP OUT OF REACH OF CHILDREN.**

#### CAUTION

All applicable directions, restrictions and precautions on the EPAregistered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

.....

.....

SCP 1117A-S6 0702

Refer to directions listed in the **Application Directions** sections of the Touchdown section 3 label.

# SUGARCANE RIPENER

·

Method of Application: Preharvest ripener applied by ground or air.

**Drift Control Agents:** Drift control agents may be used with Touchdown.

# SUGARCANE RIPENING

To hasten ripening and extend the period of high sucrose levels in sugarcane see the following recommended use rates and application timing for each state listed.

FL - Apply 8-18.5 fl. oz./A 3-5 weeks before harvest of last ration cane only.

Use of this product may not increase sucrose content under conditions of good natural ripening.

### **GENERAL USE PRECAUTIONS FOR SUGARCANE**

Do not apply to vegetation in or around ditches, canals, or ponds containing water.

# **APPLICATION TECHNIQUES**

### **Broadcast Applications**

Ground – Applications should be made in 3 to 40 gallons of water per acre.

Air - Applications should be made in 3 to 15 gallons of water per acre.

Spray should be released at the lowest height consistent with effective weed control and flight safety. Applications more than 10 feet above: the canopy should be avoided.

4/5

Refer to Application Equipment and Techniques section of Touchdown section 3 label for information on proper application procedures.

Touchdown® and the Syngenta logo are trademarks of a Syngenta Group Company

©2002 Syngenta

٠

L

· . • •

Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

SCP 1117A-S6 0702

L:\SUPPLEMENTAL LABELS\Touchdown S6 0702 - pd - 07/12/02

.