

100-1158

11-30-2009

11



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

100-1158

Date of Issuance:

NOV 30 2009

NOTICE OF PESTICIDE:

Registration
[X] Reregistration
(under FIFRA, as amended)

Term of Issuance:
Unconditional

Name of Pesticide Product:
MAXIM MZ

Name and Address of Registrant (include ZIP Code):

Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the mancozeb Reregistration Eligibility Document, EPA has reregistered the product listed above provided that the following changes are made to the label:

- 1. At the bottom of page 2 delete "Wear long-sleeve shirt, long pants, shoes and socks."
2. On page 3 move the section "Handlers using the dust collection system" and the following bulleted items to below the section "In addition to the above PPE...."

Page 1 of 2

Signature of Approving Official:

Mary L. Waller

Date:

11/30/2009

Mary L Waller, Product Manager (21)
Fungicide Branch, Registration Division (7505P)

3. Move the first paragraph on page 8 (Large scale seed...other persons) to page 3 immediately above the line "Handlers using the dust collection system must wear". Add the subheader "**Engineering Controls:**" before this paragraph on page 3.
4. On pages 8 and 9 put the **STORAGE AND DISPOSAL** instructions into a box to set them off from the rest of the text.
5. On page 8 under **Pesticide Storage** change the instructions to read "Store in a cool, dry secure place."
6. On page 9 change the **Pesticide Disposal** instructions to read "Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product. Generic data requirements that have been identified in the RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.

A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please submit one copy of the revised final printed label for the record before the product is released for shipment. Products shipped after 12 months from the date of this Notice or the next printing of your label, which ever occurs first, must bear the new revised label.



Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division (7505P)

Enclosure:

- Label stamped "Accepted with comments"
- PRB Label Review dated June 25, 2008
- Product Chemistry Review DP352016 dated May 2, 2008
- Acute Toxicity Review DP352019 dated April 29, 2008


FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have a person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
HOT LINE NUMBER For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear long-sleeve shirt, long pants, shoes and socks.



Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride (PVC), and viton. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, Applicators, and other handlers must wear:

- Long-sleeved shirt
- Long pants
- Shoes plus socks
- Chemical-resistant gloves made from any waterproof material, and
- A NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter


Handlers using the dust collection system must wear:

- Long-sleeved shirt
- Long pants
- Shoes and socks, and
- Chemical-resistant gloves; and
- Must be provided with, have immediately available, and wear in an emergency, such as a broken package, spill, or equipment breakdown: a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.

In addition to the above PPE requirements, Mixers and Loaders must also wear:

- Protective eyewear
- Chemical-resistant apron

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.




User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to aquatic organisms. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Shoes plus socks
- Chemical-resistant gloves made of any waterproof material

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, AND/OR ILLEGAL RESIDUES.

Treatment of highly bruised or damaged seed pieces, or seed pieces known to be of low vigor and poor quality (except for the purpose of curative control of existing disease pests), may result in reduced germination and/or reduction of seed and seedling vigor. Conduct germination tests on a small portion of seed before committing the total seed

lot to a selected seed treatment. Treat test samples using equipment similar to that planned for treating the total seed lot.

GENERAL INFORMATION

Maxim MZ is a dry seed protectant fungicide designed to suppress certain fungal diseases of seed potatoes. Maxim MZ effectively suppresses *Fusarium* dry rot seed decay, seed-borne *Rhizoctonia solani* that causes stem canker and tuber black scurf, and seed-borne *Helminthosporium solani*, the causal agent of silver scurf disease on potato tubers. It does not control bacterial disease nor diseases present within the seed.

Maxim MZ is to be used as an integral part of a potato disease management strategy. This strategy includes the use of high quality certified seed and the incorporation of cultural practices such as: crop rotation, optimal harvest time for tubers to minimize disease development, and proper handling of tubers without bruising, etc. The practices should also include management and sanitation of equipment and storage areas to reduce disease inoculum. In addition, storage management practices that maintain appropriate temperature, ventilation, and relative humidity to avoid free moisture or condensation must be carried out. Consult your local agricultural extension agent for more detailed information on disease management practices.

Note: Fludioxonil is a fungicide with a specific mode of action that could be subject to development of less sensitive strains of fungi. Development of insensitivity cannot be predicted. Consult your State Agricultural Experiment Station or Extension Service Specialist for guidance on your particular disease control situation.

Mixing Procedures

Use Maxim MZ at the rate of 0.5 lb. of product per 100 lbs. of seed pieces. Apply using equipment that ensures uniform and thorough coverage of each seed piece. Periodically clean and sanitize all surfaces of cutting (e.g., cutting machines, knives, tables, etc.), as well as planting equipment and planters thoroughly before cutting and planting seed pieces. After cutting, treated seed pieces should be planted in soil above 45°F with adequate soil moisture required for planting. If seed pieces need to be stored or held for a few days, make sure that there is adequate cool air (60°F) movement through the pile of seed pieces at relative humidity of 85-90%. Seed pieces and treated seed should not be piled above 6 ft. in height. When transporting seed pieces and Maxim MZ-treated seed, make sure the seed is covered.

For best results, the seed must be completely and uniformly covered with fungicide. Do not use treated seed pieces for food or feed purposes.

Apply only in areas with adequate ventilation and/or dust collection and control equipment.

Large scale seed piece treatment facilities that, on any given week in the current year or in the past year, treated $\geq 50,000$ cwt ($\geq 2,500$ tons) must use a dust collection system during the treatment of the seed pieces that prevents dust from contacting handlers or other persons.

LABELING OF BAGGED TREATED SEED PIECES

Federal law requires that bags containing treated seed shall be labeled with the following information:

"This seed has been treated with fludioxonil and mancozeb fungicides. Do not use treated seed for food or feed. Store away from feed and foodstuffs."

Seeds/seed-pieces that have been treated with this product that are then packaged or bagged for future use must contain the following labeling on the outside of the seed/seed-piece package or bag:

When opening this bag or loading/pouring the treated seed/seed-pieces, wear long-sleeved shirt, long pants, shoes, socks, chemical-resistant gloves, and a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.

Treated Seed/Seed-Pieces - Do Not Use for Food, Feed, or Oil Purposes.


After the seeds/seed pieces have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours. Exception: Once the seeds/seed pieces are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact with the soil/media subsurface.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment.

Pesticide Storage

Store in a cool, dry place.



Pesticide Disposal

To dispose of wastes resulting from the use of this product, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA regional office for guidance in proper disposal methods.

Container Handling

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. In the event of a major spill, fire, or other emergency, call 1-800-888-8372, day or night.

Maxim®, the Syngenta logo and the CP FRAME  are trademarks of a Syngenta Group Company

U.S. Patent No. 4,705,800

©200X Syngenta

For non-emergency (e.g., current product information) call
Syngenta Crop Protection at 1-800-334-9481.

Manufactured for:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, North Carolina 27419-8300

SCP 1158A

Maxim MZ AMENDB-RED 10-07 - bb - 5-1-09

000100-01158.20071029.MAXIM-MZ-AMENDB-1007.pdf

© 2007 Syngenta Crop Protection, Inc.
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Syngenta Crop Protection, Inc.