

100-1217

08/01/2012

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D C 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Montague Dixon
Syngenta Crop Protection, Inc
P O Box 18300
Greensboro NC 27419

AUG - 1 2012

Subject Supplemental Label (New Uses on Various Perennial Tropical and
Sub-Tropical Fruit Trees)
Gramoxone Inteon
EPA Reg No 100-1217
Application Dated November 11, 2009

Dear Mr Dixon

The supplemental labeling referred to above submitted in connection with registration under the
Federal Insecticide Fungicide and Rodenticide Act as amended is acceptable

The supplemental labeling must be incorporated into the main product labeling within eighteen
(18) months of the date of this letter

A stamped copy of your label is enclosed for your records You must submit one (1) copy of the
final printed label before you release the product for shipment Products released for shipment
after eighteen (18) months from the date of this letter must bear the new revised label If these
conditions are not complied with, the registration will be subject to cancellation in accordance
with FIFRA §6(e) Your release for shipment of the product constitutes acceptance of these
conditions

Since there are currently no registered products containing paraquat dimethyl sulfate the
tolerance expression listed under 40CFR§180 205(a) and §180 205(c) must be revised at your
next new use submission to remove reference to the bis(methyl sulfate) salt of paraquat Refer
to the Human Health Risk Assessment document associated with this action for details

If you have any questions please contact Mindy Ondish at (703)605-0723 or at
ondish mindy@epa gov

Sincerely,

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

SUPPLEMENTAL LABEL

**RESTRICTED USE PESTICIDE
DUE TO ACUTE TOXICITY**
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR
PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES
COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

Syngenta Crop Protection, Inc
P O Box 18300
Greensboro, North Carolina 27419-8300
SCP 1217A-S25 xxxx

ACCEPTED
AUG - 1 2012
Under the **Federal Insecticide
Fungicide and Rodenticide Act**
as amended for the pesticide
registered under
EPA Reg No 100-1217

Gramoxone Inteon®
Herbicide

A Weed Grass and Harvest Aid Desiccant/Defoliant Herbicide

This supplemental labeling expires on September 1 2015 and must not be used or
distributed after this date

Active Ingredient	
Paraquat dichloride (1,1'-dimethyl-4,4'-bipyridinium dichloride)	30.1%
Other Ingredients	69.9%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN



**DANGER / POISON
PELIGRO**

EPA Reg No 100-1217

All applicable directions, restrictions and precautions on the EPA-
registered label are to be followed Before using Gramoxone Inteon as
permitted according to this supplemental label, read and follow all
applicable directions, restrictions, and precautions on the EPA registered
label on or attached to the pesticide product container This Supplemental
Labeling contains revised use instructions and or restrictions that may be
different from those that appear on the container label This Supplemental
Labeling must be in the possession of the user at the time of pesticide
application It is a violation of Federal law to use this product in a manner
inconsistent with its labeling



DIRECTIONS FOR USE

Crop	Maximum Number of Applications Per Year	Use Pattern	Gramoxone Inteon Rate Per Acre	Minimum Total Spray Per Acre	Grazing or Preharvest Interval (Days)	Precautions Restrictions and Comments
PERENNIAL TROPICAL AND SUB TROPICAL FRUIT TREES Atemoya Biriba Black sapote Canistel Cherimoya Custard apple Feijoa Ilama Jaboticaba Longan Lychee Mamey sapote Mango Pawpaw Pomegranate Pulasan Rambutan Sapodilla Soursop Spanish lime Star apple Starfruit Sugar apple Wax jambu White sapote	4	Directed Spray	2.5 - 3.75 pts	Ground 10 gals	14	<p>Precautions Restrictions and Comments</p> <ul style="list-style-type: none"> • Do not allow spray to contact green stems (except suckers) fruit or foliage • For suckering spray when suckers are 4 to 8 inches tall • Do not graze treated areas • Do not feed cover crops grown in treated areas to livestock • For mature woody weeds late germinating weeds and grasses and perennials retreatment or spot spraying may be necessary if more than one application is to be made a minimum of 28 days must be maintained between subsequent applications • Apply only with backpack sprayers or ground boom equipment

©2009 Syngenta
 Gramoxone Inteon® and Syngenta logo trademarks of a Syngenta Group Company

Gramoxone Inteon 1217A S25 (IR4) AMEND NOV2009 C CLEAN - tb - 05/17/12
 000100 01217 20091111C GRAMINTEON_S25 IR4_AMEND_NOV2009.pdf