



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Teresa Cox
Regulatory Affairs
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

SEP 11 2009

Dear Ms. Cox:

Subject: Scholar SC
EPA Registration Number 100-1242
Your submission dated June 4, 2009
OPPIN Decision Number 414355
Supplemental label for pomegranate

The supplemental label for pomegranates, referred to above, submitted in connection with registration under section (3) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended is acceptable provided that this supplemental label is incorporated into the main label within 18 months or at the next label printing, whichever comes first.

Please submit one copy of your final printed labeling before the product is released for shipment. A stamped copy of the label is enclosed for your records. If you have any questions, please contact Lisa Jones on my team at (703) 308-9424 or jones.lisa@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Shaja B. Joyner".

Shaja B. Joyner
Product Manager (20)
Fungicide Branch
Registration Division (7505P)

Enclosure: Stamped accepted label

SUPPLEMENTAL LABEL



Syngenta Crop Protection, Inc.
P. O. Box 18300
Greensboro, North Carolina 27419-8300

Scholar® SC

Fungicide

Active Ingredient:	
Fludioxonil:*	20.4%
Other Ingredients:	79.6%
Total:	100.0%

*CAS No. 131341-86-1


Scholar SC is a flowable suspension concentrate

Scholar SC contains 1.92 lbs. ai per gallon

KEEP OUT OF REACH OF CHILDREN.

CAUTION

EPA Reg. No. 100-1242



100-1242

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

Before using Scholar SC as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

CROP USE DIRECTIONS

Pomegranates

Use Scholar SC as a post-harvest dip for the control of Botrytis fruit rot in pomegranates.

Application Method	Disease	Rate (fl. oz.)	Remarks
In-Line Dip/Drench	Botrytis fruit rot	32 fl. oz./100 gals.	<ul style="list-style-type: none">• Mix 32 fl. oz. of Scholar SC in 100 gals. of water, wax/emulsion, or aqueous dilution of wax/oil emulsion. *Dip for approximately 30 seconds and allow fruit to drain.• Dip solution should be replaced with fresh dip solution after 200,000 pounds of fruit has been treated.
Do not make more than one post-harvest application to the fruit.			
<ul style="list-style-type: none">• Ensure the Scholar SC solution remains in suspension by using agitation.• Scholar SC is stable in chlorine (100 ppm solution) and at temperatures of 60°C (or 140°F) that can be used to disinfect high-volume, recycling tanks.			

Manufactured for:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, North Carolina 27419-8300

SCP 1242A-S1 0209

Scholar SC 1242A-S1 0209 - bb - 5-27-09