



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg. Number:
100-1253

Date of Issuance:
MAR 14 2007

Term of Issuance:
Conditional

Name of Pesticide Product:
Force CS Insecticide

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that:

1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. You will make the following label changes before you release the product for shipment:
 - a) Revise the EPA Registration Number to read "EPA Reg. No. 100-1253."
 - b) The acute toxicity profile for this product is as follows:

Acute oral toxicity II
Acute dermal toxicity III
Acute inhalation toxicity IV
Primary eye irritation III
Primary skin irritation III
Dermal sensitization Negative

Based on the acute inhalation toxicity (classified Toxicity Category IV) you are not required to have an "If inhaled" first aid statement.

Signature of Approving Official:

George T. LaRocca
George T. LaRocca, Product Manager (13)
Insecticide Branch/Registration Division (7505C)

Date:

March 14, 2007

Enclosure

- c) Replace "REI of 0 hours" with "REI of 12 hours" based on the acute toxicity categories of the active ingredient (tefluthrin) in the formulation. In addition add the following paragraphs to the Agricultural Use Requirements, Box:

"Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical Resistant/gloves
- Shoes plus socks"

Refer to the enclosed occupational exposure assessment.

- d) The microencapsulated liquid formulation for use on corn can only be use at planting. Its use at cultivation requires additional data. Therefore delete the "at cultivation with 30 days of seedling emergence" use from the label. Refer to the enclosed chemistry review.

Add the environmental hazard statements to the non-detachable container labeling.

- e) In the warranty statement replace the phrase "It is syngenta's and seller's intention that in no event shall Syngenta or Seller be liable.... etc." with "To the extent consistent with applicable law in no event shall Syngenta or Seller be liable.... etc." Also, replace "should" with "must" in the sentence "The Directions for Use of this product should be followed carefully". Also, add the phrase, "To the extent consistent with applicable law", to the beginning of the sentence(s), "The exclusive remedy of the user or buyer ... etc., and "Syngenta makes no warranties of merchantability or of fitness ... etc."
3. Upon completion submit the results of an one year storage stability and corrosion characteristics study to the Agency. It is recommended that the observations be made at 0, 3, 6, 9, and 12 months intervals.
4. Note the comment in the product chemistry review, confidential appendix's concerning on of the inert ingredient. See attached Product Chemistry Review dated, January 24, 2007.

3/18

5. Please submit three (3) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

**RESTRICTED USE PESTICIDE
DUE TO TOXICITY TO FISH AND AQUATIC ORGANISMS**

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS, OR PERSONS UNDER THEIR
DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S
CERTIFICATION.

Force® CS Insecticide

For Use to Control Insects on Field Corn, Popcorn, Seedcorn, and Sweet Corn

Active Ingredient:	
Tefluthrin ¹ :	23.4%
Other Ingredients:	76.6%
Total:	100.0%

¹CAS No. 79538-32-2

Contains 2.1 pounds tefluthrin per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-XXX
EPA Est. No. XXXXX

Product of XXXXX
Formulated in the USA

SCP XXXXXM(draft)

Net Contents

**ACCEPTED
with COMMENTS
In EPA Letter Dated
MAR 14 2007
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
100-1253**

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
HOT LINE NUMBER For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING/AVISO

May be fatal if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if absorbed through skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions of category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves – Category C, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, or polyvinyl chloride [PVC] or viton \geq 14 mils.
- Shoes plus socks

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements

When handlers use closed systems, or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

- Mixers and Loaders must use a mechanical transfer system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4).
- The system must be capable of removing the pesticide from the shipping container and transferring it into mixing tanks and/or application equipment.
- At any disconnect point, the system must be equipped with a dry disconnect or dry couple shut-off device that is warranted by the manufacturer to minimize drippage to not more than 2 ml. per disconnect point.
- Persons using a closed system that operates under pressure shall wear protective eyewear.

Important: When reduced PPE is worn because a closed system is being used, handlers must be provided with all PPE specified above for **Applicators and Other Handlers** and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is very highly toxic to freshwater and estuarine fish and invertebrates. Use with care when applying in areas adjacent to any body of water. Runoff may be hazardous to aquatic organisms in neighboring areas.

For terrestrial uses: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

IT IS SYNGENTA'S AND SELLER'S INTENTION THAT in no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

The restricted entry interval (REI) for this product is zero hours.

FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR INSECT CONTROL, AND/OR ILLEGAL RESIDUES.

GENERAL INFORMATION

PROTECTION OF AQUATIC AREAS

- Runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. **DO NOT** apply this product within 20 yards of aquatic bodies (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or commercial fish farm ponds).
 - At least 10 feet of the 20 yard setback area should be left in grass or other natural vegetation.
- Use only properly maintained ground application equipment that has been calibrated using appropriate carriers.

- **Highly Erodible Land (HEL):** When used on erodible soils, best management practices for minimizing runoff should be employed. On highly erodible land that drains to water bodies, Syngenta recommends consultation with the Natural Resources Conservation Service (NRCS) and/or other agricultural agencies to ensure that effective efforts are made to minimize soil erosion as well as pesticide runoff. When the highly erodible land is adjacent to aquatic bodies, the entire 20 yard buffer/setback should be left to grass or other natural vegetation.

For NO-TILL corn acreage that drains to adjacent or neighboring aquatic sites, apply as an in-furrow treatment only. See in-furrow directions.

- **DO NOT** apply this product as a T-band treatment unless the product can be incorporated into the top one inch of soil using tines, chains or other suitable equipment.

RESISTANCE MANAGEMENT

Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. Consult your local or state agricultural authorities for details.

If resistance to this product develops in your area, this product, or other products with a *similar mode of action*, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and resistance is a reasonable cause, immediately consult your local company representative or agricultural advisor for the best alternative method of control for your area.

APPLICATION PROCEDURES

DIRECT INJECTION APPLICATIONS

Follow application equipment manufacturers' recommendations for spray preparation and calibration to deliver the recommended Force CS Insecticide rates.

DILUTE APPLICATIONS

Spray Preparation:

When determining application volumes, ensure that at least 2 gallons of spray volume per acre is applied.

To prepare for spraying, fill tank to approximately $\frac{1}{2}$ the needed volume of water or other agricultural products (See **Mixing with Other Agricultural Products**) and start agitation. Transfer the proper amount of Force CS Insecticide into tank. Agitate to ensure thorough mixing for a minimum of 2 minutes or until product is thoroughly dispersed and then add the remaining diluent volume. Product mixtures should be agitated continuously during use. Avoid allowing tank contents to remain without agitation for periods of greater than 1 hour. When tank contents have remained without agitation for 1 hour or longer, agitate contents for at least 10 minutes before starting applications. Avoid allowing large quantities of product mixtures (greater than 5 gallons) to be stored in non-agitated tanks for extended periods of time, such as 12 hours or greater.

Mixing with Other Agricultural Products

While Force CS Insecticide has good flexibility for tank mixing with other agricultural products, a jar test for physical compatibility is recommended for untried mixtures using proper ratios and mixing sequences of all ingredients to be included in the mixture.

Force CS Insecticide is an aqueous based formulation. It is recommended that no type of non-emulsifiable oils be used in combination with Force CS Insecticide. If adjuvants are used, use only:

Nonionic Surfactant (NIS) containing at least 75% surface agent or Non-phytotoxic Crop Oil Concentrate (COC), including once refined Vegetable Oil Concentrate (VOC), or Methylated Sunflower Oils (MSO) containing a minimum of 17% emulsifier.

Adjuvants other than NIS or COC may be used providing the product meets the following criteria:

1. Contains only EPA exempt ingredients.
2. Is nonphytotoxic to the target crop.
3. Is compatible in mixture. (May be established through a jar test.)
4. Is supported locally for use with Force CS Insecticide on the target crop through proven field trials and through university and extension recommendations.

In addition, the following may be used as diluents:

- Crop Oil Concentrate
- Methylated Sunflower Oils
- Urea-Ammonium Nitrate

It is recommended that the following not be used in combination with Force CS Insecticide as diluents or adjuvants:

- Nonemulsifiable oils
- Diesel Fuel
- Straight Mineral Oil

CROP USE DIRECTIONS

At Planting T-Band Treatment

Apply Force CS insecticide at planting time for the control of corn rootworms, cutworms, lesser corn stalk borer, seedcorn beetles, seedcorn maggots, white grubs, and wireworms. **Liquid T-band** applications are to be placed in a 7-inch T-band across the open seed furrow between the furrow openers and the press wheels. T-band applications need to be followed by an incorporation of 1 inch into the soil either by using drag chains, tines, or other suitable equipment attached to the planter.

DO NOT apply this product as a T-band unless you can incorporate the product as directed above. This will improve insect control and reduce the potential for adverse effects to aquatic organisms.

At Planting In-Furrow Treatment

Apply Force CS Insecticide at planting time as an in-furrow treatment for control of corn rootworms, seedcorn maggots, white grubs, and wireworms. **Liquid in-furrow applications** are to be applied into the seed furrow, through spray nozzles or microtubes, behind the planter furrow openers and in front of the press wheels.

FORCE CS INSECTICIDE RATE RECOMMENDATIONS

Time of Application	Insects Controlled	Force CS Rate: (fl. oz./1000 ft. of row)	Application
At Planting	Cutworm Lesser Cornstalk Borer Mexican Corn Rootworm Northern Corn Rootworm Seedcorn Beetle Seedcorn Maggot Southern Corn Rootworm Western Corn Rootworm White Grub ^{1,2} Wireworm ^{1,2}	0.46-0.57 T-banded, or In-Furrow	<p>Banded applications are to be placed in a 7-inch T-band across the open seed furrow between the furrow openers and the press wheels or as a band application behind the press wheels.</p> <p>In-furrow applications are to be applied into the seed furrow, through spray nozzles or micro-tubes, behind the planter furrow openers and in front of the press wheels.</p>
	Billbug ³ Chinch Bug ³ Red Imported Fire Ant ⁴	0.46 – 0.57 T-banded	
	Cutworm .	0.34 – 0.46 T-banded when cutworm is the only pest	
At cultivation within 30 days of seedling emergence	Mexican Corn Rootworm Northern Corn Rootworm Southern Corn Rootworm Western Corn Rootworm	0.46 – 0.57	<p>Apply Force CS Insecticide by directing the liquid at the base of the plant on both sides of the row (split boot). Cover the treated bands with 2-3 inches of soil by making the application ahead of the cultivation equipment. Apply Force CS Insecticide when activity of rootworm larvae is first observed. Do not make this application more than 30 days after seedling emergence. Do not apply this product unless you can incorporate the product as directed above. DO NOT FOLLOW A FORCE CS INSECTICIDE AT-PLANTING APPLICATION WITH A LAYBY APPLICATION. USE FORCE CS INSECTICIDE ONLY ONCE PER CROP.</p> <p>Nozzle Recommendation: Use a low drift nozzle.</p>

¹Use 0.57 fluid ounces per 1,000 feet of row for heavy infestations.

²For best wireworm and/or white grub control, apply the liquid as an in-furrow treatment.

³Suppression only.

⁴Suppression only for 28 days.

	Fluid Ounces of FORCE CS Insecticide Required Per Acre for Various Row Spacing					
Row Spacing	40"	38"	36"	34"	32"	30"
Linear Ft./Acre	13,068	13,756	14,520	15,374	16,335	17,424
Fluid Ounces/1000 Ft. of Row						
0.34	4.5	4.7	5.0	5.3	5.6	6.0
0.46	6.0	6.3	6.7	7.1	7.5	8.0
0.57	7.5	7.9	8.3	8.8	9.4	10.0

Rotational Crop Restrictions

Rotational crops may be planted no sooner than 30 days after application.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food, or feed by storage or disposal.

Storage

Store in original containers only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area. **DO NOT ALLOW PRODUCT TO FREEZE.**

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

Container Disposal

Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, or by other procedures approved by state and local authorities.

Force® and the Syngenta logo are trademarks of a Syngenta Group Company

©2006 Syngenta

For non-emergency (e.g. current product information) call
Syngenta Crop Protection at 1-800-334-9481.

Syngenta Crop Protection, Inc.
Greensboro, North Carolina 27409
www.syngenta-us.com

SCP XXXXXM(draft)

FOR CS(draft)-lg-2-14-06 000100-xxxxx.20060220.ForceCS.pdf

(Non-detachable container labeling)

RESTRICTED USE PESTICIDE
Due to Toxicity to Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

Force® CS Insecticide

For Use to Control Insects on Field Corn, Popcorn, Seedcorn, and Sweet Corn

Active Ingredient:	
Tefluthrin ¹	23.40%
Other Ingredients:	76.60%
Total:	100.0%

¹CAS No. 79538-32-2

Contains 2.1 pounds tefluthrin per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See storage, disposal, additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-XXX

EPA Est. No. XXXXX

SCP XXXXXM(draft Force CS)

Net Contents

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****WARNING/AVISO**

May be fatal if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Harmful if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
HOT LINE NUMBER For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372	

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food, or feed by storage or disposal.

Storage

Store in original containers only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area. **DO NOT ALLOW PRODUCT TO FREEZE.**

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

Container Disposal

Triple rinse (or equivalent); then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

Force® and the Syngenta logo are trademarks of a Syngenta Group Company

©2006 Syngenta

Syngenta Crop Protection, Inc.
Greensboro, North Carolina 27409
www.syngenta-us.com

SCP XXXXXM(draft Force CS)