

100-1261

3/2/2012

1 of 16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

MAR - 2 2012

Thomas J. Parshley
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419-8300

Subject: Minor Label Revision – Removal of term “New”

Dear Mr. Parshley:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 2, 2012 for:

EPA Registration 100-1261

Thiamethoxam Ant Killer Gel

The Registration Division (RD) has conducted a review of this request of applicability under PRN 98-10 finds that the label changes(s) requested falls within the scope of PRN-98-10. The label has been date-stamped “Notification” and will be placed in our records.

If you have any questions, call me at 703 308-6249 or electronically at Hebert.John@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "John Hebert".

John Hebert
Product Manager (07)
Registration Division (7504P)
Insecticide/Rodenticide Branch

20116

Please read instructions on reverse before comp

m.



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
Notification

Application for Pesticide - Section I

1. Company/Product Number 100-1261	2. EPA Product Manager Venus Eagle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Thiamethoxam Ant Killer Gel	PM# 1, IRB	
5. Name and Address of Applicant (Include ZIP Code) Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, NC 27419-8300 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

NOTIFICATION

MAR - 2 2012

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

This Notification is consistent with the guidance of PR Notice 98-10 and the requirements of EPA's regulations at 40 CFR 152.46. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Syngenta Crop Protection, LLC is submitting a Notification for Thiamethoxam Ant Killer Gel (EPA Reg. No. 100-1261) to remove the term "New" from the Optional Marketing Claims as allowed by PR Notice 98-10 and as required by EPA's approval letter of June 17, 2011.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If "Yes" No. per Unit Packaging wgt. Container		<input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
*Certification must be submitted		If "Yes" No. per Unit Packaging wgt. Container			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1.06 oz.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input checked="" type="checkbox"/> Other <u>Pressure Sensitive</u>	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Thomas J. Parshley	Title NAFTA Senior Regulatory Product Manager	Telephone No. (Include Area Code) 336-632-7207
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Thomas J. Parshley</i>	3. Title NAFTA Senior Regulatory Product Manager	
4. Typed Name Thomas J. Parshley	5. Date February 23, 2012	

Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419-8300
www.syngenta.com



FedEx

February 23, 2012

NOTIFICATION

MAR - 2 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Sherada Hobgood

**SUBJECT: THIAMETHOXAM ANT KILLER GEL
EPA REG. NO. 100-1261
NOTIFICATION PER PR NOTICE 98-10**

Syngenta Crop Protection, LLC is submitting a Notification for Thiamethoxam Ant Killer Gel (EPA Reg. No. 100-1261) to remove the term "New" from the Optional Marketing Claims as allowed by PR Notice 98-10 and as required by EPA's approval letter of June 17, 2011.

To complete this Notification, enclosed are:

- One copy of the label with the change clearly marked,
- One unmarked copy of the label,
- A CD of the unmarked copy of the label for Electronic Comparison and Review,
- Completed EPA Form 8570-1, and
- Certificate with Respect to Label Integrity Form.

We trust that you will find this submission in order. However, should there be any questions, please contact me at 336.632.7207 or via e-mail at thomas.parshley@syngenta.com.

Sincerely,

Thomas J. Parshley
NAFTA Senior Regulatory Product Manager

Enclosures

cc: Venus Eagle, PM 1, IRB



(master label)

Thiamethoxam Ant Killer Gel

Kills ants (excluding fire, harvester and Pharaoh ants)[indoors] [and] [outdoors] .

Active Ingredient:

Thiamethoxam¹ (CAS No. 153719-23-4)..... 0.003%

Other Ingredients: 99.997%

Total: 100.000%

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements [on side panel] [on back of carton][and directions for use in booklet].

EPA Reg. No. 100-1261

EPA Est. xxxxx

Product of xxxxx

Formulated in xxxxx


SCP 1261A-M(Notif)

[1][syringe][cartridge][tube]

NOTIFICATION

MAR - 2 2012

Net Weight



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Wash hands thoroughly with soap and water after handling bait containers.

<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>
<p>HOT LINE NUMBER</p> <p>For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call [1-800-888-8372] [ALTERNATE PHONE NUMBER]</p>

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for

any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- Do not treat areas that are easily accessible to children and pets.
- If the area to be treated has been recently treated with insecticide, thoroughly clean the area before applying Thiamethoxam Ant Killer Gel.
- Do not spray insecticide over gel or the gel may become repellent to ants.
- Do not apply gel in or on electrical equipment or wiring due to shock hazard

How Thiamethoxam Ant Killer Gel Works *(optional section)*

- Thiamethoxam Ant Killer Gel is designed for the control of ants: excluding fire, harvester and Pharaoh ants.
- Ants, excluding fire, harvester and Pharaoh ants, are attracted to the bait and the moisture in Thiamethoxam Ant Killer Gel.
- After ants, excluding fire, harvester and Pharaoh ants, feed on the gel, they return to the nest and transfer the bait to the queen and the young, thereby killing the entire colony.
- Dead ants, excluding fire, harvester and Pharaoh ants will appear [with]in hours.

- Starts killing ants, excluding fire, harvester and Pharaoh ants, [with]in hours.
- Substantial reduction in foraging ants, excluding fire, harvester and Pharaoh ants, will be noticed within a few days to a week.

How to Apply:

[Optional language for Syringe applicator:

- 1) Remove the cap from the tip, touch the tip to the surface to be treated and depress the plunger.
- 2) Apply bait in cracks, crevices, corners and out of the way places, such as under and behind kitchen appliances and baseboards, under sinks, around window and door frames and in the attic, crawl space and garage.
- 3) Apply gel as multiple spots (about the size of a pea) where ants are seen.]

[Optional language for pump applicator:

- 1) Remove the cap to open.
- 2) Pump the device to create multiple spots (about the size of a pea) of gel.
- 3) Place the bait near ant trails so the ants will [be attracted,][find the bait,] stop and take the bait back to the nest
- 4) When finished, replace th cap to close. Keep the cap on the pump to prevent the gel from drying out.]


[Optional language for tube applicator:

- 1) Twist the cap to the LEFT to open.
- 2) Squeeze gently to create multiple spots (about the size of a pea) of gel.
- 3) Place the bait near ant trails so the ants will [be attracted,][find the bait,] stop and take the bait back to the nest
- 4) When finished, twist the cap to the RIGHT to close. [For convenience,] you can store the tube standing up. Keep the cap on the tube to prevent the gel from drying out.]

Where to Apply

[Indoors

- Place bait where ants are foraging, where they are entering the structure, or areas of high moisture such as:
 - under and behind kitchen appliances
 - under sinks
 - along baseboards, cracks, crevices and holes



- near pipes and water heaters
- around windows, door frames and screens
- food storage areas
- in the attic, crawl space and garage


- Do not treat food preparation surfaces.
- Do not place bait in areas that are routinely washed, as washing will remove or dilute bait or spread the bait onto the surface.]

[Outdoors

- Place bait where ants enter the structure, next to ant trails, or to areas of high moisture such as:
 - Around windows, door frames and screens
 - Soffits, eaves, weep holes
 - Entry points for pipes
- Avoid placing bait in areas exposed to direct sunlight, extreme heat or cold, or excessive moisture since the length of bait effectiveness may be reduced.]

[Useful] [Ant Control] Tips:

- [Inspect and eliminate entry points where ants are entering the structure.]
- [Remove food sources indoors and near outdoor entry points (such as honeydew-producing insects like aphids).]
- Place the gel near ant trails without disrupting the ants to ensure the ants take the bait back to the nest.
- [Ant activity is often high in kitchens and bathrooms (see illustrations). Also, place gel in or near cracks and crevices and areas where ants may enter your home, such as outside doorways and window sills.]
- Inspect regularly after placing gel. If gel has been consumed and ants are still present, re-apply.
- Do not apply gel where the surface temperature is exceedingly hot because the gel could liquify.



Recommended placement of gel bait

[Diagram of] Kitchen
On shelves
Cracks and crevices of counters
Behind sink

[Diagram of] Bathroom
Behind Sink
Behind Toilet
At Drain Areas
Cabinet edges and corners inaccessible to children and pets

[Diagram of] Under Sink Areas
Under Dishwasher
Under Sink
At Drain Area

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in original container in a cool, dry area, out of the reach of children and pets.

Pesticide Disposal and Container Handling: *(consumer products)*

Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-888-8372 [Alternate phone number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Pesticide Disposal *(other than consumer product)*

Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

Container Handling *(other than consumer product-5 gallons or less)*

Nonrefillable container. Do not reuse or refill this container.

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap.

Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration or by other proceures allowed by state and local ordinances.

Container Handling *(other than consumer product -greater than 5 gallons)*


Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other proceures allowed by state and local ordinances.

Thiamethoxam Ant Killer Gel the ALLIANCE FRAME, the SYNGENTA Logo, and the PURPOSE ICON are trademarks of a Syngenta Group Company

©2011 Syngenta

Manufactured for:
 Syngenta Crop Protection, LLC
 P.O. Box 18300
 Greensboro, North Carolina 27419-8300

SCP 1261-M(Notif)




(tube/syringe label consumer product)

Thiamethoxam Ant Killer Gel
KEEP OUT OF THE REACH OF CHILDREN.
CAUTION

EPA Reg. No. 100-1261 Read Entire label

Contains 0.003% Thiamethoxam [SCP 1261A-xxxxx]

Net Weight xxxxxx



(Non-detachable container label - other than consumer product)

Thiamethoxam Ant Killer Gel

Kills ants (excluding fire, harvester and Pharaoh ants)[indoors] [and] [outdoors] .

Active Ingredient:

Thiamethoxam¹ (CAS No. 153719-23-4) 0.003%

Other Ingredients: 99.997%

Total: 100.000%

KEEP OUT OF REACH OF CHILDREN.

CAUTION


See additional precautionary statements and directions for use [in booklet][on label].

EPA Reg. No. 100-1261

EPA Est. xxxxx

SCP 1261A-M(Notif)

Net Weight



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Wash hands thoroughly with soap and water after handling bait containers.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call

[1-800-888-8372] [ALTERNATE PHONE NUMBER]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in original container in a cool, dry area, out of the reach of children and pets.

Pesticide Disposal

Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

Container Handling (5 gallons or less)

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration or by other procedures allowed by state and local ordinances.

Container Handling (greater than 5 gallons)

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining

contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local ordinances.

Thiamethoxam Ant Killer Gel the ALLIANCE FRAME, the SYNGENTA Logo, and the PURPOSE ICON are trademarks of a Syngenta Group Company

©2011 Syngenta


Manufactured for:
 Syngenta Crop Protection, LLC
 P.O. Box 18300
 Greensboro, North Carolina 27419-8300

SCP 1261A-M(Notif)

[Optional]
 Comprehensive List of Marketing Claims

1. Starts killing in hours and kills for up to 1 month
2. Starts killing in hours and kills for up to 4 weeks
3. Starts working in hours and works for up to 1 month
4. Starts working in hours and works for up to 4 weeks
5. Lasts for up to 1 month
6. Lasts for up to 4 weeks
7. Continues to work for up to 1 month
8. Continues to work for up to 4 weeks
9. Continues to kill for up to 1 month
10. Continues to kill for up to 4 weeks
11. Kills ants, excluding fire, harvester and Pharaoh ants, [continuously] for up to 1 month
12. Kills ants, excluding fire, harvester and Pharaoh ants, [continuously] for up to 4 weeks
13. [Contains Thiamethoxam, which] keeps killing ants, excluding fire, harvester and Pharaoh ants, for up to 1 month
14. [Contains Thiamethoxam, which] keeps killing ants, excluding fire, harvester and Pharaoh ants, for up to 4 weeks

- 15. Long lasting control
- 16. Starts killing [with]in hours
- 17. Kills in [24] hours
- 18. See visible results overnight
- 19. Relief from [even] severe ant, excluding fire, harvester and Pharaoh ants, problems
- 20. [Attracts and] Kills ants, excluding fire, harvester and Pharaoh ants, [including] [Carpenter] [Indoor] [Outdoor] [Argentine] [Crazy] [Ghost] [Odorous] [ants]
- 21. Ants, excluding fire, harvester and Pharaoh ants, find the bait fast
- 22. [Raid Ant Bait Gel] contains Thiamethoxam, an ingredient that keeps killing ants, excluding fire, harvester and Pharaoh ants
- 23. Kills ants, excluding fire, harvester and Pharaoh ants, where they breed
- 24. [Raid Ant Gel Bait is] So effective it kills ants, excluding fire, harvester and Pharaoh ants, where they breed [for up to 1 month]
- 25. [Raid Ant Gel Bait is] So effective it kills ants, excluding fire, harvester and Pharaoh ants, where they breed [for up to 4 weeks]
- 26. Destroys the [queen and the] [entire] colony
- 27. Kills the [queen and the] [entire] colony
- 28. Destroys the queen
- 29. Kills the queen
- 30. Kills the colony and keeps [on] killing ants, excluding fire, harvester and Pharaoh ants, for [up to] 1 month
- 31. Kills the colony and keeps [on] killing ants, excluding fire, harvester and Pharaoh ants, for [up to] 4 weeks
- 32. Kills ants, excluding fire, harvester and Pharaoh ants, at the source
- 33. Kills the ants, excluding fire, harvester and Pharaoh ants, you see and the ants you don't
- 34. Kills even hidden ants, excluding fire, harvester and Pharaoh ants
- 35. Kills ants, excluding fire, harvester and Pharaoh ants
- 36. Ants, excluding fire, harvester and Pharaoh ants, take the bait back to the nest
- 37. Gel Bait Technology
- 38. Ant (excluding fire, harvester and Pharaoh ants) Defense System
- 39. Specially formulated for ants, excluding fire, harvester and Pharaoh ants
- 40. Kills sugar loving ants, excluding fire, harvester and Pharaoh ants
- 41. For control of sweet eating ants, excluding fire, harvester and Pharaoh ants
- 42. Preferred formula [for ants, excluding fire, harvester and Pharaoh ants]
- 43. Clear gel
- 44. Non-staining [gel]
- 45. No odor [gel] [bait]
- 46. Odorless [gel] [bait]
- 47. No vapor [fumes][or odor]
- 48. [Leaves] no [lingering][lasting][harsh][chemical] odor
- 49. Easy to use
- 50. Apply to cracks and crevices
- 51. Apply to hard-to-reach places
- 52. Guaranteed to work or your money back [- see back panel]



- 53. Guaranteed to work or your money back [- see back label]
- 54. Satisfaction guarantee[d] or your money back
- 55. Raid kills bugs dead TM
- 56. Use indoors & outdoors
- 57. 1. Ants, excluding fire, harvester and Pharaoh ants, eat bait. 2. Crawl away to die.
- 58. Precision [placement][bait]
- 59. Ants, excluding fire, harvester and Pharaoh ants, love it!
- 60. Apply clear gel in hard-to-reach places[such as cracks and crevices].
- 61. Starts killing even hidden ants within hours
- 62. NEW [~~claim may only be used during the first 6 months of product distribution~~]

Thiamethoxam Ant Killer Gel, the ALLIANCE FRAME, the SYNGENTA Logo, and the PURPOSE ICON are trademarks of a Syngenta Group Company

©2011 Syngenta

[optional]

For non-emergency (e.g., current product information) call
[Syngenta Crop Protection at 1-800-334-9481][Company name and optional alternate phone number].

Manufactured for:
 Syngenta Crop Protection, LLC
 P.O. Box 18300
 Greensboro, North Carolina 27419-8300
 SCP 1261A-M(Notif)

Thia Ant Killer Gel 1261-M(Notif) – pl – 2/22/12
 000100-01261.20120222.THIA-ANT-KILLER-GEL_NOTIF_FEB2012-HI.pdf

