



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 16, 2020

Ronald E. Hampton, Ph.D.
Senior Regulatory Product Manager
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419-8300

Subject: Notification per PRN 98-10 – Proposed addition of optional marketing statements
Product Name: Thiamethoxam Ant Killer Gel
EPA Registration Number: 100-1261
Application Date: 06/01/2020
Decision Number: 566869

Dear Dr. Hampton

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records. Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, please contact Kevin Ulrich by phone at (703) 347-0464 or via email at Ulrich.kevin@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Kevin Ulrich" with a stylized "for" written below it.

Venus Eagle
Product Manager 01
Invertebrate and Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

[Master Label]

THIAMETHOXAM ANT KILLER GEL

Kills ants (excluding fire, harvester and Pharaoh ants)[indoors] [and] [outdoors].

[insert icon here]

Active Ingredient:

Thiamethoxam (CAS No. 153719-23-4)..... 0.003%

Other Ingredients 99.997%

Total: 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See[back] [inside] [bottom] [side] [panel] [for] additional precautionary statements [on side panel] [on back of carton][and directions for use in booklet] [and complete use instructions].

[insert icon here]

EPA Reg. No. 100-1261

[EPA Est. No. placeholder]

[1] [syringe] [cartridge] [tube]

[Net Contents placeholder]

Net Weight

NOTIFICATION

100-1261

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

10/16/2020

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Wash hands thoroughly with soap and water after handling bait containers.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

[HOT LINE NUMBER]

[For 24-Hour Medical Emergency Assistance (Human or Animal) or
Chemical Emergency Assistance (Spill, Leak, Fire, or Accident),]
Call

[1-800-888-8372] [ALTERNATE PHONE NUMBER]

[FOR INFORMATION REGARDING MEDICAL EMERGENCIES]

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- Do not treat areas that are easily accessible to children and pets.
- If the area to be treated has been recently treated with insecticide, thoroughly clean the area before applying Thiamethoxam Ant Killer Gel.
- Do not spray insecticide over gel or the gel may become repellent to ants.
- Do not apply gel in or on electrical equipment or wiring due to shock hazard

How Thiamethoxam Ant Killer Gel Works [optional section]

- Thiamethoxam Ant Killer Gel is designed for the control of ants, excluding fire, harvester and Pharaoh ants.
- Ants, excluding fire, harvester and Pharaoh ants, are attracted to the bait and the moisture in Thiamethoxam Ant Killer Gel.
- After ants, excluding fire, harvester and Pharaoh ants, feed on the gel, they return to the nest and transfer the bait to the queen and the young, thereby killing the entire colony.
- Dead ants, excluding fire, harvester and Pharaoh ants will appear [with]in hours.
- Starts killing ants, excluding fire, harvester and Pharaoh ants, [with]in hours.
- Substantial reduction in foraging ants, excluding fire, harvester and Pharaoh ants, will be noticed within a few days to a week.

How to Apply

[Optional language for syringe applicator]

- 1) Remove the cap from the tip, touch the tip to the surface to be treated and depress the plunger.
- 2) Apply bait in cracks, crevices, corners and out of the way places, such as under and behind kitchen appliances and baseboards, under sinks, around window and door frames and in the attic, crawl space and garage.
- 3) Apply gel as multiple spots (about the size of a pea) where ants are seen.

[Optional language for pump applicator]

- 1) Remove the cap to open.
- 2) Pump the device to create multiple spots (about the size of a pea) of gel.
- 3) Place the bait near ant trails so the ants will [be attracted,][find the bait,] stop and take the bait back to the nest
- 4) When finished, replace the cap to close. Keep the cap on the pump to prevent the gel from drying out.

[Optional language for tube applicator]

- 1) Twist the cap to the LEFT to open.
- 2) Squeeze gently to create multiple spots (about the size of a pea) of gel.
- 3) Place the bait near ant trails so the ants will [be attracted,][find the bait,] stop and take the bait back to the nest
- 4) When finished, twist the cap to the RIGHT to close. [For convenience,] you can store the tube standing up. Keep the cap on the tube to prevent the gel from drying out.

Where to Apply

Indoors [optional section]

- Place bait where ants are foraging, where they are entering the structure, or areas of high moisture such as:
 - Under and behind kitchen appliances
 - Under sinks
 - Along baseboards, cracks, crevices and holes
 - Near pipes and water heaters
 - Around windows, door frames and screens
 - Food storage areas
 - In the attic, crawl space and garage
- Do not treat food preparation surfaces.
- Do not place bait in areas that are routinely washed, as washing will remove or dilute bait or spread the bait onto the surface.

Outdoors [optional section]

- Place bait where ants enter the structure, next to ant trails, or to areas of high moisture such as:
 - Around windows, door frames and screens
 - Soffits, eaves, weep holes
 - Entry points for pipes
- Avoid placing bait in areas exposed to direct sunlight, extreme heat or cold, or excessive moisture since the length of bait effectiveness may be reduced.

[Useful] [Ant Control] Tips

- [Inspect and eliminate entry points where ants are entering the structure.]
- [Remove food sources indoors and near outdoor entry points (such as honeydew-producing insects like aphids).]
- Place the gel near ant trails without disrupting the ants to ensure the ants take the bait back to the nest.
- [Ant activity is often high in kitchens and bathrooms (see illustrations). Also, place gel in or near cracks and crevices and areas where ants may enter your home, such as outside doorways and window sills.]
- Inspect regularly after placing gel. If gel has been consumed and ants are still present, re-apply.
- Do not apply gel where the surface temperature is exceedingly hot because the gel could liquefy.

Recommended placement of gel bait

[Diagram of] Kitchen:

On shelves

Cracks and crevices of counters

Behind sink

[Diagram of] Bathroom:

Behind Sink

Behind Toilet

At Drain Areas

Cabinet edges and corners inaccessible to children and pets

[Diagram of] Under Sink Areas:

Under Dishwasher

Under Sink

At Drain Area

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in original container in a cool, dry area, out of the reach of children and pets.

Pesticide Disposal and Container Handling [consumer products]

Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-888-8372 [Alternate phone number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Pesticide Disposal [other than consumer product]

Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

Container Handling [other than consumer product; 5 gallons or less]

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration or by other procedures allowed by state and local ordinances.

Container Handling [other than consumer product; greater than 5 gallons]

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth

Thiamethoxam Ant Killer Gel (100-1261)

several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local ordinances.

Thiamethoxam Ant Killer Gel (100-1261)

©2014 Syngenta

[optional]

For non-emergency (e.g., current product information) call
[Syngenta Crop Protection at 1-800-334-9481]
[Company name and optional alternate phone number].

Manufactured for:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300

Thiamethoxam Ant Killer Gel (100-1261)

[non-detachable container label; other than consumer product]

THIAMETHOXAM ANT KILLER GEL

Kills ants (excluding fire, harvester and Pharaoh ants)[indoors] [and] [outdoors].

Active Ingredient:

Thiamethoxam¹ (CAS No. 153719-23-4)..... 0.003%

Other Ingredients 99.997%

Total: 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back] [inside] [bottom] [side] [panel] [for] additional precautionary statements and directions for use [in booklet][on label].

EPA Reg. No. 100-1261

[EPA Est. No. placeholder]

[1] [syringe] [cartridge] [tube]

[Net Contents placeholder]

Net Weight

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Wash hands thoroughly with soap and water after handling bait containers.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

[HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal) or
Chemical Emergency Assistance (Spill, Leak, Fire, or Accident),]
Call

[1-800-888-8372] [ALTERNATE PHONE NUMBER]

[FOR INFORMATION REGARDING MEDICAL EMERGENCIES]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in original container in a cool, dry area, out of the reach of children and pets.

Pesticide Disposal

Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

Container Handling [5 gallons or less]

Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration or by other procedures allowed by state and local ordinances.

Container Handling [greater than 5 gallons]

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local ordinances.

Thiamethoxam Ant Killer Gel (100-1261)

©2014 Syngenta

[optional]

For non-emergency (e.g., current product information) call

[Syngenta Crop Protection at 1-800-334-9481]

[Company name and optional alternate phone number].

Manufactured for:

Syngenta Crop Protection, LLC

P.O. Box 18300

Greensboro, North Carolina 27419-8300

[Comprehensive list of optional Marketing claims]

1. Starts killing in hours and kills for up to 1 month
2. Starts killing in hours and kills for up to 4 weeks
3. Starts working in hours and works for up to 1 month
4. Starts working in hours and works for up to 4 weeks
5. Lasts for up to 1 month
6. Lasts for up to 4 weeks
7. Continues to work for up to 1 month
8. Continues to work for up to 4 weeks
9. Continues to kill for up to 1 month
10. Continues to kill for up to 4 weeks
11. Kills ants, excluding fire, harvester and Pharaoh ants, [continuously] for up to 1 month
12. Kills ants, excluding fire, harvester and Pharaoh ants, [continuously] for up to 4 weeks
13. [Contains Thiamethoxam, which] keeps killing ants, excluding fire, harvester and Pharaoh ants, for up to 1 month
14. [Contains Thiamethoxam, which] keeps killing ants, excluding fire, harvester and Pharaoh ants, for up to 4 weeks
15. Long lasting control
16. Starts killing [with]in hours
17. Kills in [24] hours
18. See visible results overnight
19. Relief from [even] severe ant, excluding fire, harvester and Pharaoh ants, problems
20. [Attracts and] Kills ants, excluding fire, harvester and Pharaoh ants, [including] [Carpenter] [Indoor] [Outdoor] [Argentine] [Crazy] [Ghost] [Odorous] [ants]
21. Ants, excluding fire, harvester and Pharaoh ants, find the bait fast
22. [Raid Ant Bait Gel] contains Thiamethoxam, an ingredient that keeps killing ants, excluding fire, harvester and Pharaoh ants
23. Kills ants, excluding fire, harvester and Pharaoh ants, where they breed
24. [Raid Ant Gel Bait is] So effective it kills ants, excluding fire, harvester and Pharaoh ants, where they breed [for up to 1 month]
25. [Raid Ant Gel Bait is] So effective it kills ants, excluding fire, harvester and Pharaoh ants, where they breed [for up to 4 weeks]

- 26. ~~Kills Destroys~~ the [queen and the] ~~entire~~ colony, excluding fire, harvester and Pharaoh ants
- ~~27. Kills the [queen and the] [entire] colony, excluding fire, harvester and Pharaoh ants~~
- ~~28-27. Kills Destroys~~ the queen, excluding fire, harvester and Pharaoh ants
- ~~29. Kills the queen, excluding fire, harvester and Pharaoh ants~~
- ~~30-28.~~ Kills the colony and keeps [on] killing ants, excluding fire, harvester and Pharaoh ants, for [up to] 1 month
- ~~31-29.~~ Kills the colony and keeps [on] killing ants, excluding fire, harvester and Pharaoh ants, for [up to] 4 weeks
- ~~32-30.~~ Kills ants, excluding fire, harvester and Pharaoh ants, at the source
- ~~33-31.~~ Kills the ants, excluding fire, harvester and Pharaoh ants, you see and the ants you don't
- ~~34-32.~~ Kills even hidden ants, excluding fire, harvester and Pharaoh ants
- ~~35-33.~~ Kills ants, excluding fire, harvester and Pharaoh ants
- ~~36-34.~~ Ants, excluding fire, harvester and Pharaoh ants, take the bait back to the nest
- ~~37-35.~~ Gel Bait Technology
- ~~38-36.~~ Ant (excluding fire, harvester and Pharaoh ants) Defense System
- ~~39-37.~~ Specially formulated for ants, excluding fire, harvester and Pharaoh ants
- ~~40-38.~~ Kills sugar loving ants, excluding fire, harvester and Pharaoh ants
- ~~41-39.~~ For control of sweet eating ants, excluding fire, harvester and Pharaoh ants
- ~~42-40.~~ Preferred formula [for ants, excluding fire, harvester and Pharaoh ants]
- ~~43-41.~~ Clear gel
- ~~44-42.~~ Non-staining [gel]
- ~~45-43.~~ No odor [gel] [bait]
- ~~46-44.~~ Odorless [gel] [bait]
- ~~47-45.~~ No vapor [fumes][or odor]
- ~~48-46.~~ [Leaves] no [lingering][[lasting][[harsh][[chemical] odor
- ~~49-47.~~ Easy to use
- ~~50-48.~~ Apply to cracks and crevices
- ~~51-49.~~ Apply to hard-to-reach places
- ~~52-50.~~ Guaranteed to work or your money back [- see back panel]
- ~~53-51.~~ Guaranteed to work or your money back [- see back label]
- ~~54-52.~~ Satisfaction guarantee[d] or your money back
- ~~55-53.~~ Raid kills bugs dead TM
- ~~56-54.~~ Use indoors & outdoors
- ~~57-55.~~ 1. Ants, excluding fire, harvester and Pharaoh ants, eat bait.
2. Crawl away to die.

~~58-56.~~ Precision [placement][bait]

~~59-57.~~ Ants, excluding fire, harvester and Pharaoh ants, love it!

~~60-58.~~ Apply clear gel in hard-to-reach places[such as cracks and crevices].

~~61-59.~~ Starts killing even hidden ants excluding fire, harvester and Pharaoh ants, within hours

~~62-60.~~ Use [this product] in corners, along walls, and near entry points to kill ants excluding fire, harvester and Pharaoh ants, where they hide.

~~63-61.~~ Use [this product] ([brand name]) for precise application in sensitive areas such as kitchens and bathrooms. [Do not treat areas that are easily accessible to children and pets.]

~~64-62.~~ Avoid placing gel directly on top of surfaces treated with a Raid spray product to make sure ants can bring the bait back to where they hide.

~~65-63.~~ Keeps killing ants excluding fire, harvester and Pharaoh ants, for up to 1 month.

~~66-64.~~ Kills [ants excluding fire, harvester and Pharaoh ants] where they hide

~~67-65.~~ Kills [ants excluding fire, harvester and Pharaoh ants] at the source

~~68-66.~~ Kill [the] ants excluding fire, harvester and Pharaoh ants, you don't see

~~69-67.~~ Re-apply gel monthly for ongoing ant control.

~~70-68.~~ For heavy infestations, re-apply more frequently.

~~71-69.~~ [Stop:] Read entire label before use.

~~72-70.~~ Apply this product only as specified.

~~73-71.~~ Peel [remove] [tear] [outer] label [sticker] [coupon] [here] before use.

~~74-72.~~ Peel [remove] [tear] [outer] label [sticker] [coupon] [here] for complete use directions.

~~75-73.~~ Peel [remove] [tear] [outer] label [sticker] [coupon] [here] for complete use directions and precautionary statements.

~~76-74.~~ (Optional 1 MONTH REMINDER STICKER; one or more options may be chosen from following list)

- [1 Month][One Month][4 Week] Reminder [name]
- Replace [all] [#] [Product Name] [bait][gel][ant gel] [1 month][one month][4 weeks] after placement to keep ants from returning.
- Peel off label and place in a convenient location, like your calendar or your refrigerator, etc.
- Kills ants excluding fire, harvester and Pharaoh ants, where they breed for [1 month][one month][4 weeks]
- Advanced ant Defense System
- Time to replace
- [1 month][one month][4 weeks] after placement
- Date: ____/____/____

~~77-75.~~ [Additional] Tips [Non-chemical Control Options]: (one or more may be chosen from this list)

- Remove food spills and exposed food.
- Store food in sealed containers.
- Avoid [accumulating] [leaving] dirty dishes in sinks.
- Keep food out of bedrooms and living rooms.
- Avoid the use of mulch next to the foundation, which provides an ideal place for outdoor ants to nest and to gain entry into the home.
- Caulk any points where ants enter into wall voids, cracks and crevices, including entry points from outside or neighboring units.

82. Attack[s] Bugs*
Control[s] Bugs†
Prevent[s] Bugs‡

Raid Defense System [Raid Guided Support] helps you work smarter, not harder, to fight bugs.

Use this product to:

Control Bugs

Kill bugs at the source [Kill the bugs you don't see]

† Use [this product] in corners, along walls, and near entry points to kill ants where they hide. Re-apply gel monthly for ongoing ant control. For heavy infestations, re-apply more frequently. Avoid placing gel directly on top of surfaces treated with a Raid spray product to make sure ants can bring the bait back to where they hide.

Use other Raid products to:

Attack Bugs

Kill bugs on contact [Kill the bugs you see]

* Use a Raid Ant & Roach Killer or Raid Ant Killer product to kill ants on contact. Read the label to find the right product for your bug problem.

Prevent Bugs

Help keep bugs out [Keep bugs out]

‡ Use a Raid Max Bug Barrier product to [help] keep ants out [of your home]. Read the label to find the right product for your bug problem.

83. [Kills the queen and colony, excluding fire, harvester and Pharaoh ants]

84. [Precise application]

Thiamethoxam Ant Killer Gel (100-1261)

(NOTE to reviewer – Items 85 to 87 will only be included in a supplemental distributor label as per agreement.)

85. [S.C. Johnson - A Family Company][At Work for a Better World][.][!]

86. [Money Back Guarantee**]

87. [**If you are not satisfied with this product, S.C. Johnson will refund the purchase price within one year after the date of purchase reflected on an original receipt. Offer limited to 1 refund per household. Call 1-800-558-5252 for details.] Visit www.raid.com for details.]

(NOTE to reviewer – a mock-up for the final printed [commercial] label showing the placement of icons on page 1 is attached)

Thiamethoxam Ant Killer Gel (100-1261)

[tube/syringe label; consumer product]

THIAMETHOXAM ANT KILLER GEL

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 100-1261 Read Entire label

Contains 0.003% Thiamethoxam

Net Weight [Net Contents placeholder]

Thiamethoxam Ant Killer Gel 1261 MAS 0913 NOTIF JUN2020-HI – di – 5/28/2020
000100-01261.20190214.THIAMETHOXAM ANT KILLER GEL.NOTIF.JUN2020-HI