


100-1275

2-14-2008

1/11

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 100-1275	Date of Issuance: FEB 14 2008
	Term of Issuance: Conditional	
	Name of Pesticide Product: Azoxy 0.31 Granular	

Name and Address of Registrant (include ZIP Code):
 Syngenta Crop Protection, Inc.
 P.O. Box 18300
 Greensboro, North Carolina 27419-8300


Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA Section 4.
2. Make the following changes to the proposed label submitted on Oct. 11, 2007 before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 100-1275."

Signature of Approving Official:  Tony Kish, Product Manager (22) Fungicide Branch, Registration Division (7505P)	Date: FEB 14 2008
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------

2/11

b. In the "Comprehensive List of Optional Marketing Claims....." on page 2, change "Works in 24 hours" to "Begins working in 24 hours,".

c. In the "Comprehensive List of Optional Marketing Claims....." on page 2, delete the claim that reads "[New] Exclusive Formula".

d. In the "Comprehensive List of Optional Marketing Claims....." on page 2, change "Controls [Many] Lawn Diseases" to "Controls Lawn Diseases".

e. In the "Comprehensive List of Optional Marketing Claims....." on page 2, delete the claim that reads "[Contains][Formulated with][New] Active Release Technology™".

f. In the "Comprehensive List of Optional Marketing Claims....." on page 2, change "Controls Brown Patch, Powdery Mildew, Anthracnose, Rusts, Blights, Leaf Spots, and More" to "Controls Brown Patch, Powdery Mildew, Anthracnose, Rusts, Blights, Leaf Spots, and More, as Listed".

g. Change the fourth bulleted item from the top on page 4 from "Azoxy 0.31 Granular can be safely applied after seeding or at seed germination." to "Azoxy 0.31 Granular can be applied after seeding or at seed germination."

h. In the "Comments" on the "Take-All Patch" line in the "DIRECTIONS FOR APPLICATIONS TO LAWN DISEASES" table on page 5, clarify the meaning of "southern lawns".

i. The table title "Granular Spreader Settings" on page 6 is followed by an asterisk, but no asterisk appears later in the label. Either 1) delete the asterisk, 2) add an appropriate asterisked footnote after the table, or 3) make some other appropriate change that links the reference indicated by the asterisk to asterisk-marked text that provides further information.

j. Change the first sentence in the paragraph at the top of page 7 (in the "CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY" section) to read "It is the intention of SYNGENTA and Seller that in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product, to the extent consistent with applicable law."

k. Add a "Pesticide Disposal" subsection to the "STORAGE AND DISPOSAL" section on page 8 and place the following text in the subsection:

"If empty: Do not reuse this container. Place in trash or offer for recycling if available.

"If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain."

3/11

1. Delete the "If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain." component in the "Container Disposal" subsection of the "STORAGE AND DISPOSAL" section on page 8.

3. Ensure that the Signal Word "CAUTION" on the front panel conforms to the size requirements in the Label Review Manual.

4. Submit, by no later than one year following the date of this letter, a study or studies that fulfill the requirements for Storage Stability (Guideline Requirement Number 830-6317) and Corrosion Characteristics (Guideline Requirement Number 830-6320) of the subject product.

5. Submit one copy of the revised final printed label for the Agency's records before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation, in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Attachments: Product label stamped "ACCEPTED with COMMENTS"
Technical Review Branch/Acute Toxicity and Product Chemistry reviews
Alternate Risk Integration Assessment Team Human Exposure Risk Assessment
Environmental Fate and Effects Division risk assessment

4/11

Azoxy 0.31 Granular

Broad spectrum fungicide for [prevention and control of diseases] [use] on home lawns

Active Ingredient:	
Azoxystrobin:.....	0.31%
Other Ingredients:	99.69%
Total:	100.00%

EPA Reg. No.

EPA Est.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and first aid [at end of label/on back panel].

Net Weight

**ACCEPTED
with COMMENTS
In EPA Letter Dated
FEB 14 2008**

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

100-1275

5/11

{ [.....BEGIN – Comprehensive List of Optional Marketing Claims.....] }

- Works in 24 hours
- Ready-To-Use Granules
- Ready-To-Spread Granules
- Guaranteed [Results or Your Money Back]
- Granules Dissolve for Quicker Release
- Resealable Bag
- Easy [Pour] [Empty] Bag
- Uniform Granules Provide Uniform Spread
- [New] Exclusive Formula
- Controls [Many] Lawn Diseases
- Controls Diseases [In your Lawn]
- Contains Heritage[®]
- [Contains] [Formulated with] [New] Active Release Technology™
- Low Odor
- Does Not Stain
- [Broad Spectrum] [and] [Systemic] Disease Control on Home Lawns
- Easy to [Spread] [Apply] Granules
- For Use on Home Lawns.
- Controls Brown Patch, Powdery Mildew, Anthracnose, Rust, Blights, Leaf Spots, and More
- Granule Formulation – Easy to spread
- 10 lbs. Will Treat Up to 5,000 Sq. Ft. of Lawn
- 8 lbs. Will Treat Up to 4,000 Sq. Ft. of Lawn
- 6 lbs. Will Treat Up to 3,000 Sq. Ft. of Lawn
- XX lbs. Will Treat Up to X,XXX Sq. Ft. of Lawn
- Absorbed Into the Plant
- Systemic Action
- Works Up to 4 Weeks for Certain Diseases
- Controls Brown Patch
- Prevents and Stops...
 - Anthracnose
 - Brown Patch
 - Blights
 - Leaf Spot
 - Powdery Mildew
 - Rust
 - and More

[.....END – Comprehensive List of Optional Marketing Claims.....] }

6/11

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- People and pets may re-enter the treated area after application.

USE TIPS

- Use Azoxy 0.31 Granular on home lawns to prevent disease before it appears or to control disease at the first sign of disease.
- For best results, begin applications prior to disease symptoms, when conditions are favorable for disease.
- Consult your local Cooperative Extension Service office or your state's land grant university for assistance with lawn disease identification and specific fungicide timing in your area to control lawn diseases.
- When used as directed, this product is safe to the lawn and controls the diseases listed.

7/11

How to Apply

- Measure the length and width of area to be treated before application. Length X width = square feet. For example, an area 20 ft. wide and 25 ft. long is 500 sq. ft. [Insert optional graphic]
- Refer to the *Directions for Applications for Lawn Diseases* table for the rate to apply to control your lawn disease problem. Add the appropriate amount of Azoxy 0.31 Granular to your granular spreader to cover your square footage of lawn. Refer to *Granular Spreader Settings* table for spreader settings to deliver the rate required.
- Uniform coverage is necessary to provide the most effective level of control.
- Azoxy 0.31 Granular can be safely applied after seeding or at seed germination.
- Use the shorter re-treatment intervals and higher application rates when prolonged favorable disease conditions exist.
- Do not apply more than 37 lbs. of Azoxy 0.31 Granular per 1,000 sq. ft. in a single year.

8/11

DIRECTIONS FOR APPLICATIONS FOR LAWN DISEASES

Disease	How Much to Apply (lb. per 1,000 sq. ft.)	Application Interval (days)	Comments
Brown Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Anthracnose Fusarium Patch Gray Leafspot Leaf Rust Powdery Mildew Stem Rust Stripe Rust	2 - 4	14 - 28	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Necrotic Ring Spot Pink Patch Red Thread Southern Blight Summer Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Leafspot Melting Out	2 - 4	14 - 21	Apply when conditions are favorable for disease.
Cool Weather Brown Patch Yellow Patch Rhizoctonia Large Patch	2 - 4	14 - 28	Make one or two applications in fall or when conditions are favorable for disease.
Fairy Ring	4	28	Apply as soon as possible after fairy ring symptoms develop. Severely damaged or thin turf may require reseeded. Fairy ring symptoms may take 2 to 3 weeks to disappear following application. Re-application after 28 days may be required in some cases.
Gray Snow Mold Pink Snow Mold Typhula Blight	7 4	- 10 - 28	Make a single application in late fall. _____ or _____ Apply twice in the fall prior to snow cover.
Pythium Blight Pythium Root Rot	2 - 4	10 - 14	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Spring Dead Spot	2 - 4	14 - 28	Make 1 or 2 applications, with the last application falling approximately one month prior to bermudagrass dormancy. Irrigate with 1/4" to 1/2" of water after application.
Take-All Patch	2 - 4	28	Apply twice in the fall (typically September and October) and twice in the spring (typically April and May). Treat southern lawns twice in the summer (June - August) as well.
Zoysia Patch	2 - 4	14 - 28	Make 1 to 2 applications, with the last application falling approximately one month prior to zoysiagrass dormancy.

9/11

[Spreader models and settings available at the time of final printed labeling.]

Granular Spreader Settings*

Make and Models	Setting ^{1, 2}			
	2 lbs. per 1,000 sq. ft.	3 lbs. per 1,000 sq. ft.	4 lbs. per 1,000 sq. ft.	7 lbs. per 1,000 sq. ft.
Spreader A	X	X	X	X
Spreader B	X	X	X	X
Spreader C	X	X	X	X
Spreader D	X	X	X	X
Spreader E	X	X	X	X
Spreader F	X	X	X	X
Spreader G	X	X	X	X
etc.	X	X	X	X

¹ Assume 3 mph walking speed.

² It is recommended that you calibrate your spreader before application since manufacturer's settings can vary among the same model of spreader.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the extent consistent with applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the

10/11

control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

It is the intention of SYNGENTA and Seller that in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

Alternate Warranty Statement

Notice: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The buyer assumes responsibility for lack of performance or safety if not used according to the instructions on this label.

FIRST AID
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call [1-800-888-8372] [Alternate phone number]

11/11

PRECAUTIONARY STATEMENTS

CAUTION**Environmental Hazards**

This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Do not apply directly to water. Runoff may harm aquatic organisms. Do not contaminate water when disposing of equipment washwater or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

Container Disposal

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

The Syngenta logo is a trademark of a Syngenta Group Company

©200_ Syngenta

Questions or Comments?
Call [800 number] or visit our Website at www._____.com

Manufactured for:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, North Carolina 27419-8300
www.syngenta-us.com

AZO 0.31 GRA - bb - 2-15-08

000100-XXXXX.20070115B.AZO-0.31-GRA.PDF