

100-1302

06/05/2008

1/17



U.S. ENVIRONMENTAL PROTECTION  
AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Avenue, N.W.  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(Under FIFRA as amended)

EPA Reg.  
Number:  
100-1302

Date of  
Issuance:

JUN - 5 2008

Term of Issuance:  
Conditional

Name of Pesticide Product:  
Cypermethrin ME 2.0%  
Concentrate

Name and Address of Registrant (include ZIP Code):

Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419-8300

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. You will make the following label changes before you release the product for shipment:
  - a. Revise the EPA Registration Number to read "EPA Registration Number 100-1302."

Signature of Approving Official:

Date:

b. Under Environmental Hazards first paragraph replace the second sentence with, "To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area."

c. Revise the use statement to read "Insecticide for Use Only around the Home".

d. Throughout the label delete the pests and instructions for termites, stinging ants (fire and harvester), scorpions and wasps. These claims are unacceptable since the use rate proposed is lower than those used in the cited studies and me-too label. Alternatively you could keep the claims providing the use rate is corrected.

e. Under General Precautions changed frequented "to occupied" in the statement beginning, "Do not apply in rooms frequented by patients... etc.", and change "do not apply to dripping or runoff" to "do not allow dripping or runoff to occur". Make the same revision under "How to Apply".

f. Delete the term "Barrier" throughout the labeling.

g. Under the warranty statement add "To the extent consistent with applicable law" to the statement beginning, "You assume any and all risk ... etc.".

h. The product is intended for use by homeowners. Therefore retain the pesticide storage and container disposal statements for consumers and delete the bulk and mini-bulk instructions.

i. Under Outdoor Surfaces, Where to Apply add "Remove exposed food and cooking utensils. Cover all food handling surface or wash thoroughly after treatment and before use. Do not use on edible crops."

j. On page 9 modify or delete the following marketing claims:

1. Change "[Wide Range of Control:] [Controls] Ants, Aphids, Cockroaches, Fleas and Ticks" to "[Wide Range of Control:] [Controls] Ants (except Fire and Harvester ants), Aphids, Cockroaches, Fleas and Ticks"
2. Change "Controls tough outdoor insects" to "Controls listed outdoor insects"
3. Change "Connect and spray [optional for hose-end sprayer]" to "Connect and spray [optional for EZ pull and apply]"
4. Change "Controls nuisance pests outside the home" to "Controls listed nuisance pests outside the home"
5. Change "Kills and repels insects" to "Kills and repels listed insects"
6. Kills 38 listed pests [by contact].

3/17

page 3  
EPA Reg. No. 100-1302

- 7. Delete all marketing claims for "Long Lasting formula", Long Lasting protecting from insect damage" or identify the duration based on efficacy data.
- 8. Delete all marketing claims for, "Kill Fast", "Fast Kill Formula", "Fast acting formula" and "fast acting" since the product indicates it kills in 24 hours. This does not support a fast claim.

**ACUTE TOXICITY REVIEW**

STUDY	MRID	CATEGORY	CLASSIFICATION
Acute Oral	47233603	III	acceptable
Acute Dermal	47233604	IV	acceptable
Acute Inhalation	47233605	IV	acceptable
Eye Irritation	47233303	IV	acceptable
Dermal Irritation	47233304	IV	acceptable
Dermal Sensitization	47233608	negative	acceptable

A copy of the review is enclosed for your records.

3. You must generate studies corresponding to guidelines 830.6317 (one year storage stability) and 830.6320 (corrosion characteristics). The results must be submitted to the Agency along with and electronic format also.

4. Please note that a notice of availability of EPA's registration eligibility document (RED) for product containing Cypermethrin was published in the FR on August 16, 2006 (Vol 71 No 158 page 47210-47212). Additional data and/or labeling changes may be required for products containing cypermethrin.

5. Please submit two (2) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

4/17

{Mix & Spray and Hose End Spray Product Labels}

(Master label)

**Cypermethrin ME 2.0% Concentrate**

**[Insecticide For Use Around the Home: Indoors and Outdoors]** (*Mix and Spray Product*)

**[Insecticide for Use on Home Lawns]** (*Hose End Spray Product*)

Active Ingredient:	
Cypermethrin (CAS No. 52315-07-8) .....	2.08%
Other Ingredients:	97.92%
Total:	100.00%

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet [on label] [back panel].


EPA Reg. No. 100-xxxxx

EPA Est. xxxxx

Product of xxxxx  
Formulated in xxxxx

SCP xxxxA-M (draft Cyper ME 2.0% Conc)

Net Contents



---

**PRECAUTIONARY STATEMENTS**

---

**Hazards to Humans and Domestic Animals**

**CAUTION**

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

<b>FIRST AID</b>	
<b>If swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<b>HOT LINE NUMBER</b> For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call <b>1-800-888-8372</b> [Alternate phone number]	

**Environmental Hazards**

This product is extremely toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area.

---

**CONDITIONS OF SALE AND DISCLAIMERS OF WARRANTY AND LIMITATIONS OF LIABILITY**

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Disclaimers of Warranty and Limitations of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

Syngenta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with the directions under normal use conditions. You assume any and all risk of using, storing, or handling this product contrary to label instructions, or under abnormal conditions or conditions not reasonably foreseeable to Seller or Syngenta. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NEITHER SYNGENTA NOR SELLER MAKE ANY WARRANTY OF MERCHANTABILITY NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES EXCEPT AS STATED ABOVE.**

To the extent consistent with applicable law, in no event shall Syngenta or Seller be liable for any incidental, consequential, or special damages resulting from the use, storage, or handling of this product.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- People and pets may re-enter after the treated area has been allowed to dry.

---

**STORAGE AND DISPOSAL**

---

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage**

Store in a cool, dry place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

**Container Disposal** (*consumer products*)

**If empty:** Do not reuse this container. Place in trash or offer for recycling if available.  
**If partly filled:** Call your local solid waste agency or **1-800-888-8372** [Alternate phone number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Pesticide Disposal** (*bulk and mini-bulk*)

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

**Container Disposal** (*bulk and mini-bulk*)

Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling or reconditioning, or clean in accordance with manufacturer's instructions.

**Recyclable/Refillable Container Precautions** (*bulk and mini-bulk*)

Before refilling, RETURNABLE CONTAINER, inspect thoroughly for damage such as cracks, punctures, bulges, dents, abrasions, and damaged or worn threads on closure devices. **REFILL ONLY WITH CYPERMETHRIN ME 2.0% CONCENTRATE.** The contents of RETURNABLE CONTAINERS cannot be completely removed by cleaning. Refilling with materials other than Cypermethrin ME 2.0% Concentrate will result in contamination and may weaken container. After filling and before transporting, check for leaks. Do not refill or transport damaged or leaking container.

**CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!**

---

## HOW TO APPLY

---

- **Determine size of spraying job.** For lawns, measure the area to be sprayed. For landscape trees and woody ornamentals, estimate the amount of spray mixture to provide thorough coverage.
- **Carefully measure and mix** the amount of product and water as indicated in the use directions. It is always a good idea to wear water-resistant gloves when handling pesticides.
- **Spray as directed.** Thorough coverage is important. Spray just enough to cover treated area. Avoid over-wetting or spraying to the point of runoff.
- **Flush sprayer** with clean water after each use.

---

## GENERAL PRECAUTIONS

---

- Do not spray near conduits, motor housings, junction boxes, switch boxes, or other live electrical equipment due to possible shock hazard.
- Do not apply this product to edible plants or food.
- Do allow spray to contact food, food preparation surfaces, food utensils or water supplies.
- Cover all food preparation equipment, surfaces and utensils in the treatment area. Wash thoroughly with soap and water before reuse if spray reaches these items, surfaces.
- Remove pets, birds, and cover aquariums before spraying indoors.
- Do not apply to pets.
- Do not apply in rooms frequented by patients, the elderly, or the infirm.
- For indoor applications, do not apply to dripping or runoff. For overhead applications, cover all surfaces below with plastic sheeting or other material that can be disposed if dripping of the spray mixture occurs.
- For indoor applications, do not apply to whole floors, walls, etc. Limit applications to no more than 20% or surface area.
- At the recommended rates, Cypermethrin ME 2.0% Concentrate will not damage painted or varnished surfaces, plastic, fabric or other surfaces when water alone causes no damage.
- This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.



9/17

**LAWNS AND WOODY ORNAMENTALS**

**Lawn Insects**

Ants Chinch bugs Cockroaches Crickets	Fleas Ground Beetles Mole crickets Ticks
--	---

**How to apply**

- Mix 4 – 7½ fl. oz. in 8 gallons water to [cover] [treat] 1,000 sq. ft.
- [1 qt. of [Cypermethrin ME 2.0% Concentrate] treats up to 8,000 sq. ft.]
- Works best when your grass is no longer than 3 inches.
- Use the higher rate for faster control or longer length control.
- Re-treat if pests continue to be a problem.

**Fire Ants and Other Ant Mounds**

- Do not disturb the mound prior to treatment.
- Add 6 fl. oz. to a container and add enough water to make 1 gallon of mixture.
- Drench the mound and a 2 foot area around the mound.
- For best results, apply in cool weather, 65° to 80° F, or in the early morning or late evening.
- Kills the entire mound, including the queen.

**Tree and Woody Ornamental Insects**

Bark Beetles Borers Boxelder Bugs Chafers (adults)	Elm Leaf Beetles Gypsy Moths (adults and caterpillars) Japanese Beetles
---	---

**How to apply**

- Add 6 fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture.
- Boxelder Bugs, Elm Leaf Beetles, and Gypsy Moth caterpillars: For control, thoroughly spray tree trunks, siding, or wherever the insects congregate.
- Borers and Bark Beetles: To prevent infestations of trees and woody ornamentals, spray the bark thoroughly.
- Avoid spraying to the point of runoff.

**[NUSIANCE] PESTS OUTSIDE AND INSIDE THE HOME**

<b>Pest Controlled</b>	<b>How to apply</b>
Ants Asian Cockroaches Boxelder Bugs Carpenter Ants Carpenter Bees Centipedes Chiggers <sup>1</sup> Cockroaches – maintenance (includes Palmetto bugs, Waterbugs) Crickets Earwigs Elm Leaf Beetle Firebrats Fleas <sup>1</sup> Flies Ground Beetles Millipedes Mosquitoes <sup>1</sup> Pillbugs Silverfish Sowbugs	Add 6 fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture.
Bees Cockroaches – clean-out (includes Palmetto bugs, Waterbugs) Scorpions Spiders Ticks Wasps Wood Infesting Beetles	Add 11 fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture.

<sup>1</sup>Outdoor use only

**Ants** - Apply to ant trails, around doors and windows and wherever else ants may find entrance.

**Wasps and Bees** – Thoroughly spray the nest, entrance hole, and surrounding areas in the evening when insects are resting.

**Boxelder Bugs, Sowbugs, Pillbugs, Millipedes, Elm Leaf Beetles and Centipedes** – Apply around windows and doors where these pests may be found or may enter. Spray baseboards and storage areas.

**Flies** – Apply to walls, ceilings, window screens, and other fly resting areas as a preventative treatment.

**Scorpions** – Treat and remove materials that may harbor scorpions. Apply as a coarse spray, but not to the point of drip.

**OUTDOOR SURFACES**

**Where to apply**

- exterior siding, foundations
- outside surfaces of buildings, porches, patios, garages
- screens, window frames, eaves
- trunks of woody ornamentals, soil near buildings
- other areas where pests are active

**HOME [BARRIER] [PERIMETER] TREATMENT**

**Where to apply**

- to building foundation
- around windows, doors, service line entrances, eaves, and vents
- other areas where crawling insects can enter the building

**How to apply**

- Before you spray, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other material that could harbor pests next to the foundation.
- Add 6 fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture. (1 gallon of spray mixture will treat 500 sq. ft. of surface area.)
- Apply a continuous band up to 3 ft. wide next to the foundation and to 3 ft. upwards along the foundation. Spray a continuous band around windows, doors, eaves and vents.
- Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area.

**INDOORS**

**Where to apply**

- cracks and crevices in walls
- along and behind baseboards
- dark corners of rooms and closets
- beneath and behind sinks, stoves, refrigerators and cabinets
- underside of shelves, drawers and similar areas
- storage areas, attics
- around plumbing and other utility installations

---

## TREATMENT OF STRUCTURAL WOOD

---

**Termites\* Above Ground** – For control of aerial colonies of subterranean termites (including Formosan Termites) or control of drywood termites in localized areas of infested wood in structures. Add 6 – 13½ fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture and treat voids and galleries in damaged wood and in spaces between wood members and between wood and foundation.

*\*Exposed termites only. For localized control only. This product will kill termite workers or winged reproductive forms which may be present in treated [tunnels] [channels] at the time of treatment. Such applications are not a substitute for mechanical alteration or professional soil treatment or foundation treatment, but are merely a supplement. This product is not recommended as sole protection against termites. For active termite infestations, seek assistance from a professional inspector/applicator.*

**Wood Infesting Beetles** – Includes Powderpost Beetle, False Powderpost Beetle, Deathwatch Beetle, Old House Borers, and Ambrosia Beetle in homes and other structures around the home. Add 13½ fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture and apply as a coarse spray. If spraying overhead, cover all surfaces below with plastic sheeting or other material that can be disposed if dripping of the spray mixture occurs.

**Carpenter Bees** – Add 6 fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture and spray directly into the bee entrance holes. Following treatment, leave the entrance holes open for 24 hours to be certain that returning bees are killed. When there is no bee activity, close the entrance hole with wood putty.

**Carpenter Ants** – Add 13½ – 25 fl. oz. to sprayer and add enough water to make 1 gallon of spray mixture and treat around doors and windows and other areas where Carpenter Ants enter the premises and where they crawl. Spray into cracks and crevices. Apply as a coarse spray, but not to the point of runoff.

- To protect firewood from Carpenter Ants, treat the soil beneath the cords with a solution of 13½ – 25 fl. oz. and enough water to make 1 gallon. 1 gallon of mixture treats 10 sq. feet.

**Optional Comprehensive List of Marketing Claims for Mix & Spray Products:**

- [Protects Listed Areas:] [Protects] Lawns and [Woody Ornamentals] [Trees]
- [Wide Range of Control:] [Controls] Ants, Aphids, Chinch Bugs, Mole Crickets, Fleas and Ticks
- [Wide Range of Control:] [Controls] Bark Beetles, Borers, Boxelder Bugs, Elm Leaf Beetles, and Gypsy Moths
- Controls tough outdoor insects
- Kills Lawn and Woody Ornamental Insects [...including Chinch Bugs, Fleas, Fire Ants, Mosquitoes, Ants, Ticks and other listed insects]
- Kills Nuisance Pests Outside the Home
- Kills Pests on Outdoor Surfaces
- Low Odor [Formula]
- Kills Fast
- Fast Kill Formula
- Spray Concentrate
- Concentrated Insect Spray
- Kills 40 Pests [on Contact]
- \*Guaranteed Results or Your Money Back
- Satisfaction Guaranteed [or Your Money Back]
- [1 Quart] [Covers] [Treats] up to 8,000 square feet of lawn
- [1 Quart] Makes nearly 5 gallons [of spray]
- Water-based
- Long-Lasting Formula
- Fast-Acting Formula
- Lawn Insecticide
- For Lawn Insect Control
- For Broadcast and [Barrier] [Perimeter] Use
- Controls Nuisance Pests Outside the Home
- Apply as a [Barrier] [Perimeter] Treatment [Around the Home]
- Non-staining
- [Works] [Kills] in 24 Hours
- Broad Spectrum [Insect Killer] [Insecticide] [Concentrate]
- [Fast-Acting] [Long-Lasting] Formula
- For [Lawn] Insects
- Long-Lasting Protection From Insect Damage
- Kills and Repels Insects
- Kills Ticks

**Optional Fire Ant Claims for Mix and Spray Products**

- Kills Fire Ants
- Kills Fire Ant Mounds
- Kills the Queen
- Kills the Fire Ant Mound
- Kills the Queen and Mound

**Optional Product Fact Box for Mix and Spray Products**

**PRODUCT FACTS**

**CONTROLS:**

Kills Ants, Cockroaches, Fleas, Chinch Bugs, Mosquitoes, Beetles, Ticks, Fire Ants and Other Listed Insects

**WHERE TO USE:**

[Inside and outside the home] [Lawns] [and Woody Ornamentals] [and Trees]

**Questions or Comments?**

Call [800 number] or visit our Website at [www.\_\_\_\_\_.com]

15/  
/17

---

**HOW TO APPLY**

---

- **Connect a garden hose** to the [Hose End Sprayer] nozzle. Make sure the dial on the hose end sprayer is in the "OFF" position [with the safety tab in the valve notch].
- **Turn on water at faucet.** Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- **To begin spraying,** point nozzle toward treatment area and [1.) bend the safety tab back with your thumb, 2.) hold safety tab back while turning dial counter clockwise until it stops.] turn the hose end sprayer to the "ON" position. Water will automatically mix with the product. [Optional graphic of hose end sprayer]
- **Spray until wet.** Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.

**To stop spraying,** quickly turn the [dial counter clockwise until it stops and the safety tab engages into the notch on the valve] [hose end sprayer to the "OFF" position]. Turn water off at faucet. To relieve pressure before removing nozzle from hose, [bend the safety tab back and turn dial "ON"] [turn the hose end sprayer to the "ON" position] until water stops spraying.

---

**GENERAL PRECAUTIONS**

---

- Do not spray near conduits, motor housings, junction boxes, switch boxes, or other live electrical equipment due to possible shock hazard.
- Do not apply this product to edible plants.
- This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.

---

**LAWNS**

---

**Lawn Insects**

Ants	Fleas
Chinch bugs	Ground Beetles
Cockroaches	Mole crickets
Crickets	Ticks

**How to apply**

- Use 1 qt. of [Cypermethrin ME 2.0% Concentrate] to [cover] [treat] up to 8,000 sq. ft. of lawn.
- Works best when your grass is no longer than 3 inches.
- Use the higher rate for faster control or longer length control.
- Re-treat if pests continue to be a problem.

16/17

**Optional Comprehensive List of Marketing Claims for Hose End Spray Products**

- [Protects] Lawns
- [Wide Range of Control:] [Controls] Ants, Chinch Bugs, Mole Crickets, Fleas and Ticks
- Controls tough outdoor insects
- Kills Lawn Insects [...including Chinch Bugs, Fleas, Ants, Ticks and other listed insects]
- Low Odor [Formula]
- Kills Fast
- Fast Kill Formula
- Connect and Spray [Optional for hose-end sprayer]
- Spray Concentrate
- Concentrated Insect Spray
- Kills [on Contact]
- \*Guaranteed Results or Your Money Back
- Satisfaction Guaranteed [or Your Money Back]
- [1 Quart] [Covers] [Treats] up to 8,000 square feet of lawn
- Water-based
- Long-Lasting Formula
- Fast-Acting Formula
- Lawn Insecticide
- For Lawn Insect Control
- [Works] [Kills] in 24 Hours
- Broad Spectrum [Insect Killer] [Insecticide] [Concentrate]
- [Fast-Acting] [Long-Lasting] Formula
- For [Lawn] Insects
- Long-Lasting Protection From Insect Damage
- Kills and Repels Insects
- Kills Ticks

**Optional Product Fact Box for Hose End Spray Product**

**PRODUCT FACTS**

**CONTROLS:**

Kills Ants, Cockroaches, Fleas, Chinch Bugs, Ticks, and Other Listed Insects

**WHERE TO USE:**

Lawns

**Questions or Comments?**

Call [800 number] or visit our Website at [www.\_\_\_\_\_.com]



17/  
17

---

The Syngenta logo is a trademark of a Syngenta Group Company  
©2007 Syngenta

For non-emergency (e.g., current product information) call Syngenta Crop Protection at 1-800-334-9481.
---

Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, North Carolina 27419-8300  
[www.syngenta-us.com](http://www.syngenta-us.com)

SCP xxxxA-M (draft Cyper ME 2.0% Conc)

Cyper ME 2.0% Conc-Ig-9-12-07 000100-xxxxx.20070914.cyperConc.pdf