

100-1308

8/22/2012

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ruhi Rezaaiyan Ph D
Senior Regulatory Product Manager
Syngenta Crop Protection LLC
P O Box 18300
Greensboro NC 27419 8300

AUG 22 2012

Subject Graduate A+™
EPA Reg No 100 1308
EPA Decision Number 447547
Your supplemental label submitted on March 28 2011 for proposed use on Fruit citrus group 10-10

Dear Dr Rezaaiyan

The label referred to above submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended is acceptable

One copy of the label stamped Accepted is enclosed for your records This label supersedes all labels previously accepted for this product Please submit one copy of the final printed label before the product is released for shipment You must incorporate this supplemental label into your master label within 18 months or at your next label printing whichever comes first If you have any questions please contact Heather Garvie by phone at 703 308 0034 or via email at garvie.heather@epa.gov

Sincerely

A handwritten signature in cursive script that reads "Cynthia Giles Parker for".

Cynthia Giles Parker
Acting Product Manager 20
Fungicide Branch
Registration Division

Enclosure Stamped supplemental label Accepted

SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC
P O Box 18300
Greensboro North Carolina 27419 8300
SCP

Graduate A+™

Fungicide

This supplemental label expires on 08/12/2015 and must not be used or distributed after this date

Active Ingredients	
Fludioxonil (CAS No 131341 86 1)	20 6%
Azoxystrobin methyl (E) 2 {2 [6 (2 cyanophenoxy) pyrimidin 4 yloxy]phenyl} 3 methoxyacrylate*	20 6%
Other Ingredients	58 8%
Total	100 0%


Graduate A+ is a flowable suspension concentrate
Graduate A+ contains 1 99 lb a i fludioxonil and 1 99 lb a i azoxystrobin per gallon
*IUPAC

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg 100 1308

All applicable directions, restrictions and precautions on the EPA registered label are to be followed Before using Graduate A+ as permitted according to this Supplemental Labeling, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container This Supplemental Labeling contains revised use instructions and/or restrictions that may be different from those that appear on the container label This Supplemental Labeling must be in the possession of the user at the time of pesticide application It is a violation of Federal Law to use this product in a manner inconsistent with its labeling



DIRECTIONS FOR USE

Citrus Fruit Crop Group 10 10

Australian desert lime (*Eremocitrus glauca*) Australian finger lime (*Microcitrus australasica*) Australian round lime (*Microcitrus australis*) Brown River finger lime (*Microcitrus papuana*) Calamondin (*Citrofortunella microcarpa*) Citron (*Citrus medica*) Citrus hybrids *Citrus* spp *Eremocitrus* spp *Fortunella* spp *Microcitrus* spp and *Poncirus* spp Grapefruit (*Citrus paradise*) Japanese summer grapefruit (*Citrus natsudaidai*) Kumquat (*Fortunella* spp) Lemon (*Citrus limon*) Lime (*Citrus aurantiifolia*) Mediterranean mandarin (*Citrus deliciosa*) Mount White lime (*Microcitrus garrowayae*) New Guinea wild lime (*Microcitrus warburgiana*) Orange sour (*Citrus aurantium*) Orange sweet (*Citrus sinensis*) Pummelo (*Citrus maxima*) Russell River lime (*Microcitrus inodora*) Satsuma mandarin (*Citrus unshiu*) Sweet lime (*Citrus limetta*) Tachibana orange (*Citrus tachibana*) Tahiti lime (*Citrus latifolia*) Tangelo (*Citrus x tangelo*) Tangerine (Mandarin) (*Citrus reticulata*) Tangor (*Citrus nobilis*) Trifoliolate orange (*Poncirus trifoliata*) Uniq fruit (*Citrus aurantium* Tangelo group) cultivars varieties and/or hybrids of these

Use Graduate A+ as a post harvest dip drench flood or spray for the control of certain post harvest fruit rots caused by

- Green or Blue mold (*Penicillium* spp)
- Diplodia stem end rot (*Lasiodiplodia theobromae*)
- Phomopsis stem end rot (*Diaporthe citri*)
- Gray mold (*Botrytis cinerea*)

Application Method	Disease	Rate (fl oz)	Remarks
In Line Dip/Drench	Green mold Blue mold Diplodia stem end rot Gray mold	32 64 fl oz /100 gal	<ul style="list-style-type: none"> • Mix 32 64 fl oz of Graduate A+ in 100 gal of an appropriate water wax/oil emulsion or aqueous dilution of wax/oil emulsion • Dip for a minimum of 30 seconds and allow fruit to drain
In Line Aqueous or Fruit Coating Spray Application	Green mold Blue mold Diplodia stem end rot Gray mold	32 64 fl oz /250 000 lb of fruit	<ul style="list-style-type: none"> • Ensure proper coverage of the fruit • Mix the fungicide solution in an appropriate water wax/oil emulsion or aqueous dilution of a wax/oil emulsion for the crop being treated • Use T jet CDA flood jet or similar application system
For maximum decay control treat fruit once before storage and once after storage just prior to marketing Do not make more than two applications to citrus fruit			
<ul style="list-style-type: none"> • Ensure the Graduate A+ solution remains in suspension by using agitation • Graduate A+ may be degraded by exposure to direct sunlight Treated fruit should not be stored in direct sunlight 			

Graduate A+™ and the Syngenta logo are trademarks of a Syngenta Group Company

©2012 Syngenta

GRA A+ 1308 MAS 0409 TOL PET B SUP 0211 CLEAN – df – 7/11/12
000100 01308 20110221B GRA_A+ TOLPET B SUP 0211 CLEAN PDF