

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms Pat Dinnen Syngenta Crop Protection P.O.BOX 18300 Greensboro, NC 27419

JAN 1 2 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 31, 2009 for:

EPA Registration 100-1311 Quadris Ridomil Gold ® SL

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

	Jnited	States		strati ہے آ	on	OPP Identifier Number
⊕EPA	Environmental Pr	rotection Agency		Amendme		Notification
77 100 7 1	Washington		×	Other		
	Ap	plication for Pesticide	- Section			
Company/Product Nu 00-1311			Product Ma		3.	Proposed Classification
Company/Product (N		PM#	CI		X	None Restricted
uadris Ridomil Gold Name and Address o	d SL of Applicant <i>(Include ZIP Code)</i>	21	alteral Devel			FIFTH Continue 2/a\/2\ /b\/i\
	p Protection, Inc.					FIFRA Section 3(c)(3) (b)(i), and labeling to:
Greensboro, N		EPA Reg. N	lo	 		
Check į	if this is a new address	Product Na	me			
		Section - II				
Amendment - Ex	rolain helow		Einal	printed labels i	n reconn	e to
	response to Agency letter date	-d -	Agen	cy letter dated oo" Application	NO.	TIFICATION
X Notification - Exp		~ L		- Explain belo		AN 1 2 2010
	· · · · · · · · · · · · · · · · · · ·	L		- Explain belo	w. <i>Jf</i>	
	ditional page(s) if necessary	,	,.			
	d penalties under sections 12	2 and 14 of FIFRA.			f FIFRA	and I may be subject t
yngenta is amending		2 and 14 of FIFRA.		violation o	f FIFRA	and I may be subject t
yngenta is amending	d penalties under sections 12	2 and 14 of FIFRA. section of the label by No		violation o	f FIFRA	and I may be subject t
yngenta is amending 007-4. Material This Produ	the Storage and Disposal states	2 and 14 of FIFRA. section of the label by No	otification	according to	f FIFRA	and I may be subject to
yngenta is amending 007-4. Material This Produ	the Storage and Disposal state will Be Packaged In: g Unit Packaging	2 and 14 of FIFRA. section of the label by No Section – III Water Soluble	otification	according to	f FIFRA the dire	and I may be subject to ections stated in PR Notice
yngenta is amending 007-4. Material This Produ	the Storage and Disposal states	2 and 14 of FIFRA. section of the label by No	otification	according to	f FIFRA the dire	and I may be subject to ections stated in PR Notice ontainer Metal Plastic
Material This Produ	the Storage and Disposal state will be Packaged In: Unit Packaging Yes No	Section – III Water Soluble Yes	otification	according to	the direction	and I may be subject to ections stated in PR Notice ontainer Metal
yngenta is amending 007-4. Material This Produ hild-Resistant Packaging Yes* No Certification must	the Storage and Disposal state will be Packaged In: Unit Packaging Yes No	Section – III Water Soluble X No	e Packaging	according to	the direction	and I may be subject to ections stated in PR Notice container Metal Plastic Glass
Material This Produ hild-Resistant Packaging Yes* No Pertification must a submitted	the Storage and Disposal state Storage and Dispo	Section of the label by No Section – III Water Soluble	e Packaging	according to 2.	the direction of Lation of Lation of Lation of Lation of Latin 2 and 1 a	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions
yngenta is amending 007-4. Material This Produ hild-Resistant Packaging Yes* No Certification must e submitted	the Storage and Disposal state Storage and Dispo	Section of the label by No Section – III Water Soluble	e Packaging	according to	the direction of Laboration of Lab	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions
yngenta is amending 007-4. Material This Produ hild-Resistant Packaging Yes* No Certification must e submitted Location of Net Conte	the Storage and Disposal state Storage and Dispo	Section of the label by No Section – III Water Soluble	e Packaging	according to 2.	the direction of Laboration of Lab	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions iel ieling accompanying product
yngenta is amending 007-4. Material This Produ hild-Resistant Packaging Yes* No Certification must e submitted Location of Net Conte	the Storage and Disposal state Storage and Dispo	Section of the label by No Section – III Water Soluble	e Packaging No. p	according to 2.	Type of C x ation of Lab On Lab	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions el eling accompanying product
Material This Produ hild-Resistant Packaging Yes* No Certification must a submitted Location of Net Conte	the Storage and Disposal state Storage and Dispo	Section of the label by No Section – III Water Soluble	e Packaging No. p	according to 2.	Type of C x ation of Lab On Lab	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions iel ieling accompanying product
Material This Production of Net Contact Point (Comp.	the Storage and Disposal state Storage and Dispo	Section of the label by No Section – III Water Soluble Yes X No No. per Container Unit Packaging 4. Size(s) Retail Container 240 fl oz Lithograph Paper glued Stenciled Section – IV Ventification of individual to be	Packaging No. p	according to accor	Type of C x ation of Lab On Lab	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions sel seling accompanying product sensitive this applicatjön:),
yngenta is amending 007-4. Material This Produ hild-Resistant Packaging Yes* No Certification must e submitted Location of Net Context Label Manner in Which Labet Contact Point (Compare)	the Storage and Disposal state Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Tents Information Container Deal is Affixed to Product	Section – III Water Soluble Yes X No No. per If "Yes" Container Unit Packaging 1 4. Size(s) Retail Container 240 fl oz Lithograph Paper glued Stenciled Section – IV Ventification of individual to be Title Label Group Lead	Packaging No. p	according to accor	Type of C x ation of Lab On Lab	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions rel reling accompanying product rensitive this application; one No. (Include Area Code)
yngenta is amending 007-4. Material This Product of the product o	the Storage and Disposal state	Section of the label by No Section — III Water Soluble Yes X No No. per Container Unit Packaging Lithograph Paper glued Stenciled Section — IV Interpretation of individual to be Title Label Group Lead Certification m and all attachments thereto	Packaging No. p wgt. contacted, der are true, a	according to accor	Type of C x ation of Lab On Lab On Lab ressure S Telepho	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions rel reling accompanying product rensitive this application; one No. (Include Area Code) 222494 6. Eato Application Received
Material This Produ hild-Resistant Packaging Yes* No Certification must e submitted Location of Net Conte X Label Manner in Which Lab Contact Point (Companie at Dinnen I certify that the state I acknowledge that as both under applicable	the Storage and Disposal state	Section of the label by No Section — III Water Soluble Yes X No No. per Container Unit Packaging 4. Size(s) Retail Container 240 fl oz Lithograph Paper glued Stenciled Section — IV Ventification of individual to be Title Label Group Lead Certification m and all attachments thereto ng statement may be punishal	Packaging No. p wgt. contacted, der are true, a	according to accor	Type of C x ation of Lab On Lab On Lab ressure S Telepho	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions el eling accompanying product ensitive this application), one No. (Include Area Code) 222494 6. Eate Application Received (Stamped)
yngenta is amending 007-4. Material This Product in the Product i	the Storage and Disposal state	Section of the label by No Section — III Water Soluble Yes X No No. per Container Unit Packaging 4. Size(s) Retail Container 240 fl oz Lithograph Paper glued Stenciled Section — IV Interpolation of individual to be Title Label Group Lead Certification m and all attachments theretong statement may be punishall	Packaging No. p wgt. contacted, der are true, a	according to accor	Type of C x ation of Lab On Lab On Lab Tessure S Telepho	ontainer Metal Plastic Glass Paper Other (Specify) abel Directions rel reling accompanying product rensitive this application; one No. (Include Area Code) 222494 6. Eato Application Received (Stamped)

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com



FedEx

August 31, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Linda Arrington

SUBJECT: QUADRIS RIDOMIL GOLD® SL

EPA REG. NO. 100-1311

NOTIFICATION OF LABEL CHANGE PER PR NOTICE 2007-4

Syngenta Crop Protection, Inc. is submitting Notification for Quadris Ridomil Gold SL, EPA Reg. No. 100-1311. Syngenta is amending the Storage and Disposal section of the label by Notification according to the directions stated in PR Notice 2007-4.

Attached are:

- One copy of the label with the changes clearly marked
- One unmarked copy of the label
- A CD of the unmarked copy of the label for "Electronic Comparison and Review"
- Certificate with Respect to Label Integrity Form
- Completed EPA Form 8570-1

Thank you in advance for approving this Notification. If you have any questions, please contact me at 336-632-2494.

Sincerely,

Pat Alinnen

Pat Dinnen Label Group Leader Regulatory Affairs

Enclosures

GROUP 4 11 FUNGICIDES

Quadris Ridomil Gold® SL

Fungicide

A co-pack of azoxystrobin and mefenoxam for broad-spectrum disease control in potatoes.

NOTIFICATION

Quadris® Flowable	IAN 1 a agus
Active Ingredient:	JAN 1 2 2010
Azoxystrobin: methyl(E)-2-{2-[6-(2-cyanophenoxy)	
pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate*	22.9%
Inert Ingredients:	77.1%
Total:	100.0%

Contains 2.08 lbs. of active ingredient per gallon. *IUPAC

120 fl. oz.

Ridomil Gold® SL

Active Ingredients:	
Mefenoxam*	45.3%
Other Ingredients:	54.7%
Total:	100.0%

*CAS Nos. 70630-17-0 and 69516-34-3

Contains 4 lbs. active ingredient per gallon.

120 fl. oz.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use inside booklet.

EPA Reg. No. 100-1311

EPA Est. 39578-TX-1

SCP 1311A-L1 0608

240 fl. oz.

Total Net Contents

50f19

	FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
if swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. t container or label with you when calling a poison control center or
doctor, or going	
	HOT LINE NUMBER Hour Medical Emergency Assistance (Human or Animal) or nical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Some materials that are chemically resistant to this product are listed below. If you want more options follow the instructions for Category A on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber or butyl rubber
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

Notify state and/or federal authorities and Syngenta immediately if you observe any adverse environmental effects due to use of this product.

Azoxystrobin can be persistent for several months or longer. Azoxystrobin has degradation products which have properties similar to chemicals which are known to leach through soil to groundwater under certain conditions as a result of agricultural use.

Solution in the persistent for several months or longer. Azoxystrobin has degradation products which have properties similar to chemicals which are known to leach through soil into groundwater under certain conditions as a result of agricultural use.

Use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. This product is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

ٔ رززز ز ز زرز

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Quadris Ridomil Gold SL is extremely phytotoxic to certain apple varieties.

AVOID SPRAY DRIFT. Extreme care must be used to prevent injury to apple trees (and apple fruit).

DO NOT spray Quadris Ridomil Gold SL where spray drift may reach apples.

AVOIDING SPRAY DRIFT IS THE RESPONSIBILITY OF THE APPLICATOR.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Worker entry into treated areas is allowed immediately (0 hours) after application.

This product is soil-incorporated. The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

FAILURE TO FOLLOW THE USE DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN PLANT INJURY OR POOR DISEASE CONTROL.

ON THIS CONTRACTOR OF THE CONT

GENERAL INFORMATION

Quadris Ridomil Gold SL is a broad-spectrum preventative fungicide with systemic properties for control of many soil-borne plant diseases. All applications should be made according to the use directions that follow.

Quadris Ridomil Gold SL can provide control of many soil-borne diseases when applied as an in-furrow application at planting. In-furrow applications will provide control of preor postemergence damping off and diseases that infect plants at the soil-plant interface.

Chemigation

Do not apply this product through any type of irrigation equipment.

GENERAL USE PRECAUTIONS

Rotational Crop Restrictions

Rotational Crop	Planting Time From Last Quadris Ridomil Gold SL Application		
Brassica, Head and Stem subgroup	0 Days		
Carrot			
Cotton			
Cucurbits			
Eggplant			
Bulb Vegetables			
Legume Vegetables			
Peanuts			
Potatoes			
Strawberries			
Sugar beets			
Tomatoes			
Soybeans		<u></u>	
Cereal Grains (other than Corn)	14 days		
Leafy Vegetables (Except Brassica)	36 Days		
Brassica, Leafy Greens subgroup; Vegetables, Root			
subgroup; Vegetables, Tuberous and corm subgroup; and			
Vegetables, Leaves of Root and tuber group.		,,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Corn	9 months	ر د و	
All Other Rotated Food or Feed Crops	12 months	3221	
	933333	ر د د د	
	. د د د د د))))	
	ر د د د	٠	
	,,,,,	2	
	,,,,,	ر زند.	
		.,,,,	

RESISTANCE MANAGEMENT

GROUP 4 11 FUNGICIDES

Quadris Ridomil Gold SL Fungicide is a mixture of a Group 4 (mefenoxam) and a Group 11 (azoxystrobin) fungicide: Quadris Ridomil Gold SL has two modes of action: (1) Phenylamides affects RNA Synthesis [Group 4], and (2) inhibitor of the Qo (quinone outside) site within the electron transport system (Qol) as well as disrupting membrane synthesis by blocking demethylation [Group 11]. Fungal pathogens can develop resistance to products with the same mode of action when used repeatedly. Because resistance development cannot be predicted, use of this product should conform to resistance management strategies established for the crop and use area. Consult your local or State agricultural authorities for resistance management strategies that are complementary to those in this label. Resistance management strategies may include rotating and/or tank-mixing with products having different modes of action or limiting the total number of applications per season. Syngenta Crop Protection encourages responsible resistance management to ensure effective long-term control of the fungal diseases on this label.

Quadris Ridomil Gold SL should not be alternated or tank mixed with any fungicide to which resistance has already developed.

INTEGRATED PEST (DISEASE) MANAGEMENT

Quadris Ridomil Gold SL should be integrated into an overall disease and pest management strategy whenever the use of a fungicide is required. Cultural practices known to reduce disease development should be followed. The **SPECIFIC USE DIRECTIONS** section in this label identifies specific IPM recommendations for each crop. Consult your local agricultural authorities for additional IPM strategies established for your area.

APPLICATION PROCEDURES

Apply Quadris Ridomil Gold SL as an in-furrow spray in 3-15 gals. of water per acre at planting. Mount the spray nozzle so the spray is directed into the furrow just before the seed are covered. Use the higher rate when the weather conditions are expected to be conducive for disease development, if the field has a history of Pythium problems, or if minimum/low till programs are in place. Quadris Ridomil Gold SL may be applied with all types of spray equipment commonly used for making in-furrow applications. Proger adjustments and calibration of spraying equipment is essential for good disease control.

MIXING/SPRAYING

To prepare spray solution, partially fill the spray tank with clean water and begin agitation. Invert the Quadris Ridomil Gold SL jug several times to suspend any sediment and open the container. Once the container is opened, the entire contents must be added to the spray tank, allowing time for good dispersion. Finish filling the tank to the desired volume to obtain the proper spray concentration. Maintain agitation throughout the spraying operations. Do not allow spray mixture to stand overnight or for prolonged periods. Make up only the amount of spray required for immediate use. Sprayers should be thoroughly cleaned immediately after application.

Quadris Ridomil Gold SL is compatible with many commonly used fungicides, liquid fertilizers, herbicides, insecticides and biological control products. If tank mixes are desired, observe all directions, precautions, and limitations on labeling of all products used. Consult compatibility charts or your local or state agricultural authorities for compatibility information. Conduct a physical compatibility test as described in the paragraph below before making a field application.

Do not combine Quadris Ridomil Gold SL in the spray tank with pesticides, surfactants or fertilizers, unless compatibility charts or your own prior use has shown that the combination is physically compatible, effective and non-injurious under your conditions of use. If physical compatibility is unknown, the following procedure should be followed: Pour the recommended proportions of the products into a suitable container of water, mix thoroughly and allow to stand at least twenty (20) minutes. If the combination remains mixed or can be re-mixed readily, the mixture is considered physically compatible.

SPECIFIC USE DIRECTIONS

		Use Rate fl. oz./1000	
Crop	Target Diseases	ft of row	Remarks
Potato	Rhizoctonia canker (Rhizoctonia solani) Pythium seedling blight and root rot (Pythium spp.) Black dot (Colletotrichum coccodes) Pink rot (Phytophthora erythroseptica) Leak (Pythium spp.)	0.82	Integrated Pest (Disease) Management: Quadris Ridomil Gold SL should be integrated into an overall disease management strategy that includes selection of varieties with disease tolerance, optimum plant populations, proper fertilization, plant residue management, crop rotation and proper water management. Use the entire contents of the Quadris Ridomil Gold SL container once it is opened. See Table 2. Apply Quadris Ridomil Gold SL as an in- furrow spray in 3-15 gals. of water per acre at planting. Mount the spray nozzle so the spray is directed into the furrow just before the seed are covered. Do not apply more than 1.5 lb. a.i. of azoxystrobin-containing products per acre per season. Do not apply more than 0.5 lb. a.i. of mefenoxam-containing products per acre per season.

Table 1. Amount of Quadris Ridomil Gold SL (fluid ounces) per Acre Based on Row Spacing

Rate per 1	000 Row Feet	22" Rows	30" Rows	32" Rows	34" Rows	36" Rows	38" Rows	40" Rows
Fluid ounces of Product	Ounces of active ingredient (mefenoxam, (azoxystrobin)		Pro	duct per	Acre (fl	uid ound	ces)	•
0.82	0.013, 0.007	19.5	14.3	13.4	12.6	11.9	11.3	10.7

40" = 13,068 row ft., 38" = 13,754 row ft., 36" = 14,520 row ft., 34" = 15,374 row ft., 32" = 16,315 row ft., 30" = 17,424 row ft., and 22" = 23,760 row ft./Acre

Table 2. Number of Acres per Jug (240 fluid ounces) Based on Row Spacing

Use Rate	22" Rows	30" Rows	32" Rows	34" Rows	36" Rows	38" Rows	40" Rows
			Ac	res Treat	ed		
0.82 fl. oz./1000 row ft.	12	17	18	19	20	21	22

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store in original containers only. Store in a cool place. Protect from excessive heat. Keep container closed when not in use. Do not store near food or feed. In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to the label.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Handling

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER.

Quadris Ridomil Gold® SL, Ridomil Gold®, the Syngenta logo and the CP FRAME Are trademarks of a Syngenta Group Company.

©2008 Syngenta

For non-emergency (e.g., current product information) call Syngenta Crop Protection at 1-800-334-9481

Manufactured for Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300 www.syngenta-us.com

SCP 1311A-L1 0608

BASE LABEL

GROUP 4 11 FUNGICIDES

Quadris Ridomil Gold® SL

Fungicide

A co-pack of azoxystrobin and mefenoxam for broad-spectrum disease control in potatoes.

Quadris® Flowable

Active Ingredient:

Azoxystrobin: methyl(*E*)-2-{2-[6-(2-cyanophenoxy)

pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate*	22.9%
Inert Ingredients:	77.1%
Total:	100.0%

Contains 2.08 lbs. of active ingredient per gallon.

*IUPAC

120 fl. oz.

Ridomil Gold® SL

Active	Ingred	ients:
--------	--------	--------

Mefenoxam*	45.3%
Other Ingredients:	54.7%
Total:	100.0%

^{*}CAS Nos. 70630-17-0 and 69516-34-3

Contains 4 lbs. active ingredient per gallon.

120 fl. oz.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use inside	booklet.	3333 3333
EPA Reg. No. 100-1311		3 33 3 3 33 3
EPA Est. 39578-TX-1	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3)))))
SCP 1311A-L1 0608	11111	3333 33333 33333
240 fl. oz. Total Net Contents	37377) , , , , , , , , , , ,

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

FIRST AID	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
Have the production doctor, or going	t container or label with you when calling a poison control center or for treatment.
	HOT LINE NUMBER Hour Medical Emergency Assistance (Human or Animal) or nical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful

180+19

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

Notify state and/or federal authorities and Syngenta immediately if you observe any adverse environmental effects due to use of this product.

Azoxystrobin can be persistent for several months or longer. Azoxystrobin has degradation products which have properties similar to chemicals which are known to leach through soil to groundwater under certain conditions as a result of agricultural use. Mefenoxam is known to leach through soil into groundwater under certain conditions as a result of agricultural use.

Use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. This product is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store in original containers only. Store in a cool place. Protect from excessive heat. Keep container closed when not in use. Do not store near food or feed. In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to the label.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Handling

Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tark and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tark or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins with tark or store rinsate for later use and disposal. Drain for 10 seconds after the flow begins with tark or store rinsate for later use and disposal. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER.

Quadris Ridomil Gold® SL, Ridomil Gold®, and the Syngenta logo are trademarks of a Syngenta Group Company.

©2008 Syngenta

For non-emergency (e.g., current product information) call Syngenta Crop Protection at 1-800-334-9481

Product of Switzerland Formulated in the USA

Manufactured for Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300 www.syngenta-us.com

SCP 1311A-L1 0608

Quadris Ridomil Gold SL 1311A-L1 0608- bb - 6-18-08 Quadris Ridomil Gold SL 1311A-L1 0608 PRN2007-4 NOTIF-AUG2009 CLEAN - pl - 8/26/09 000100-01311.20090826.QUA-RID-GOL-SL_PRN2007-4_AUG2009.pdf