

100-1324

12/19/2012

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Ruhi Rezaaiyan
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419

DEC 19 2012

Subject: Quilt Xcel
EPA Reg. No. 100-1324
Amendment to add sugarcane via supplemental label
Decisions 451263 & 455323

Dear Dr. Rezaaiyan,

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable. A copy of the supplemental label stamped "Accepted" is enclosed for you review. If you have any questions, please contact Shaunta Hill at 703-3437-8961 or by email at hill.shaunta@epa.gov or Erin Malone at 703-347-0253 or by email at malone.erin@epa.gov.


Sincerely,

A handwritten signature in black ink that reads "William Cutchin".

William Cutchin
Acting Product Manager 20
Fungicide Branch
Registration Division (7504P)

SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, North Carolina 27419-8300
SCP



Quilt Xcel®
Fungicide

Broad spectrum fungicide for control of plant diseases

Active Ingredients:	
Azoxystrobin.....	13.5%
Propiconazole	11.7%
Other Ingredients:	74.8%
Total:	100.0%

Contains 1.02 lbs. a.i. propiconazole and 1.18 lbs. a.i. azoxystrobin per gallon.

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. 100-1324

This supplemental label expires on 1/3/2016 and must not be used or distributed after this date.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed. Before using Quilt Xcel Fungicide as permitted according to this Supplemental Labeling, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and/or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



DIRECTIONS FOR USE

Crop	Target Diseases	Use Rate fl. oz. product/A (lb. a.i./A)	Remarks
Sugarcane	Brown Rust (<i>Puccinia melanocephala</i>) Orange Rust (<i>Puccinia kuehnii</i>)	16 - 22	Begin applications prior to rust development and continue throughout the season every 14-28 days following resistance management guidelines. Scout fields and begin applications at the earliest sign of rust. Applications may be made by ground, air or chemigation.

Specific Use Restrictions:

- Do not apply more than 88 fl. oz./A/season of Quilt Xcel.
- Do not apply within 30 days of harvest (30-day PHI).
- Do not apply more than 0.80 lb. a.i. of azoxystrobin-containing products per season.

Quilt Xcel® and the Syngenta logo are trademarks of a Syngenta Group Company

©2011 Syngenta

QUILT XCEL 1324 MAR11 TOL PET SUPPLEM 3-29-11-B – pd – 11/29/12
000100-01324.20110329B.QUILT_XCEL-MAR11-TOLPET-SUPPLEM.PDF

QUILT XCEL 1324 MAR11 TOL PET SUPPLEM 3-29-11-C-CLEAN – df – 12/6/12
000100-01324.20110329C.QUILT_XCEL-MAR11-TOLPET-SUPPLEM-C-CLEAN.PDF