-1353

11/19/20

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

November 19, 2009

Carolyn F. Brinkley Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419

Dear Ms. Brinkley,

Subject: Alternate Brand Name Notification per Pesticide Registration Notice 98-10

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10, dated November 5, 2009, for the product "Avicta Duo 250," EPA Registration Number 100-1353.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The information submitted with the application has been stamped "Notification" and will be placed in our records. The alternate brand name "Avicta Duo 250 Corn" will be added to the records.

If you have any questions, please contact me directly at 703-308-8735 or email me at chao.julie@epa.gov.

Sincerely,

Hune Alao

.....

Julie A. Chao Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

Please read instructions on re	verse before cr inting f	orm.			2 /d
\$€PA	d Sta		Re	ion	OPP Identifier Number
YEFA	Washington, D	•••	× Other		
	Appli	cation for Pesticide -	Section I		
1. Company/Product Number 100-1353		2. EPA Thomas H	Product Manager arris	3. Prop	osed Classification
4. Company/Product (Name) AVICTA® DUO 250		IRB 07			one x Restricted
 Name and Address of Appl Syngenta Crop Protec P. O. Box 18300 	tion, Inc.	my product i	s similar or identical in		A Section 3(c)(3) (b)(i), labeling to: ATION
Greensboro, NC 2741	9 is a new address	EPA Reg. N		NOV 1	9 2009
				·····	
		Section - II			
Amendment - Explain b	elow. nse to Agency letter dated _		Final printed labels Agency letter date	d .	
X Notification - Explain be		L_	"Me Too" Applicati Other - Explain be		
he alternate brand name 2009, with comments, and The label copy code is SC	these revisions have				EFA UN OCIODER 27,
1. Material This Product Wil	Be Packaged In:	Section – III			
Child-Resistant Packaging Yes* No	Unit Packaging Yes No	Water Soluble	Packaging 2.	Type of Conta Met Pla Gla	al. stic
*Certification must be submitted		. per If "Yes" ntainer Unit Packaging v	No. per gt. container	Pap Oth	er (Specify)
Location of Net Contents In Label Co	formation 4.	Size(s) Retail Container	5. L	ocation of Labe On Label On Labelin	Directions accompanying product
6. Manner in Which Label is A	ffixed to Product	Lithograph Paper glued Stenciled	Other		
		 Section – IV			
. Contact Point (Complete it	ems directly below for ident	fication of individual to be o	ontacted, if necessary		
_{lame} Carolyn F. Brinkley		Title Sr. Regulatory Pro Insecticides	duct Manager		No. (Include Area Code) 28နိ8္လင္ရင္ရင္
I certify that the statements I acknowledge that any kno both under applicable law.	I have made on this form a	ertification nd all attachments thereto tatement may be punishab		ent or c c c c c c c c c c c c c c c c c c	6. Date Application
	F. Brindley	3. Title Sr. Regulatory Pro	luct Manager	((((((((((((((((((((
4. Typed Name Carolyn F. Brinkley		^{75.} Date November 5, 2009			() (() (. ((

.

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

k

.

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com

syngenta

VIA FEDERAL EXPRESS

November 5, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

ATT: Ms. Linda Arrington

SUBJECT: AVICTA® DUO 250

EPA REG. NO. 100-1353

NOTIFICATION OF ALTERNATE BRAND NAME OF "AVICTA DUO 250 CORN"

Gentlemen:

Syngenta Crop Protection Inc., is submitting a Notification for Avicta Duo 250 (EPA Reg. No. 100-1353) which proposes the alternate brand name of "**Avicta Duo 250 Corn**". The Avicta Duo 250 label was approved by the EPA on October 27, 2009, with comments, and these revisions have been included in this master label copy.

The label copy code is SCP 1353A-M(Notif).

To complete this Notification, EPA form 8570-1 is enclosed.

If you have any questions about this submission, please contact me at (336) 632-2838 or at <u>carolyn.brinkley@syngenta.com</u>.

Sincerely, Esinbley

Carolyn F. Orinkley Sr. Regulatory Product Manager Insecticides

Enclosures:	2 copies of labeling (1 with changes highlighted)
	EPA Form 8570-1
cc: Thomas Ha	rris IRB

00000 00000

RESTRICTED USE PESTICIDE DUE TO TOXICITY

1

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Avicta® Duo 250 Com

Nematicide/Insecticide

A Seed Treatment Product to Protect Corn Seedlings from Early Season Nematode and Insect Damage

For use only in Syngenta-certified corn seed treatment facilities and only in seed treatment equipment with closed transfer and application systems. Not for use in hopper box, planter box, slurry box, or other farmer-applied applications.

Active Ingredients:

Abamectin (C)	AS No. 65195-56-4 and No. 65195-55-3)	
	n (CAS No. 153719-23-4)	
Other Ingredie	ents:	74.5%
Total:	3	100:0%

*1 fluid ounce of Avicta Duo 250 <u>Corn</u> contains 3.72 grams of abamectin and 4.65 grams of thiamethoxam.

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-1353 EPA Est. XXXX

SCP 1353A-M(Notif)

Net Contents

NOTIFICATION

NOV 1 9 2009

2

5/20

	FIRST AID	
If inhaled	Move person to fresh air.	
	If person is not breathing, call 911 or an ambulance, then give	
	artificial respiration, preferably by mouth-to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice.	
If swallowed	 Call poison control center or doctor immediately for treatment advice. 	
	Have person sip a glass of water if able to swallow.	
	 Do not induce vomiting unless told to do so by the poison control center or doctor. 	
	 Do not give anything by mouth to an unconscious person. 	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
	Remove contact lenses, if present, after the first 5 minutes, then	
	continue rinsing eye.	
10	Call a poison control center or doctor for treatment advice.	
If on skin or	Take off contaminated clothing.	
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
	ct container or label with you when calling a poison control center or	
doctor, or going		
	HOT LINE NUMBER	
	^r 24-Hour Medical Emergency Assistance (Human or Animal)	
Or C	Chemical Emergency Assistance (Spill, Leak, Fire or Accident)	
Call		
·	1-800-888-8372	

. . .

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING/AVISO

May be fatal if inhaled or swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Do not breathe vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

The following personal protective equipment and clothing are required when using this product:

Personal Protective Equipment

- I. Seed Treatment Workers
 - A. Workers involved with treating the seed (e.g. connecting and disconnecting hoses and transfer pumps, mixing, equipment calibration, etc.) must wear:
 - Chemical resistant gloves made of any waterproof material Category A (e.g., natural rubber ≥ 14 mils)
 - Protective eyewear
 - Coveralls over long sleeved shirt and long pants
 - Chemical-resistant apron
 - Shoes and socks

B. Workers Filling Seed Containers/Baggers and Bag Sewers must wear:

- NIOSH-approved respirator with any N, R, P, or HE filter
- Long sleeved shirt and long pants
- Shoes and socks

C. Workers involved with the clean up and maintenance of seed treatment equipment must wear:

Chemical resistant gloves made of any waterproof material – Category Active (e.g., natural rubber ≥ 14 mils)

• Protective eyewear

- NIOSH-approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter
- Chemical-resistant coveralls over long sleeved shirt and long pants
- Shoes and socks

II. Multiple Task Workers must wear:

(Multiple task workers perform multiple tasks in one day such as mixing, product application, filling seed containers/ bagging, bag sewing, and clean up)

- Chemical resistant gloves (when handling treated seeds and equipment cleanup) made of any waterproof material – Category A (e.g., natural rubber ≥ 14 mils)
- Protective eyewear (when treating seed and during clean-up)
- Dust/mist filtering respirator (dust mask)
- Long sleeved shirt and long pants
- Chemical-resistant coveralls over long sleeved shirt and long pants (required when performing seed treatment equipment clean-up procedures)
- Shoes and socks

Environmental Hazards

This pesticide is toxic to fish and wildlife and highly toxic to aquatic invertebrates. Exposed treated seeds may be hazardous to wildlife. Do not contaminate water when disposing of equipment wash water.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE Restricted Use Pesticide

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE:

- Avicta Duo 250 <u>Corn</u> is only for use in Syngenta-certified seed treatment facilities: Use in hopper box, planter box, slurry box, or other farmer-applied applications is not permitted.
- Treatment of highly mechanically scarred or damaged seed or seed known to be of low vigor and poor quality may result in reduced germination and/or reduction of seed and seedling vigor. Conduct germination tests with a representative sample of the seed lot before committing the total seed lot to a selected seed treatment. Because seed quality and seed storage conditions are beyond the control of Syngenta, no claims are made to guarantee the germination of seed or propagating material for all crops.
- Seed treated with this product must be visually identifiable from untreated seed by the use of an approved colorant or dye to prevent accidental use of treated seed as food for humans or feed for animals. Refer to 21 CFR, Part 2.25. Any colorant or dye added to treated seed must be cleared for use in accordance with 40 CFR, Part 180.1001. Refer to the section on this label **REQUIRED SEED CONTAINER STATEMENTS** for language that must appear on the tag that is attached to the container of treated seed.

PRODUCT INFORMATION

Avicta Duo 250 <u>Corn</u> is a corn seed treatment nematicide/insecticide that contains the active ingredients abamectin and thiamethoxam. When Avicta Duo 250 <u>Corn</u> is applied to corn seed, seedlings are protected from early season nematode damage and damage from the insect pests specified in the **Crop Use Directions**.

To add early season disease protection, the seed treatment fungicides specified in the **Crop Use Directions** are approved for use on corn seed and may also be mixed with Avicta Duo 250

MIXING AND APPLICATION INSTRUCTIONS		i ci ci c
NOTE:	ίιιι ί ίι ί ι ί ι ί ί ί ί ί ί ί ί ί	
 Consult the Syngenta Seed Treatment represen application equipment you plan to use regarding and equipment calibration and operating instruct 	y the suitability of this a	urer of the application

- Always treat seed in a well-ventilated area. Refer to the Precautionary Statements section of this label for personal protective equipment requirements and other safety precautions.
- Prepare no more mixture than is needed for the immediate operation.
- Avicta Duo 250<u>Corn</u> must be thoroughly recirculated in its original container before using. (See **Mixing Instructions.**)
- Apply Avicta Duo 250 <u>Com</u> as a water-based slurry utilizing standard slurry seed treatment equipment that will provide uniform seed coverage. Uneven or incomplete seed coverage may not give the desired level of nematode and insect control.
- Thoroughly mix the required amount of Avicta Duo 250 <u>Corn</u> and other seed treatment products desired with the amount of water required for the slurry treater and the dilution rate. (See Avicta Duo 250 <u>Corn</u> in Tank Mixtures.)
- Use an EPA-approved dye or colorant that imparts an unnatural color to the seed.
- Allow seed to dry before bagging /filling containers, and store treated seed away from feed and foodstuffs.

Avicta Duo 250 Com in Tank Mixtures:

- Compatibility:
 - Before mixing Avicta Duo 250 <u>Corn</u> with other seed treatment products, determine if all of the products are compatible by conducting a compatibility test:
 - 1) In a clear glass container thoroughly mix all of the intended seed treatment products with the appropriate amount of water, and allow the mixture to sit for one hour.
 - 2) Remix the solution and observe for incompatibility.
 - 3) If compatibility is acceptable, follow the mixing instructions in the **Mixing** Instructions section on this label.

Mixing Instructions:

- A. Avicta Duo 250 Com Alone
 - 1. To dispense Avicta Duo 250 <u>Com</u> into a mix tank, first attach a pump with fittings (example: Micro Matic) that match the fittings on the Avicta Duo 250 <u>Com</u> container.
 - 2. Recirculate product. Recirculation time should be calculated based upon the ability of the pump to completely recirculate the volume of the tank 5-10 times within a 30-minute time period.
 - 3. After the initial recirculation, a short recirculation period of 5 minutes per day is recommended.
 - 4. Attach the dispensing hose to a dry-lock type of fitting that is permanently attached to the mix tank lid.
 - 5. Add $\frac{1}{4}$ of the required amount of water to the mix tank.
 - 6. With the agitator running, add the Avicta Duo 250 Com to the tank.
 - 7. Continue agitation while adding the remainder of the water.
 - 8. Begin application of the solution after the Avicta Duo 250 <u>Corn</u> has completely dispersed into the mix water.
 - 9. Maintain agitation until all of the mixture has been applied.
- B. Avicta Duo 250 <u>Com</u> Tank Mixing Instructions
 - 1) Add ¹/₂ of the required water to the mix tank and turn on the agitation. Mechanical agitation is preferred.
 - 2) If using wettable powders and/or products in water-soluble packaging, add water-soluble packages first to clean water and allow them to completely disperse before adding Avicta Duo 250 com or other products.
 - 3) Allow each tank mix partner to completely disperse before adding the next product.
 - 4) Add the remaining amount of water and agitate.
 - 5) Maintain agitation until the entire slurry mixture has been used.

CROP USE DIRECTIONS

Avicta Duo 250 Corn on Corn Seed (includes corn grown for seed, field corn, popcorn, and sweetcorn)

Avicta Duo 250 Com is a seed treatment for corn grown for seed, field corn, popcom, and sweetcorn. Avicta Duo 250 Com alone will provide corn seedlings early season of thiamethoxam. Avicta Duo 250 Com alone will provide corn seedlings early season of protection from damage caused by nematodes and the insects specified in the Application table. Tank mixing Avicta Duo 250 Com with additional than thomas (Cruiser® 5FS) will provide protection from damage caused by additional insects. Tank

.....

| mixing Avicta Duo 250 <u>Corn</u> with seed treatment fungicides will add early season disease protection. Refer to the following table for application directions.

....... LCCC ιςιί e (

εc ι ι*ι* ι ι ι ι ι ι

(. **. .**

Application

(

Pests / Diseases	Amount of Product to Apply	Instructions
Nematodes	Apply Avicta Duo 250. Com to com seed at a rate to achieve:	To provide protection from early season nematode
and these Insects:	0.2000 mg. abamectin/ 0.25 mg. thiamethoxam per seed	damage and damage from these insects apply the
Black cutworm	(4.3 fl. oz. Avicta Duo 250 Corn	specified amount of Avicta
Chinch bug	product per 80,000 kerneis)	Duo 250 Corn.
Corn flea beetle	to	
Corn leaf aphid	0.2500 mg. abamectin/	
Grape colapsis	0.3125 mg. thiamethoxam per seed	
Seedcorn beetle	(5.374 fl. oz. Avicta Duo 250 Com	
Seedcorn maggot	product per 80,000 kernels)	
Southern corn leaf beetle	NOTE:	
Southern green stinkbug	• 1 fl. oz. of Avicta Duo 250 Com	· · · · ·
Sugarcane beetle	contains 3.72 grams of	-
Thrips	abamectin and 4.65 grams of	
White grub	thiamethoxam.	
Wireworm	The typical density of Avicta	
	Duo 250.Corn is 9.25 lb. per	
	gallon.	
· · · · · · · · · · · · · · · · · · ·	In addition to the amount of Avicta	- 57 <u>12</u> 3935444
Additional Insects:	Duo 250 Com specified above, to	Avicta Duo 250 Com contains
Dillhur	protect corn seedlings from billbug	the active ingredients
Dilliprid	and corn rootworm damage, apply	abamectin and
Corn rootworm:	Cruiser 5FS to the corn seed to	thiamethoxam. Cruiser 5FS
(includes Mexican,	achieve a total of 1.25 mg. of	is a seed treatment
northern, southern, and western)	thiamethoxam per seed. 1) Apply Avicta Duo 250 Com at a	insecticide that contains only the active ingredient,
westering	rate to achieve:	thiamethoxam. To add
	0.2000 mg. abamectin/	protection from billbug and
	0.25 mg. thiamethoxam per seed	corn rootworm damage to
	to	Avicta Duo 250 Com treated
	0.2500 mg. abamectin/	corn seed, Cruiser 5FS must
	0.3125 mg. thiamethoxam per seed	be mixed with Avicta Duo 250
	NOTE:	Corri to increase the amount
	• 1 fl. oz. of Avicta Duo 250 Com	of thiamethoxam per seed.
· ·	contains 3.72 grams of	
	abamectin and 4.65 grams of	
	thiamethoxam.	
	The typical density of Avicta	
	Duo 250 Com is 9.25 lb. per	ι, εις . εις εις
· ·	gallon.	ι
	2) Then add the amount of Cruiser	
	5FS to achieve:	
	a total of 1.25 mg. of thiamethoxam	
	per seed.	
	NOTE:	
	One fl. oz. of Cruiser 5FS contains	
·	17.7 grams of thiamethoxam.	
		ι, τ. τ. ι, τ. τ. ι, τ. τ.

10

÷

13/20

Pests / Diseases	Amount of Product to Apply	Instructions
Disease Protection – Early Season	For the amount of fungicide to apply, refer to the EPA-approved label for the corn seed treatment fungicide.	To add early season and broad spectrum disease protection for corn seedlings, treating corn seed with a mixture of Avicta Duo 250 <u>Corn</u> plus seed treatment fungicides registered for use on corn seed, such as Apron® XL, Dynasty® CST, and Maxim® XL, is highly recommended.

REQUIRED SEED CONTAINER STATEMENTS

The Federal Seed Act requires that the container of corn seed treated with Avicta Duo 250 <u>Corn</u> shall be labeled with the following statements:

- This seed has been treated with abamectin nematicide and thiamethoxam insecticide.
- Do not use treated seed for feed, food, or oil purposes.

In addition, the U.S. Environmental Protection Agency requires the following statements on the container of corn seed treated with Avicta Duo 250 <u>Corn</u>.

- Store away from food and feedstuffs.
- Do not allow children, pets or livestock to have access to treated seeds.
- Wear long-sleeved shirt, long pants, and rubber gloves when handling treated seed.
- Plant Avicta Duo 250 com treated corn seed based upon the local planting dates and soil temperatures that are recommended by your state agricultural extension agent.
- Treated seed must be planted into the soil at a depth greater than 1 inch.
- To protect wildlife and aquatic organisms, follow these practices:

Treated seeds exposed on soil surface may be hazardous to wildlife;
 cover or collect treated seeds that are spilled during loading and in areas such as row ends.

- Dispose of all excess treated seed by burying seed away from bodies of water.
- Do not contaminate bodies of water when disposing of planting equipment wash water.
- In limited areas birds, such as Sand Hill Cranes, have been known to damage early, developing corn seedlings.
 - Some seed-applied or hopper box-applied bird repellents have been shown to be effective in reducing this damage.
 - In fields where seedling damage is expected, use of an approved bird repellent should be considered.
- Dispose of seed packaging in accordance with local requirements.
- Do not apply a neonicotinoid insecticide to corn whose seed has been treated with Avicta Duo 250 Com.
- In the event of crop failure or after harvest of corn grown from Avicta Duo 250 Corn treated corn seed,
 - the following crops may be replanted immediately:

barley, canola, corn, cotton, cucurbit vegetables, fruiting vegetables, legume vegetables, mint (peppermint and spearmint) oil seed crops (black mustard seed, borage seed, crambe seed, field mustard seed, flax seed, Indian mustard seed, Indian rapeseed seed, rapeseed seed, and safflower seed), root vegetables (except sugar beets), sorghum, strawberries, sunflowers, tobacco, tuberous root and corm vegetables, and wheat.

 the minimum plant back interval is 120 days from the date the Avicta Duo 250 <u>com</u> treated corn seed were planted for:

all other crops (except a cover crop not listed above).

o the minimum plant back interval is less than 120 days for:

a cover crop planted for erosion control or soil improvement; however the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used for food or feed according to the crop may not be grazed or used food according to the crop may not be grazed or used food according to the crop may not be grazed or used food according to the crop may not be grazed or used food according to the crop may not be grazed or used food according to the crop may not be crop may not be grazed or used food according to the crop may not

.

.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

13

Pesticide Storage

Store in a cool, dry place.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal

Nonrefillable container. Do not reuse or refill this container.

Syngenta or its authorized agent will pick up the empty container and handle its disposal. Contact Syngenta or its authorized agent to make arrangements for this service and store empty container in a secure area until pick up.

Avicta Duo, ApronMaxx, Apron XL, Cruiser, Maxim, the Syngenta logo and the CP

FRAME are trademarks of a Syngenta Group Company Protected by U.S. Patent Nos. 5,852,012, 6,022,871 & 6875727. Other patents pending. ©2009 Syngenta

> For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

> > ricie

Manufactured for: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP 1353A-M(Notif)

Avicta Duo 250 1353A-M(Notif)corn-marked-11-5-09-lg

(Non-detachable Container Label)

RESTRICTED USE PESTICIDE DUE TO TOXICITY

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Avicta® Duo 250 Com

Nematicide/Insecticide

A Seed Treatment Product to Protect Corn Seedlings from Early Season Nematode and Insect Damage

For use only in Syngenta-certified corn seed treatment facilities and only in seed treatment equipment with closed transfer and application systems. Not for use in hopper box, planter box, slurry box, or other farmer-applied applications.

Active Ingredients:

Abamectin (CAS No. 65195-56-4 and No. 65195-55-3)	
Thiamethoxam (CAS No. 153719-23-4)	
Other Ingredients:	74.5%
Total:	100.0%

*1 fluid ounce of Avicta Duo 250 <u>Com</u> contains 3.72 grams of abamectin and 4.65 grams of thiamethoxam.

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements, PPE, and Directions for Use in booklet.

EPA Reg. No. 100-1353 EPA Est. XXXX				L [[L [[] L []]
SCP 1353A-M(Notif)	•		(((((), ((((), (), ()))))))))))))))))
Net Contents		• •	666666 6 6 6 6	
Net Contents	· <u></u> · · . · . · . · . · .	· · · · · · · · · · · · · · · · · · ·	((C C / 6 / 1 (C C C /	
				e e e e e e e e e e e e e e e e e e e
				ί εί ί (/ /

PRECAUTIONARY STATEMENTS

£

Hazards to Humans and Domestic Animals

WARNING/AVISO

May be fatal if inhaled or swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Do not breathe vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

	FIRST AID
If inhaled	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give
	artificial respiration, preferably by mouth-to-mouth, if possible.
If swallowed	Call a poison control center or doctor for further treatment advice.
If swallowed	Call poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
· · ·	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
• •	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If on skin or	Take off contaminated clothing.
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
Have the produ	act container or label with you when calling a poison control center or
doctor, or going	
	HOT LINE NUMBER
	r 24-Hour Medical Emergency Assistance (Human or Animal)
. Or (Chemical Emergency Assistance (Spill, Leak, Fire or Accident)
	Call 1-800-888-8372
·····	

Environmental Hazards

This pesticide is toxic to fish and wildlife and highly toxic to aquatic invertebrates. Exposed treated seeds may be hazardous to wildlife. Do not contaminate water when disposing of equipment wash water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage

Store in a cool, dry place.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal

Nonrefillable container. Do not reuse or refill this container. Syngenta or its authorized agent will pick up the empty container and handle its disposal. Contact Syngenta or its authorized agent to make arrangements for this service and store empty container in a secure area until pick up.

Avicta Duo and the Syngenta logo are trademarks of a Syngenta Group Company Protected by U.S. Patent Nos. 5,852,012, 6,022,871 & 6875727. Other patents pending. ©2009 Syngenta

Manufactured for:

Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP 1321A-M(Notif)

Avicta Duo 250 1353A-M(Notif)corn-marked-11-5-09-Ig

ι (ι(ι(ι

. . . .

٢ ١

CHRON

10/27/09 Approved with comments – updated to EPA comments 11/5/09- Notification for alternate brand name of "Avicta Duo Corn"