
# 100-1361







U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration Reregistration Force® SB

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Syngenta Crop Protection, Inc.

P.O. Box 18300

Greensboro, NC 27419

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is <u>unconditionally</u> registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3).

- 1. You will make the following label changes before you release the product for shipment:
  - a) Revise the EPA Registration Number to read "EPA Reg. No. 100-1361."
- 2. Per 40 CFR 156.10(a)(6), submit one copy of your final printed labeling before releasing the product for shipment. As defined in 40 CFR 152.3, "final printed labeling" means the "label or labeling of the product when distributed or sold". Clearly legible reproductions or photo reductions will be accepted for unusual labels. Note that a clean copy of the master label in most cases does not meet the definition of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact BeWanda Alexander at <a href="https://www.alexander.bewanda@epa.gov">www.alexander.bewanda@epa.gov</a> or (703) 305-7460.

Signature of Approving Official:

Richard Gebken Product Manager

Insecticide Branch/Registration Division (7505P)

Date:

June 13, 2012

#### (master label)

# RESTRICTED USE PESTICIDE DUE TO TOXICITY TO FISH AND AQUATIC ORGANISMS

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS, OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Force® SB

Insecticide

GROUP 3 INSECTICIDE

100.0%

A Seed Treatment Product to protect Sugar Beets from Early Season Insect Damage

For use only in Syngenta-certified sugar beet seed treatment facilities. Not for use in hopper-box, planter-box, slurry-box or other farmer-applied applications.

Active Ingredient:

Total:

<sup>1</sup>CAS No. 79538-32-2

Contains 1.67 pounds tefluthrin per gallon. Contains petroleum distillate.

#### KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

ACCEPTED

JUN 1 3 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the praticide Registered under EPA Reg. No. 100-12(c)

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet[on label].

EPA Reg. No. 100-RGAR EPA Est. XXXXX

SCP RGAR M(draft-b-Force SB)

**Net Contents** 

	FIRST AID
If an alsin as	
If on skin or	Take off contaminated clothing.
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
·	Call a poison control center or doctor for treatment advice.
If swallowed	<ul> <li>Immediately call poison control center or doctor for treatment advice.</li> </ul>
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give
•	artificial respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
	NOTE TO PHYSICIAN
Contains petrole	um distillate – vomiting may cause aspiration pneumonia
	t container or label with you when calling a poison control center or
doctor, or going t	
	HOT LINE NUMBER
For 24 Hour Medical Emergency Assistance (Human or Animal) or	
	nical Emergency Assistance (Spill, Leak, Fire, or Accident), Call

## **PRECAUTIONARY STATEMENTS**

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## **CAUTION**

1-800-888-8372

Harmful if absorbed through skin, swallowed or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

## **Personal Protective Equipment (PPE)**

Workers involved with Treating the Seed must wear (Workers involved with treating the seed are responsible for loading and treating raw seed, applying coating material, liquids and binders to form the seed pellets):

- Long-sleeved shirt and long pants
- Chemical resistant gloves
- Shoes plus socks
- Dust/mist filtering respirator (dust mask)

All other Workers and Handlers must wear (Workers involved in bagging treated seed or sewing seed bags or multiple task workers):

- Long-sleeved shirt and long pants
- Chemical-resistant gloves
- Shoes plus socks

## **User Safety Requirements**

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. DO NOT reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## **Engineering Control Statements**

When handlers use closed systems, or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

## **User Safety Recommendations**

#### **Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## **Environmental Hazards**

This pesticide is very highly toxic to freshwater and estuarine fish and invertebrates. Use with care when planting treated seed in areas adjacent to any body of water. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater.

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

## **DIRECTIONS FOR USE**

#### RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Force SB is only for use in Syngenta-certified seed treatment facilities: Use in hopper-box, planter-box, slurry-box, or other farmer-applied applications is not permitted.
- Treatment of highly mechanically scarred or damaged seed, or seed known to be
  of low vigor and poor quality may result in reduced germination and/or reduction
  of seed and seedling vigor. Treat a small quantity of seed using equipment
  similar to that planned for treating the total seed lot. Conduct germination tests
  on a small portion of the seed before committing the total seed lot to a selected
  seed treatment. Due to seed quality and seed storage conditions beyond the
  control of Syngenta Crop Protection (USA) no claims are made to guarantee the
  germination of carry-over seed or propagating material for all crop seed.
- Seed treated with this product must be visually identifiable from untreated seed by the use of an approved colorant or dye to prevent accidental use of treated seed as food for humans or feed for animals. Refer to 21 CFR, Part 2.25. Any colorant or dye added to treated seed must be cleared for use in accordance with 40 CFR, Part 153.155 (c). Refer to the section on this label entitled SEED BAG LABEL REQUIREMENTS for language that must appear on the tag that is attached to the container for treated seed.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

The restricted entry interval (REI) for this product is 12 hours.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical resistant gloves
- Shoes plus socks

FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR INSECT CONTROL, AND/OR ILLEGAL RESIDUES.

#### **USE INFORMATION**

Force SB contains tefluthrin, a soil acting pyrethroid insecticide which reduces the damage caused by a range of pests which attack sugar beet seedlings. The pests include: garden springtails, symphylids, wireworms and white grub.

Force SB ensures improved sugar beet emergence by reducing damage from these pests. Thorough seed coverage will offer the best protection of the seed from insect damage.

## **Resistance Management**

Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. Consult your local or state agricultural authorities for details.

If resistance to this product develops in your area, this product, or other products with a similar mode of action, may not provide adequate control. If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and resistance is a reasonable cause, immediately consult your local company representative or agricultural advisor for the best alternative method of control for your area.

## SEED BAG LABEL REQUIREMENTS

The Federal Seed Act requires that bags containing treated seeds must be labeled with the following statements:

- This seed has been treated with Tefluthrin.
- Do not use for feed, food or oil purposes.
- User is responsible for ensuring that the seed bag meets all requirements under the Federal Seed Act.

In addition, it is suggested to include the following statements on bags containing seeds treated with Force SB:

- Store away from food and feedstuffs.
- Wear long-sleeved shirt, long pants and chemical-resistant gloves when handling treated seed.
- Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds spilled during loading.
- Do not contaminate water bodies when disposing of planting equipment wash waters.
- Dispose of seed packaging in accordance with local requirements.
- Do not allow children, pets, or livestock to have access to treated seed.
- Treated seed must be planted into the soil at a depth greater than 1 inch.
- Dispose of all excess treated seed. Leftover treated seed may be double sown around the headland or buried away from water sources in accordance with local requirements.
- Rotational crops may be planted no sooner than 30 days after application.

## **CROP USE DIRECTIONS**

## **Sugar Beets**

Force SB provides early season protection of seedlings against injury from garden springtails, symphylids, wireworms and white grub. Apply Force SB at 6 to 8 grams of tefluthrin per 100,000 seeds (one unit of sugar beet seed). Each fluid ounce of Force SB contains 5.92 grams tefluthrin.

Where appropriate, use Force SB in conjunction with Cruiser® 5FS seed treatment or other registered seed or soil applied insecticides for better protection of sugar beet seedlings. Confirm the compatibility and seed safety of such combined application.

For protection against *Pythium* damping-off or *Rhizoctonia sp.* seed and seedling diseases in sugar beets, Force SB may be applied with Apron XL<sup>®</sup>, Maxim<sup>®</sup> 4FS and /or Dynasty<sup>®</sup> seed treatments.

## Application of Force SB

Apply Force SB utilizing Syngenta-approved seed treating systems. Uneven or incomplete seed coverage may not give the desired level of insect control.

Force SB must be applied by Syngenta-certified professional seed treatment applicators. Force SB must be applied with EPA approved polymers, pelleting materials and seed coating materials that are tested to be safe on sugar beet seed. Force SB is applied during the process of pelleting sugar beet seed and therefore all precautionary measures mentioned in the label must be followed. Pelleting requires specialist equipment. Consult your Syngenta care representative for advice on application.

Allow the seed to dry before bagging or storing into bulk containers. Depending on planting equipment, seed treated with Force SB may not flow through planting equipment at the same rate as untreated seed. Recalibrate this equipment before planting treated seed.

When Force SB is used in conjunction with Cruiser® 5FS, Apron XL®, Maxim® 4FS and /or Dynasty® seed treatments the resultant combination product must be tested for seed safety to determine any detrimental effects on seed germination or plant stand establishment before large scale commercial application.

Syngenta Crop Protection makes no claims as to the effect of this product or delivery systems on germination of sugar beet seed. The user and or the buyer of the seed assumes all risks from such application.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

## **Pesticide Storage**

Store in original containers only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area. DO NOT ALLOW PRODUCT TO FREEZE.

## **Pesticide Disposal**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

Container Handling(less than or equal to 5 gallons)

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

## Container Handling (greater than 5 gallons)

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

## **Container Handling** [refillable container]

**Refillable container.** Refill this container with pesticide only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, by incineration, or by other procedures allowed by state and local authorities.

## CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Apron XL®, Cruiser®, Dynasty®, Force®, Maxim®, the ALLIANCE FRAME, the Syngenta logo and the PURPOSE ICON are Trademarks of a Syngenta Group Company

©2012 Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP RGAR M(draft-b Force SB)

SCP RGAR-M(draft-b Force SB)clean-lg-6-13-12 000100-xRGAR.20120613.b.Force SB.pdf

## (Non-detachable container labeling)

# RESTRICTED USE PESTICIDE DUE TO TOXICITY TO FISH AND AQUATIC ORGANISMS

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS, OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Force® SB

Insecticide

GROUP 3 INSECTICIDE

A Seed Treatment Product to protect Sugar Beets from Early Season Insect Damage

For use only in Syngenta-certified sugar beet seed treatment facilities. Not for use in hopper-box, planter-box, slurry-box or other farmer-applied applications.

Active Ingredient:	
Tefluthrin <sup>1</sup> :	19.1%
Other Ingredients:	80.9%
Total:	100.0%

<sup>1</sup>CAS No. 79538-32-2

Contains 1.67 pounds tefluthrin per gallon. Contains petroleum distillate.

#### KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See storage, disposal, additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-RGAR EPA Est. No. XXXXX

SCP RGAR M(draft-b Force SB)

**Net Contents** 

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if absorbed through skin, swallowed or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID			
lf on skin or	Take off contaminated clothing.		
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.		
·	Call a poison control center or doctor for treatment advice.		
If swallowed	Immediately call poison control center or doctor for treatment advice.		
	Do not induce vomiting unless told to do so by the poison control center or doctor.		
	Do not give any liquid to the person.		
,	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>		
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	Call a poison control center or doctor for treatment advice.		
If inhaled	Move person to fresh air.		
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.		
	Call a poison control center or doctor for further treatment advice.		
	NOTE TO PHYSICIAN		

Contains petroleum distillate – vomiting may cause aspiration pneumonia

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### HOT LINE NUMBER

For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call

1-800-888-8372

#### **Environmental Hazards**

This pesticide is very highly toxic to freshwater and estuarine fish and invertebrates. Use with care when planting treated seed in areas adjacent to any body of water. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

#### **Pesticide Storage**

Store in original containers only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area. DO NOT ALLOW PRODUCT TO FREEZE.

## **Pesticide Disposal**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

#### **Container Handling**

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

## CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Force®, and the Syngenta Logo are Trademarks of a Syngenta Group Company

©2012 Syngenta

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP RGAR M(draft-b Force SB)

SCP RGAR-M(draft -b Force SB)clean-lg-6-13-12 000100-xRGAR.20120613.b.Force SB.pdf

(Non-detachable container labeling-bulk and mini-bulk)

# RESTRICTED USE PESTICIDE DUE TO TOXICITY TO FISH AND AQUATIC ORGANISMS

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS, OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

#### Force® SB

Insecticide

GROUP 3 INSECTICIDE

A Seed Treatment Product to protect Sugar Beets from Early Season Insect Damage

For use only in Syngenta-certified sugar beet seed treatment facilities. Not for use in hopper-box, planter-box, slurry-box or other farmer-applied applications.

Active Ingredient:

<sup>1</sup>CAS No. 79538-32-2 Contains 1.67 pounds tefluthrin per gallon. Contains petroleum distillate.

## KEEP OUT OF REACH OF CHILDREN

#### CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See storage, disposal, additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-RGAR EPA Est. No. XXXXX Product ID XXXXX

SCP RGAR M (draft-b Force SB)

**Net Contents** 

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if absorbed through skin, swallowed or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

	FIRST AID
If on skin or	
	Take off contaminated clothing.  Ping a plain increased into the points of contaminate for 45, 20 points of the plants of contaminate for 45, 20 points of the plants
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
<u> </u>	Call a poison control center or doctor for treatment advice.
If swallowed	<ul> <li>Immediately call poison control center or doctor for treatment advice.</li> </ul>
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give any liquid to the person.
	Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then
	continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give
	artificial respiration, preferably by mouth-to-mouth, if possible.
·	Call a poison control center or doctor for further treatment
	advice.
	NOTE TO PHYSICIAN
Contains petrole	eum distillate – vomiting may cause aspiration pneumonia
<del></del>	ct container or label with you when calling a poison control center or
doctor, or going	
, <u></u>	HOT LINE NUMBER
For 2	4 Hour Medical Emergency Assistance (Human or Animal) or
	emical Emergency Assistance (Spill, Leak, Fire, or Accident),
	Call
	1-800-888-8372

#### **Environmental Hazards**

This pesticide is very highly toxic to freshwater and estuarine fish and invertebrates. Use with care when planting treated seed in areas adjacent to any body of water. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater.

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

**NOTICE**: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

#### **DIRECTIONS FOR USE**

#### RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

## **Pesticide Storage**

Store in original containers only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area. DO NOT ALLOW PRODUCT TO FREEZE.

## Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office.

## **Container Handling**

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use and disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

## **Container Handling** [refillable container]

**Refillable container.** Refill this container with pesticide only. Do not use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean container before final disposal, empty the remaining contents from

this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, by incineration, or by other procedures allowed by state and local authorities.

## CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Force®, the ALLIANCE FRAME, the Syngenta Logo and the PURPOSE ICON are Trademarks of a Syngenta Group Company ©2012 Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP RGAR-M(draft-b Force SB)

SCP RGAR-M(draft -b Force SB)clean-lg-6-13-12 000100-xRGAR.20120613.b.Force SB.pdf