



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 28, 2021

Ron E. Hampton, PhD
Sr. Regulatory Product Manager, Turf, Ornamentals and Pest Control
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419

Subject: Label Amendment – Multiple revisions including verbiage added to provide greater detail regarding application-method directions; addition of plant disease and plant pests; addition of marketing claims
Product Name: Difenconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate
EPA Registration Number: 100-1367
Application Date: June 2, 2020
Decision Number: 563992

Dear Dr. Hampton:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 100-1367
Decision No. 563992

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Christopher M. Taylor by phone at 703-347-8857, or via email at taylor.christopher.m@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis
Senior Regulatory Specialist
Registration Division (7505P)
Office of Pesticide Programs


Enclosure

Difenoconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate

[For control of listed insects and diseases on roses]
[For control of listed insects and diseases on roses and other landscape plants]
[For control of listed insects and diseases on roses and other landscape plantings]
[For control of listed insects and diseases on roses and other landscape ornamentals]

Active Ingredients:	
Difenoconazole*:	0.66%
Thiamethoxam**:	0.40%
Lambda-cyhalothrin***:	0.16%
Other Ingredients:	98.78%
Total:	100.00%

* CAS No. 119446-68-3
** CAS No. 153719-23-4
*** CAS No. 91465-08-6



KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use [in booklet] [on label].

EPA Reg. No. 100-1367

EPA Est.

8 fl oz [(237 ml)]
1 pint [(16 fl oz)] [(473 ml)]
1 quart [(32 fl oz)] [(946 ml)]
1 quart, 6.4 ounces [(38.4 fl oz)] [(1136 ml)]
2 quarts [(64 fl oz)] [(1893 ml)]
1 gallon [(128 fl oz)] [(3785 ml)]
250 gallons [(947 liters)]
264 gallons [(1000 liters)]
_____gallons
Net Contents

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. • Call a Poison Control Center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, and after the first 5 minutes, then continue rinsing eye. • Call a poison control center, doctor, or 1-800-888-8372 immediately for treatment advice.
NOTE TO PHYSICIAN	
If ingested, induce emesis or lavage stomach. Treat symptomatically.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
HOT LINE NUMBER	
For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call [1-800-888-8372] [Alternate phone number]	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing vapor or spray mist. Remove and wash contaminated clothing before reuse. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Environmental Hazards

This pesticide is toxic to fish, mammals, and aquatic invertebrates. Drift and runoff may be hazardous to aquatic **estuarine/marine** organisms in water adjacent to treated area. Do not apply directly to water, areas where surface water is present, or intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops/plants or weeds. Do not apply this product or allow it to drift to blooming crops/plants or weeds if bees are foraging.

PROTECTION OF POLLINATORS



APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.



Look for the bee hazard icon in the Directions for Use for each application site for specific use restrictions and instructions to protect bees and other insect pollinators.

This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

When Using This Product Take Steps To:

- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
- Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at:

<http://pesticidestewardship.org/PollinatorProtection/Pages/default.aspx>.

Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to:

www.aapco.org/officials.html Pesticide incidents should also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at: beekill@epa.gov

DO NOT apply this product, by any application method, to linden, basswood, or *Tilia* species.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of [SYNGENTA CROP PROTECTION, LLC] or Seller. To the extent consistent with applicable law, Buyer and User agree to hold [SYNGENTA] and Seller harmless for any claims relating to such factors.

[SYNGENTA] warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or [SYNGENTA], and (2) Buyer and User assume the risk of any such use. To the extent consistent with applicable law, [SYNGENTA] MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent consistent with applicable law, in no event shall [SYNGENTA] be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF [SYNGENTA] AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF [SYNGENTA] OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

[SYNGENTA] and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of [SYNGENTA].

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



Do not apply Difenoconazole 0.66 Thiamethoxam 0.40 Lambda-Cyhalothrin 0.16 Concentrate while bees are foraging. Do not apply Difenoconazole 0.66 Thiamethoxam 0.40 Lambda-Cyhalothrin 0.16 Concentrate to plants that are flowering. Only apply after all flower petals have fallen off.

- Read entire label before using this product.
- People and pets may re-enter after the treated area has been allowed to dry.
- [This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.]
- Do not use measuring utensils such as cups and spoons for food purposes after use with pesticides.
- Do not allow applications to contact water bodies, particularly those inhabited by aquatic organisms, such as ornamental fish ponds.
- Do not use on plants grown for food or feed

[optional]

Product Facts	
Insects Controlled	Ants (except fire ants, harvester ants, pharaoh ants and carpenter ants), Aphids, Caterpillars, Japanese Beetles, Leafminers, Spider Mites, Whiteflies, [any listed insect list in label] and other listed pests
Diseases Controlled	Black spot, Powdery Mildew, Rust, Scab, Leaf Spot
Where to Apply	<ul style="list-style-type: none"> • Roses • [Landscape plants] • [Landscape plantings] • [Landscape ornamentals] • [Landscape plants such as] [trees and shrubs] [foliage plants] [and] [groundcovers] • [Landscape plantings such as] [trees and shrubs] [foliage plants] [and] [groundcovers] • [Landscape ornamentals such as] [trees and shrubs] [foliage plants] [and] [groundcovers] • [Flower beds]
How to Apply	<ul style="list-style-type: none"> • [Mix 3 fl oz [in] [to] 1 gallon of water.] • [Connect a garden hose to the [Hose End Sprayer] nozzle.] • [Spray uniformly to wet the top and bottom of leaves]
When to Apply	Apply when listed insects and disease are present or as a

	preventative application.
[Graphic - telephone]	Questions or Comments: Call [1-866-796-4368] [alternate phone number] Medical information (Human or Animal): Call [[1-800-888-8372] [alternate phone number]

Benefits

- [Controls black spot, powdery mildew and rust on roses]
- [Controls listed insects and diseases on roses]
- [Controls listed insects and diseases on roses and other landscape plants]
- [Controls listed insects and diseases on roses and other landscape plantings]
- [Controls listed insects and diseases on roses and other landscape ornamentals]
- [[Dual-action] insect control: contact plus long-lasting residual]
- [[Dual-action] insect control plus disease control]
- [[Rainfast] [Rainproof] [Waterproof] within 1 hour]
- [Broad spectrum control]
- [For use on [all] landscape plants]
- [For use on [all] landscape plantings]
- [For use on [all] landscape ornamentals]
- [For insect and disease control on [all] landscape plants]
- [For insect and disease control on [all] landscape plantings]
- [For insect and disease control on [all] landscape ornamentals]
- [Can be used on [all] landscape plants]
- [Can be used on [all] landscape plantings]
- [Can be used on [all] landscape ornamentals]

How it Works

The [dual-action] [dual activity] of the insecticide portion of Difenconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate [kills] [controls] many listed insects two ways: through direct contact and by ingestion. One ingredient [lambda-cyhalothrin] starts working right away [killing] [controlling] listed insects that come in contact with the product. The other ingredient [thiamethoxam] is absorbed into the plant, moves rapidly throughout, and causes listed insects [which ingest plant tissue] to stop feeding and die. Difenconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate keeps listed insects from reestablishing for up to 30 days.

Difenconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate contains a broad-spectrum fungicide [difenconazole] that works systemically from within the plant, controlling many important plant diseases.

Where to Apply

- Roses
- [Landscape plants]

- [Landscape plantings]
- [Landscape ornamentals]
- [Landscape plants such as] [trees and shrubs] [foliage plants] [and] [groundcovers]
- [Landscape plantings such as] [trees and shrubs] [foliage plants] [and] [groundcovers]
- [Landscape ornamentals such as] [trees and shrubs] [foliage plants] [and] [groundcovers]
- [Flower beds]

How to Apply [Mix and Spray product only]

- **[Shake container well before each use.]**
- **Carefully measure and mix** 3 fl oz [in] [to] 1 gallon of water.
- [Squeeze and pour container only] **[Remove cap and inner seal** from the calibrated [dosing] [measuring] chamber. Gently squeeze bottle to fill chamber to the appropriate [level] [dose] [for the desired spray volume]. Pour [Difenoconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate] [concentrate] directly into sprayer and slowly add the appropriate amount of water. Replace cap.]
- **Spray uniformly** to wet the top and bottom of leaves, but not to [runoff] [dripping].
- **Flush sprayer** with clean water after each use.

[Refill Directions]

[Optional Mixing Instructions – For Refill Bottles]

{Note to PM: The following instructions are intended for 3 fl oz. [4 fl. oz.] bottles that can be used to make 1 gal. [1.33 gal.] in either Difenoconazole 0.017/thiamethoxam 0.010/lambda-cyhalothrin 0.004 Me Rt (EPA Reg. No. 100-1366) or tank sprayers}

[Instructions] For refill of 1 gallon [1.33 gallon] jug:
[1 bottle] [3 fl. oz.] [4 fl. oz.] [equals] [=] [makes] [1 gallon] [1.33 gallons]

AMOUNT TO USE:

- Add entire contents [3 fl. oz.] [4 fl. oz.] to a 1 gallon [1.33 gallon] 0.017/thiamethoxam 0.010/lambda-cyhalothrin 0.004 Me Rt(EPA Reg. No. 100-1366) [product name] container or an empty tank sprayer only.
- Slowly fill [with] [to the fill line indicator] 128 fl. oz. for 1 gallon [170 fl. oz. for 1.33 gallon] of [clean] tap water.

FOR [Product Name] [UNIT DOSE] [SINGLES] [EZ Enough]: {Note to Reviewer: This is referring to optional packaging in a 1.5 fl. oz. – 3.3 fl. oz. size}

[For 1 gallon Tank Sprayer:]

- Add entire contents [of 1 bottle] [3 fl. oz.] to an empty 1-gallon tank sprayer. Slowly fill with 1 gallon of clean tap water.

[For 1.33 gallon Tank Sprayer:]

- Add entire contents [of 1 bottle] [4 fl. oz.] to an empty 1.33 gallon tank sprayer. Slowly fill with 1.33 gallon of clean tap water.

When to Apply

- Apply when listed insects and diseases are present or as a preventative. [Early applications are the most effective.]
- [Contact your local Cooperative Extension Service for more information on the best time to apply in your area.]
- Insect control lasts for up to 30 days. Reapply as needed. For disease control, re-apply in 7-14 days, if necessary.

[Controls] [Kills] These Diseases

[Anthracnose*]
Black spot
Powdery mildew
Rust
Scab
Leaf spot diseases

[*Not for use in California.]

Coverage

[24 fl oz container treats 91 sq ft]
[28.8 fl oz container treats 109 sq ft]
[32 fl oz container treats 121 sq ft]
[64 fl oz container treats 242 sq ft]
[128 fl oz container treats 484 sq ft]

[Controls] [Kills] These Listed Insects

Adelgids [Hemlock woolly adelgid]	June beetles (adults)	Scale insects (crawlers)* [California red scale (crawlers)*]
Ants (except fire ants, harvester ants, pharaoh ants and carpenter ants)	Lace bugs [Azalea lace bug]	[Pine needle scale (crawlers*)]
Aphids	Leaf rollers	Soft Scales*
Armyworms	Leaf skeletonizers	[Florida wax scale*]
Azalea caterpillars	Leaf-feeding beetles	[Brown soft scale*]
Bagworms**	Leaf-feeding caterpillars	[Fletcher scale*]
Black vine weevils (adult)	Leafhoppers	Spider mites
Blister gall	Leafminers (adults)	Spittlebugs
Boxelder bugs	Mealybugs	Spiders (except brown
	Midges	
	Nipple gall	

Broadmites	Oleander moth larvae	recluse and black widow)
Budworms	Pillbugs	[Spotted Lantern Fly***]
California oakworms	Pine shoot beetles	[Stink Bugs***]
Cankerworms	Pinetip moths	Striped beetles
Clover mites	Plant bugs	Striped oakworms
Crickets	Root weevils	Tent caterpillars
Cutworms	Sawflies	[Forest tent caterpillars]
Elm leaf beetles	[Pine sawflies]	[Eastern tent caterpillars]
Fall webworms	[Pear sawfly]	Thrips
Flea beetles	[European sawflies]	Tip moths
Gypsy moth larvae	[Sawfly larvae (Rose	Tussock moth larvae
Honeylocust pod gall midge	slugs)***]	Whiteflies
Japanese beetles (adults)		

* For best control of scale insects, spray leaves, stems, and trunks thoroughly.

** Spray directly on the bagworm larvae after they hatch. Control is most effective when the larvae are young.

[***Not for use in California.]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Store in a cool, dry, secure place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

Pesticide Disposal and Container Handling (consumer products)

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-888-8372 [Alternate phone number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Handling [greater than 5 gallons]

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end

and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

[Comprehensive List of Optional Marketing Claims]

- Three-Way Control - Contact and systemic insect control plus systemic disease control.
- Three-Way Action - Contact and systemic insect control plus systemic disease control.
- Triple Action - Contact and systemic insect control plus systemic disease control.
- Three-Way Control - Contact and systemic insect control plus systemic disease control.
- Three-Way Action - Contact and systemic insect control plus systemic disease control.
- 2 + 1 Action - Contact and systemic insect control plus systemic disease control.
- 2 + 1 Control - Contact and systemic insect control plus systemic disease control.
- 3-in-1 Formula [- Controls listed insects on contact and systemically and controls diseases]
- Dual-Action Insect Control
- Dual-Action Insect Control and Systemic Disease Control
- Dual-Action Insect Control Plus Systemic Disease Control
- Contact and Systemic control
- Dual Activity Insect Control
- Fast-Acting [Formula]
- Long-Lasting Insect [Control] [Killer]
- Broad Spectrum Insect Formula
- Broad Spectrum Insect Control
- Stops disease[s] and prevents new infection[s]
- Kills many listed insects on contact [plus residual control]
- Residual control
- [Dual-action] insect control: contact plus long-lasting residual
- [Difenoconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate] Keeps listed insects from reestablishing for up to 30 days.
- [Difenoconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate] Extended Control
- Kills many listed insects for up to 30 days
- Controls many listed insects for up to 30 days
- [Lasts up to 30 days]
- [30 day control]
- [1 month control]
- [Keeps protecting plants from insect damage for [up to] 30 days]
- Kills many [surface] listed insects on contact

- [Insect] Feeding will stop within minutes
- Kills fast
- Fast Killing
- Kills [many] [55] listed insects in 24 hours
- Controls [many] [55] listed insects in 24 hours
- [Rainproof] [Rainfast] [Waterproof] within 1 hour
- Rain and waterproof in 60 minutes [or less]
- Rain and waterproof in one hour [or less]
- Controls Listed Pests on Roses [and Landscape plants]
- Controls Listed Pests on Roses [and Landscape plantings]
- Controls Listed Pests on Roses [and Landscape ornamentals]
- Controls Listed Pests on Landscape plants
- Controls Listed Pests on Landscape plantings
- Controls Listed Pests on Landscape ornamentals
- For use on roses [and [all] landscape plants] [and flower beds]
- For use on roses [and [all] landscape plantings] [and flower beds]
- For use on roses [and [all] landscape ornamentals] [and flower beds]
- For insect and disease control on roses [and [all] landscape plants] [and flower beds]
- For insect and disease control on roses [and [all] landscape plantings] [and flower beds]
- For insect and disease control on roses [and [all] landscape ornamentals] [and flower beds]
- Can be used on roses [and [all] landscape plants] [and flower beds]
- Can be used on roses [and [all] landscape plantings] [and flower beds]
- Can be used on roses [and [all] landscape ornamentals] [and flower beds]
- Can be Applied to: [Roses] [Landscape [plants] [plantings] [ornamentals]] [and] [Flower Beds]
- Kills Listed [Pests] [Insects and Diseases] on Roses [and Landscape plants]
- Kills Listed [Pests] [Insects and Diseases] on Roses [and Landscape plantings]
- Kills Listed [Pests] [Insects and Diseases] on Roses [and Landscape ornamentals]
- Kills Listed [Pests] [Insects and Diseases] on Landscape plants
- Kills Listed [Pests] [Insects and Diseases] on Landscape plantings
- Kills Listed [Pests] [Insects and Diseases] on Landscape ornamentals
- Controls Listed [Pests] [Insects and Diseases] on Roses [and Landscape plants]
- Controls Listed [Pests] [Insects and Diseases] on Roses [and Landscape plantings]
- Controls Listed [Pests] [Insects and Diseases] on Roses [and Landscape ornamentals]
- Controls Listed [Pests] [Insects and Diseases] on Landscape plants
- Controls Listed [Pests] [Insects and Diseases] on Landscape plantings
- Controls Listed [Pests] [Insects and Diseases] on Landscape ornamentals
- Kills Diseases [and Listed Insects] on Roses and Landscape Plants
- Controls Diseases [and Listed Insects] on Roses and Landscape Plants
- Kills Pests on Roses and Landscape Plants
- Controls Pests on Roses and Landscape Plants
- Kills Listed Insects on Roses and Landscape Plants

- Controls Listed Insects on Roses and Landscape Plants
- [Stops] [Controls and] prevents listed disease problems on roses, landscape plants and flowers
- [Stops] [Controls and] prevents listed disease problems on roses, landscape plantings and flowers
- [Stops] [Controls and] prevents listed disease problems on roses, landscape ornamentals and flowers
- [Stops] [Controls and] prevents black spot, powdery mildew and rust diseases in roses
- Controls black spot, powdery mildew and rust diseases [and more]
- Stops [Controls] and Prevents listed Diseases
- Systemic Fungicide
- Insect and disease protection for roses, landscape plants and flowers
- Insect and disease protection for roses, landscape plantings and flowers
- Insect and disease protection for roses, landscape ornamentals and flowers
- [Stops and] prevents listed insect problems on roses, landscape plants and flowers
- [Stops and] prevents listed insect problems on roses, landscape plantings and flowers
- [Stops and] prevents listed insect problems on roses, landscape ornamentals and flowers
- Absorbs [penetrates] the plant to provide protection from the inside
- [Difenoconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate] Moves through new plant growth for long lasting insect protection
- [Difenoconazole 0.66/Thiamethoxam 0.40/Lambda-cyhalothrin 0.16 ME Concentrate] Moves through new plant growth for long lasting insect control
- Treats Up to [85 for 1 pint product] [plants] [roses]
- Kills more than 50 listed insects
- Controls more than 50 listed insects
- Kills Ants (except fire ants, harvester ants, pharaoh ants and carpenter ants) [On Contact]
- Kills Japanese Beetles [on contact]
- Kills whiteflies, [and] aphids, [and] [mealybugs]
- Kills scale insects
- Kills listed insect pests on roses
- Keeps protecting plants from insect damage for up to 30 days
- Clear Formula
- Clear Formula - Non-staining, Low odor
- Non-staining Clear Formula
- Low Odor Clear Formula
- No lingering odor
- No oily residue
- Low Odor
- Water-based
- Makes up to [2] [xx] gallons [of spray]
- Contains [Thiamethoxam]

- Contains [Lambda-cyhalothrin]
- Contains [Difenoconazole]
- [Results] Guaranteed or Your Money Back
- Guaranteed Results or Your Money Back
- Satisfaction Guaranteed or Your Money Back
- Squeeze and Measure [bottle] [no touch] [precise dosing] [easy dose] [no mess] [easy cleanup]
- Easy Dose System [no touch] [easy to measure] [no mess] [easy cleanup]
- Easy Pour [ing] [System] [no touch] [easy to measure] [no mess] [easy cleanup]
- Ready to Spray
- Sprayer Included
- For Outdoor [Residential] Use Only
- Fast Acting Insect [Killer] & Disease [Killer]
- Mix 3 fl. oz. per gallon
- Cures and prevents
- Kills Spider mites that transmit the rose rosette virus
- Free refill
- For use in refill container
- Refill included

[The Syngenta logo is a registered trademark of a Syngenta Group Company]

©20XX Syngenta

[optional]

For non-emergency (e.g. current product information) call
Syngenta Crop Protection at 1-800-334-9481 [Company name and optional alternate
phone number].

Manufactured for:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300