

100-1368

04-15-2010

21



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (7505C)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:  
100-1368

Date of Issuance:  
APR 15 2010

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

WeatherBlok® AG Bait with  
Bitrex®

Name and Address of Registrant (include ZIP Code):

Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419

Attention: Mr. Thomas Parshley

Decision # 426756  
R300 5-872401  
1160

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you

- A. submit one (1) copy of final printed labeling to us, with the following changes, before you release the product for shipment.

Kable Bo Davis  
Acting Product Manager (07)  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Date:

APR 15 2010

1. Add the registration number to your label: "EPA Reg. No. 100-1368".
2. In the last sentence of your "USE RESTRICTIONS", delete "of".
3. Should you wish to add a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E).

As stated under the Terms and Conditions of Sale and Distribution on page 35 of the Agency's revised May 28, 2008 "Risk Mitigation Decision for Ten Rodenticides":

- a. Product is prohibited for sale in stores oriented towards residential consumers: Grocery, Drug, Hardware and Home Improvement. It is acceptable for sale in stores oriented toward agricultural consumers: Farm, Agricultural, Tractor Stores.
- b. Product may not be sold in packaging that holds less than 8 pounds of bait.

The acceptable Confidential Statement of Formula (CSF) for this product is dated April 9, 2010. All other versions are obsolete.

With the above revisions, this product will be in full compliance with the Agency's revised May 28, 2008 "Risk Mitigation Decision for Ten Rodenticides".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), or E-Mail (peacock.dan@epa.gov).

- Enclosures:
1. Stamped Label
  2. Minimum Type Sizes for Final Printed Label

Dan Peacock, Flash Drive, 16gb, E:\4G Dan\Doc\Word\Brodifacoum\Registration Actions\100\100-RGAI\100-RGAI,-1368, Notice of Registration, 4-13-2010.doc

(Master Label)  
(pail, outer container for pouch, inner pouch)

**WeatherBlok® AG Bait With Bitrex®**

For Use In and Around Agricultural Buildings Only  
**INDIVIDUAL SALE PROHIBITED BY LAW** (inner 4 lb pouch)

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

Active Ingredient:

Brodifacoum	
3-[3-(4-bromo-[1,1-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one.....	0.005%
Other Ingredients <sup>[1]</sup> :	99.995%
Total:	100.000%

[<sup>1</sup> contains Bitrex® brand denatonium benzoate ]

ACCEPTED  
With COMMENTS  
In EPA Letter Dated: APR 15 2010

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

**See additional precautionary statements and directions for use on label.** 100-1368

Distribution to and sales in "consumer" stores including grocery stores, drug stores, hardware stores, club stores is prohibited.

EPA Reg. No. 100-RGAI

EPA Est. No. XXXX

Product of XXXX  
Formulated in the USA  
Product ID XXXX

SCP xxxxA-M (RGAI)

- 4 pounds (in 20 gram (0.7 ounce)[bars][blocks]) (printed inner pouch)
- 8 pounds (2x4 pounds in 20 gram (0.7 ounce)[bars] [blocks]) (outer container for pouches)
- 16 pounds (4x4 pounds in 20 gram (0.7 ounce)[bars] [blocks]) (outer container for pouches)

8 pounds (in 20 gram (0.7 ounce)[bars] [blocks])

\_\_\_\_\_ pounds (in 20 gram (0.7 ounce)[bars] [blocks]) (>8 lb)

Net Weight

000100-01368.20100413

---

**PRECAUTIONARY STATEMENTS**

---

**Hazards to Humans and Domestic Animals****CAUTION**

Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**User Safety Requirements**

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

<b>FIRST AID</b> <b>HAVE LABEL WHEN OBTAINING TREATMENT ADVICE</b>	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center, doctor, or <b>HOT LINE NUMBER</b> immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center, doctor, or 1-800-888-8372 immediately for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b> For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call <b>1-800-888-8372</b>	
<b>NOTE TO PHYSICIAN</b>	
If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K <sub>1</sub> intramuscularly or orally. Vitamin K <sub>1</sub> is antidotal at doses of 10-20 mg ( <b>not mg/kg</b> ). Repeat as necessary based on monitoring of prothrombin times.	
<b>TREATMENT FOR PET POISONING</b>	
If animal eats bait, call veterinarian or <b>HOT LINE NUMBER</b> at once.	
<b>NOTE TO VETERINARIAN</b>	
<b>Anticoagulant Brodifacoum:</b> For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K <sub>1</sub> at doses of 2-5 mg/kg. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.	

**Environmental Hazards**

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

---

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. TO THE EXTENT PERMITTED BY APPLICABLE LAW, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

Syngenta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Syngenta, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall Syngenta be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Syngenta and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Syngenta.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To reduce exposure:**

- Store product not in use in a location out of reach of children and pets.
- Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. All above ground, outdoors applications must be in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under 6 years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

## USE RESTRICTIONS

For control of Norway rats, roof rats, and house mice in and around agricultural buildings. **Do not apply further than 50 feet from buildings.** Do not use in homes or other human residences. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food- or feed-handling equipment, milk- or meat-handling equipment, or surfaces that come into direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in sewers.

Do not sell this product in individual containers holding less than 8 pounds of bait.

## SELECTION OF TREATMENT AREAS

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

---

**APPLICATION DIRECTIONS**

---

**Norway and Roof Rats**

Apply 4 - 22 (20 g (0.7 oz)) blocks of WeatherBlok Bait with Bitrex (usually at intervals of 15-30 ft.) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

**House Mice**

Apply 1 bait block per placement. Space placements at intervals of 8-12 ft. Two blocks may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

**Follow-Up**

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and (when baiting operations are to be ceased) unconsumed bait according to the **Disposal** paragraph. To prevent reinfestation, limit food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish or maintain bait stations and replenish with census or toxic bait as needed.

---

**STORAGE AND DISPOSAL**

---

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**

Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**Pesticide Disposal**

Dispose of wastes resulting from the use of this product at an approved waste disposal facility or call your local solid waste agency for alternative disposal instructions. Never dispose of unused product down any indoor or outdoor drain.

**Container Handling** (*pail; pouch; and outer container*)

Nonrefillable container. Do not reuse or refill this container. When completely empty, offer for recycling if available, or dispose of empty container in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.


---

**[Optional Marketing Claims**

*Made With Talon® Rodenticide  
Second Generation Anticoagulant  
Kills warfarin-resistant Norway Rats and House Mice.  
Satisfaction Guaranteed or Your Money Back]*



---

WeatherBlok®, Talon®, the Syngenta logo, and the CP FRAME  are trademarks of a Syngenta Group Company.

[Bitrex® is a trademark of Macfarlan Smith Ltd., Edinburgh, Scotland.]

© 2009 Syngenta

For non-emergency (e.g., current product information) call Syngenta Crop Protection at 1-800-334-9481
--

Manufactured for :  
Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, North Carolina 27419-8300  
SCP xxxxA-M (RGAI)

WeatherBlok AG(RGAI) 4-13-10 clean - pl - 4/13/10  
000100-0RGAI.20100413.WEA-BLO-AG.pdf