

100-1377

03-11-2011

1/11



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

100-1377

Date of Issuance:

Term of Issuance:

Conditional

NOTICE OF PESTICIDE:

Registration

Reregistration

(under FIFRA, as amended)

Name of Pesticide Product:

Azoxy 0.31/PPZ 0.75 Granular

Name and Address of Registrant (include ZIP Code):

Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1) Submit and/or cite all data required for registration of your product under FIFRA sec 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2) Make the following label change:
 - a) Revise the product registration number to read "EPA Registration Number "100-1377".

(continued on page 2)

Signature of Approving Official:

Shaja B. Joyner (20)
Fungicide Branch, Registration Division (7505P)

Date:

MAR 11 2011

b) On page 9, retain "Container Disposal" as a separate heading and revise per PR Notice 2007-4.

3) Data for storage stability (830.6317) and corrosion characteristics (830.6320) must be submitted within the next 12 months. It is required that the observations be made at 0, 3, 6, 9 and 12 month intervals. Please submit the results in electronic and hard copy format.

Submit one copy of the final printed labeling before the product is released for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any further questions, please contact Tracy Keigwin of my team at (703) 305-6605 or via e-mail at keigwin.tracy@epa.gov.

Sincerely,

Shaja B. Joyner
Product Manager (20)
Fungicide Branch
Registration Division (7505P)

Enclosure: Label stamped "Accepted, with comments"

ACCEPTED
with COMMENTS
In EPA Letter Dated
3/11/2011

Azoxy 0.31/PPZ 0.75 Granular

For use only on home lawns.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
100-1377

Active Ingredient:	
Azoxystrobin:	0.31%
Propiconazole:	0.75%
Other Ingredients:	98.94%
<hr/> Total:	<hr/> 100.00%

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and first aid [at end of label/on back panel].

EPA Reg. No. 100-XXXX

EPA Est.

- [2 lbs.] [(0.90 kg)]
- [5 lbs.] [(2.26 kg)]
- [10 lbs.] [(4.53 kg)]
- [15 lbs.] [(6.80 kg)]
- [20 lbs.] [(9.07 kg)]
- [25 lbs.] [(3.34 kg)]
- [30 lbs.] [(13.60 kg)]

Net Weight

{ [.....*BEGIN - Comprehensive List of Optional Marketing Claims.....*]

- Begins working in 24 hours
- Ready-To-Use Granules
- Ready-To-Spread Granules
- Guaranteed [Results or Your Money Back]
- Granules Dissolve for Quicker Release
- Resealable Bag
- Easy [Pour] [Empty] Bag
- Uniform Granules Provide Uniform Spread
- Controls Lawn Diseases
- Controls Diseases [In your Lawn]
- Contains Heritage®
- Low Odor
- Does Not Stain
- [Broad Spectrum] [and] [Systemic] Disease Control on Home Lawns
- Easy to [Spread] [Apply] Granules
- For Use on Home Lawns.
- Controls Brown Patch, Dollar Spot, Powdery Mildew, Anthracnose, Rusts, Blights, Leaf Spots, and More, as Listed
- Granule Formulation - Easy to spread
- 10 lbs. Will Treat Up to 5,000 Sq. Ft. of Lawn
- 8 lbs. Will Treat Up to 4,000 Sq. Ft. of Lawn
- 6 lbs. Will Treat Up to 3,000 Sq. Ft. of Lawn
- XX lbs. Will Treat Up to X,XXX Sq. Ft. of Lawn
- Absorbed Into the Plant
- Systemic Action
- Works Up to 4 Weeks for Certain Diseases
- Controls Brown Patch
- [Now] Controls Dollar Spot [!]
- New and Improved to Control Dollar Spot
- Prevents and Stops...
 - Anthracnose
 - Brown Patch
 - Blights
 - Dollar Spot
 - Leaf Spot
 - Powdery Mildew
 - Rust
 - and More

[.....*END - Comprehensive List of Optional Marketing Claims.....*]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- After watering in application, do not allow people and pets to enter treatment area until the area treated with Azoxy 0.31/PPZ 0.75 Granular is dry.
- For use only on home lawns.

USE TIPS

- Use Azoxy 0.31/PPZ 0.75 Granular on home lawns to prevent disease before it appears or to control disease at the first sign of disease.
- For best results, begin applications prior to disease symptoms, when conditions are favorable for disease.
- Consult your local Cooperative Extension Service office or your state's land grant university for assistance with lawn disease identification and specific fungicide timing in your area to control lawn diseases.
- When used as directed, this product is safe to the lawn and controls the diseases listed.

How to Apply

- Water in the granules: Hose end or rainfall.
- Measure the length and width of area to be treated before application. Length X width = square feet. For example, an area 20 ft. wide and 25 ft. long is 500 sq. ft. [Insert optional graphic].
- Refer to the *Directions for Applications for Lawn Diseases* table for the rate to apply to control your lawn disease problem. Add the appropriate amount of Azoxy 0.31/PPZ 0.75 Granular to your granular spreader to cover your square footage of lawn. Refer to *Granular Spreader Settings* table for spreader settings to deliver the rate required.
- Uniform coverage is necessary to provide the most effective level of control.

- Azoxy 0.31/PPZ 0.75 Granular can be applied after seeding or at seed germination.
- Use the shorter retreatment intervals and higher application rates when prolonged favorable disease conditions exist.
- Do not apply more than 19.2 lbs. of Azoxy 0.31/PPZ 0.75 Granular per 1,000 sq. ft. in a single year.

DIRECTIONS FOR APPLICATIONS FOR LAWN DISEASES

Disease	How Much to Apply (lb. per 1,000 sq. ft.)	Application Interval (days)	Comments
Brown Patch	2	14	Apply when conditions are favorable for disease.
	4	28	
Dollar Spot	2	14	Apply when conditions are favorable for disease.
	4	28	
Anthracnose	2	14	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Fusarium Patch	4	28	
Gray Leaf Spot			
Leaf Rust			
Powdery Mildew			
Stem Rust			
Stripe Rust			
Necrotic Ring Spot	2	14	Apply when conditions are favorable for disease.
Pink Patch	4	28	
Red Thread			
Southern Blight			
Summer Patch			
Leaf Spot	2	14	Apply when conditions are favorable for disease.
Melting Out	4	28	
Bentgrass Dead Spot	2	14	Begin applications prior to disease development.
	4		
Cool Weather Brown Patch	2	14	Make one or two applications in fall or when conditions are favorable for disease.
Yellow Patch	4	28	
Rhizoctonia Large Patch			
Fairy Ring	2	28	Apply as soon as possible after fairy ring symptoms develop. Severely damaged or thin turf may require reseedling. Fairy ring symptoms may take 2 to 3 weeks to disappear following application. Reapplication after 28 days may be required in some cases.
	4		
Gray Snow Mold	5	-	Make a single application in late fall.
Pink Snow Mold			
Typhula Blight			
Pythium Blight	2	10	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Pythium Root Rot	4	14	
Spring Dead Spot	2	14	Make 1 or 2 applications, with the last application falling approximately one month prior to bermudagrass dormancy. Irrigate with ¼" to ½" of water after application.
	4	28	
Take-All Patch	2	28	Apply twice in the fall (typically September and October) and twice in the spring (typically April and May). Treat southern lawns (warm season grasses such as bermudagrass and St. Augustinegrass) twice in the summer (June - August) as well.
	4		
Zoysia Patch	2	14	Make 1 to 2 applications, with the last application falling approximately one month prior to zoysiagrass dormancy.
	4	28	

SPREADER SETTINGS

(Spreader setting table available at final printing.)

(This paragraph - footnote to table of spreader settings) Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to check spreader at the beginning of the application, adjust spreader if necessary.

[Broadcast Spreaders: If your lawn is rectangular, apply two border strips across each end for a turning area. If your lawn is an irregular shape, apply a border strip completely around it. Then apply product back and forth in the longest direction. Turn the spreader off and on at the edge of each strip to prevent uneven application. Overlap the throw pattern by about a foot to ensure complete coverage.

Drop Spreaders: First apply two border strips along the edge of each end of the lawn. Then apply product along the length of lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.]

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

Alternate Warranty Statement

Notice: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The buyer assumes responsibility for lack of performance or safety if not used according to the instructions on this label.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call [1-800-888-8372] [Alternate phone number]	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear a long-sleeved shirt, long pants, and socks and shoes.

Environmental Hazards

This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Do not apply directly to water. Runoff may harm aquatic organisms. Do not contaminate water when disposing of equipment washwater or rinsate.

11
11

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry, secure place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

Pesticide Disposal and Container Handling

If empty: Place in trash or offer for recycling if available.

If party filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Heritage® and the Syngenta logo are trademarks of a Syngenta Group Company

©201X Syngenta

Questions or Comments?
Call [800 number]

Manufactured for:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, North Carolina 27419-8300

Azoxy 0.31-PPZ 0.75 Granular-B - bb - 2-22-11

000100-XXXXX.20100419B.AZOXY0.31-PPZ0.75-GRANULAR-0410