



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

June 22, 2015

Ruhi Rezaaiyan  
Sr. Regulatory Product Manager  
Syngenta Crop Protection, LLC  
P.O. Box 18300  
Greensboro, NC 27419-8300

Subject: Amended Reregistration Label  
Product Name: Azoxy 0.31/PPZ 0.75 Granular  
EPA Registration Number: 100-1377  
Decision Number: 454588

Dear Ms. Rezaaiyan:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the propiconazole RED, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

NOTE: This product is **not** yet being reregistered under section 4(g) of FIFRA.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 10-29-10
- Alternate CSF 1, dated 10-29-10

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment or the next printing of the label, whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Erik Kraft by phone at 703-308-9358, or via email at [kraft.erik@epa.gov](mailto:kraft.erik@epa.gov).

Page 2 of 2  
EPA Reg. No. 100-1377  
Decision No. 454588

Sincerely,


A handwritten signature in black ink, appearing to read "Shaja Joyner". The signature is fluid and cursive, written over a faint, illegible background.

Shaja Joyner, Product Manager 20  
Fungicide and Herbicide Branch  
Registration Division (7505P)  
Office of Pesticide Programs

Enclosure

**Azoxy 0.31/PPZ 0.75 Granular**

For use only on home lawns.



Active Ingredient:	
Azoxystrobin:.....	0.31%
Propiconazole: .....	0.75%
Other Ingredients:	98.94%
Total:	100.00%

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION**

See additional precautionary statements and first aid [at end of label/on back panel].

EPA Reg. No. 100-1377

EPA Est.

- [2 lbs.] [(0.90 kg)]
- [5 lbs.] [(2.26 kg)]
- [10 lbs.] [(4.53 kg)]
- [15 lbs.] [(6.80 kg)]
- [20 lbs.] [(9.07 kg)]
- [25 lbs.] [(11.34 kg)]
- [30 lbs.] [(13.60 kg)]

Net Weight

{ [.....BEGIN - Comprehensive List of Optional Marketing Claims.....]}

- Begins working in 24 hours
- Ready-To-Use Granules
- Ready-To-Spread Granules
- Guaranteed [Results or Your Money Back]
- Granules Dissolve for Quicker Release
- Resealable Bag
- Easy [Pour] [Empty] Bag
- Uniform Granules Provide Uniform Spread
- Controls Lawn Diseases
- Controls Diseases [In your Lawn]
- Contains Heritage®
- Low Odor
- Does Not Stain
- [Broad Spectrum] [and] [Systemic] Disease Control on Home Lawns
- Easy to [Spread] [Apply] Granules
- For Use on Home Lawns.
- Controls Brown Patch, Dollar Spot, Powdery Mildew, Anthracnose, Rusts, Blights, Leaf Spots, and More, as Listed
- Granule Formulation - Easy to spread
- 10 lbs. Will Treat Up to 5,000 Sq Ft of Lawn
- 8 lbs. Will Treat Up to 4,000 Sq Ft of Lawn
- 6 lbs. Will Treat Up to 3,000 Sq Ft of Lawn
- XX lbs. Will Treat Up to X,XXX Sq Ft of Lawn
- Absorbed Into the Plant
- Systemic Action
- Works Up to 4 Weeks for Certain Diseases
- Controls Brown Patch
- [Now] Controls Dollar Spot [!]
- New and Improved to Control Dollar Spot
- Prevents and Stops...
  - Anthracnose
  - Brown Patch
  - Blights
  - Dollar Spot
  - Leaf Spot
  - Powdery Mildew
  - Rust
  - and More

[.....END - Comprehensive List of Optional Marketing Claims.....]}

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- Do not allow adults, children, or pets to enter the treated area until dusts have settled.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.
- For use only on home lawns.

---

### USE TIPS

---

- Use Azoxy 0.31/PPZ 0.75 Granular on home lawns to prevent disease before it appears or to control disease at the first sign of disease.
- For best results, begin applications prior to disease symptoms, when conditions are favorable for disease.
- Consult your local Cooperative Extension Service office or your state's land grant university for assistance with lawn disease identification and specific fungicide timing in your area to control lawn diseases.
- When used as directed, this product is safe to the lawn and controls the diseases listed.

---

### How to Apply

---

- Water in the granules: Hose end or rainfall.
- Measure the length and width of area to be treated before application. Length X width = square feet. For example, an area 20 ft. wide and 25 ft. long is 500 sq. ft. [Insert optional graphic].
- Refer to the *Directions for Applications for Lawn Diseases* table for the rate to apply to control your lawn disease problem. Add the appropriate amount of Azoxy 0.31/PPZ 0.75 Granular to your granular spreader to cover your square footage of lawn. Refer to *Granular Spreader Settings* table for spreader settings to deliver the rate required.

- Uniform coverage is necessary to provide the most effective level of control.
- Azoxy 0.31/PPZ 0.75 Granular can be applied after seeding or at seed germination.
- Use the shorter retreatment intervals and higher application rates when prolonged favorable disease conditions exist.
- Do not apply more than 21.4 lbs. of Azoxy 0.31/PPZ 0.75 Granular per 1,000 sq. ft. in a single year.

## DIRECTIONS FOR APPLICATIONS FOR LAWN DISEASES

Disease	How Much to Apply (lb per 1,000 sq ft)	Application Interval (days)	Comments
Brown Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Dollar Spot	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Anthracnose Fusarium Patch Gray Leaf Spot Leaf Rust Powdery Mildew Stem Rust Stripe Rust	2 - 4	14 - 28	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Necrotic Ring Spot Pink Patch Red Thread Southern Blight Summer Patch	2 - 4	14 - 28	Apply when conditions are favorable for disease.
Leaf Spot Melting Out	2 - 4	14 - 21	Apply when conditions are favorable for disease.
Bentgrass Dead Spot	2 - 4	14	Begin applications prior to disease development.
Cool Weather Brown Patch Yellow Patch Rhizoctonia Large Patch	2 - 4	14 - 28	Make one or two applications in fall or when conditions are favorable for disease.
Fairy Ring	2 - 4	28	Apply as soon as possible after fairy ring symptoms develop. Severely damaged or thin turf may require reseeded. Fairy ring symptoms may take 2 to 3 weeks to disappear following application. Reapplication after 28 days may be required in some cases.
Gray Snow Mold Pink Snow Mold Typhula Blight	5.4	-	Make a single application in late fall.
Pythium Blight Pythium Root Rot	2 - 4	10 -14	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Spring Dead Spot	2 - 4	14 - 28	Make 1 or 2 applications, with the last application falling approximately one month prior to bermudagrass dormancy. Irrigate with ¼" to ½" of water after application.
Take-All Patch	2 - 4	28	Apply twice in the fall (typically September and October) and twice in the spring (typically April and May).  Treat southern lawns (warm season grasses such as bermudagrass and St. Augustinegrass) twice in the summer (June - August) as well.
Zoysia Patch	2 - 4	14 - 28	Make 1 to 2 applications, with the last application falling approximately one month prior to zoysiagrass dormancy.

---

## SPREADER SETTINGS

---

*(Spreader setting table available at final printing.)*

*(This paragraph - footnote to table of spreader settings)* Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to check spreader at the beginning of the application, adjust spreader if necessary.

**[Broadcast Spreaders:** If your lawn is rectangular, apply two border strips across each end for a turning area. If your lawn is an irregular shape, apply a border strip completely around it. Then apply product back and forth in the longest direction. Turn the spreader off and on at the edge of each strip to prevent uneven application. Overlap the throw pattern by about a foot to ensure complete coverage.

**Drop Spreaders:** First apply two border strips along the edge of each end of the lawn. Then apply product along the length of lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.]



---

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

### Alternate Warranty Statement

**Notice:** Research and testing have determined that the “Directions for Use” are appropriate for the proper use of this product under expected conditions. The buyer assumes responsibility for lack of performance or safety if not used according to the instructions on this label.

<b>FIRST AID</b>	
<b>If in eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call <b>[1-800-888-8372] [Alternate phone number]</b>	

---

### PRECAUTIONARY STATEMENTS

---

#### Hazards to Humans and Domestic Animals

#### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Wear a long-sleeved shirt, long pants, and socks and shoes.

#### Environmental Hazards

This pesticide is toxic to fish and shrimp. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

### **Pesticide Storage**

Store in a cool, dry, secure place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

### **Pesticide Disposal and Container Handling**

Nonrefillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If party filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

---

Heritage® and the Syngenta logo are trademarks of a Syngenta Group Company

©20\_\_ Syngenta

Questions or Comments?  
Call [800 number]

Manufactured for:  
Syngenta Crop Protection, LLC  
P.O. Box 18300  
Greensboro, North Carolina 27419-8300

Azoxy 0.31-PPZ 0.75 Granular 1377 MAS 0311 HI – pd – 05/16/12  
AZOXY 0.31-PPZ 0.75 GRANULAR 1377 MAS 0311 DCI AMEND MAY2012 HI – pd – 05/17/12

AZOXY 0.31-PPZ 0.75 GRANULAR 1377 MAS 0311 DCI AMEND MAY2012-Version B-HI – pl – 5/28/15  
000100-01377.20120521B.AZOXY0.31-PPZ0.75GR\_AMEND\_MAY2012-HI.pdf

AZOXY 0.31-PPZ 0.75 GRANULAR 1377 MAS 0311 DCI AMEND MAY2012-Version B-CLEAN – pl – 6/4/15  
000100-01377.20120521B.AZOXY0.31-PPZ0.75GR\_AMEND\_MAY2012.pdf