

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 0 2 2012

Ruhi Rezaaiyan Ph D Senior Regulatory Product Manager Syngenta Crop Protection LLC P O Box 18300 Greensboro NC 27419 8300

Subject

Thesis Fungicide EPA Reg No 100 1386 (related Petition 1E7852)

EPA Decision Number 447589

Original submission dated 3/28/11 and various re submissions

Purpose Supplemental label version dated 7/31/12 for spraying post harvest potatoes

and the other tuberous and corm crop subgroup 1C vegetables using conveyor

lines/other means

Dear Ms Rezaaiyan

The Supplemental label referred to above submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended is acceptable providing this new use is incorporated into the Master Label for this product within 18 months. Submit this incorporation as an amendment that can be reviewed/stamped

One copy of the label stamped Accepted is enclosed for your records. These labels supersede all labels previously accepted for this product. If you have any questions please contact me at 703 308 9443.

Sincerely

Tony Kish Product Manager Team 22 Fungicide Branch Registration Division

Enclosure Supplemental label stamped Accepted

SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC
P O Box 18300
Greensboro North Carolina 27419 8300
SCP

GROUP 3 FUNGICIDE

Thesis™ Fungicide

This supplemental label expires on 08/12/2015 and must not be used or distributed after this date

Active Ingredient	
Difenoconazole*	32 8%
Other Ingredients	67 2%
Total	100 0%

*CAS No 119446-68-3

Contains 3 0 lb a i /gal of difenoconazole

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg 100 1386

ACCEPTED AUG 0 2 2012

Under the Federal Insecticide
Fungicide and Rodenticide Act,
as amended, for the pestacide
registered under
EPA Reg No. 100-1386

All applicable directions, restrictions and precautions on the EPA registered label are to be followed. Before using Thesis Fungicide as permitted according to this Supplemental Labeling, read and follow all applicable directions: restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and/or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

syngenta

DIRECTIONS FOR USE

FOR POST HARVEST APPLICATIONS

Tuberous and Corm Vegetable Subgroup 1C

Arracacha Arrowroot Artichoke Chinese Artichoke Jerusalem Canna Edible Cassava Bitter and Sweet Chayote (root) Chufa Dasheen Ginger Leren Potato Sweet Potato Tanier Turmeric Yam Bean Yam True

Use Thesis as a post-harvest spray for the control of certain post-harvest rots caused by Silver scurf (*Helminthosporium solani*) and *Fusarium* species

Application Method	Disease	Rate (floz)	Remarks
In Line Aqueous Spray Application	Silver Scurf Fusarium Dry Rot	0 3 fl oz /ton of tubers	 Ensure proper coverage of the tubers Tubers should be tumbling as they are treated Mix the fungicide solution in an appropriate amount of water for the crop being treated Use T-jet CDA or similar application system
Do not make more than one post harvest application to the tubers Do not use on seed potatoes or seed pieces			
Ensure the Thesis solution remains in suspension by using agitation			

Thesis™ and the Syngenta logo are trademarks of a Syngenta Group Company

©2012 Syngenta

THESIS 1386 MAS 1210 TOL PET C SUP 0211 CLEAN – df – 7/31/12 000100 01386 20110221C THESIS TOLPET C SUP 0211 CLEAN PDF