

100-1400

3/16/2011

10 of 10

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number: 100-1400	Date of Issuance: 16-Mar-2011
		Term of Issuance: Unconditional	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)		Name of Pesticide Product: Regard Insecticide	
Name and Address of Registrant (include ZIP Code): Syngenta Crop Protection, Inc. PO Box 18300 Greensboro, NC 27419			
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.			
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by other This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) provided that you: 1. Revise the EPA Registration Number to read, "EPA Reg. No. 100-1400."			
If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions regarding this action, please contact Samantha Hulkower of my team at (703) 603-0683.			
Signature of Approving Official:  Mark Suarez, PM Team 13 Insecticide Branch/Registration Division		Date: 16-Mar-2011	

EPA Form 8

EPA Reg. No. 100-1400, Decision 442640

(Master label)

Regard Insecticide

GROUP 5 INSECTICIDE


An insect control product for use in commercial seed coating as seed treatment to control seedcorn maggot and onion maggot.

For Commercial Seed Treatment Only

 **FOR ORGANIC PRODUCTION** [optional]

Active Ingredient:	
Spinosad ¹	80.0%
Other Ingredients:	20.0%
Total:	100.0%

¹a mixture of spinosad A and spinosad D
Contains 80% active ingredient on a weight basis.



KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-xxxxx

EPA Est. xxxxx

Product of xxxxx
Formulated in the USA

SCPxxxxxA-M(draft -b Regard)

Net Weight

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<p align="center">HOT LINE NUMBER</p> <p align="center">For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call 1-800-888-8372</p>	

Personal Protective Equipment (PPE)

Applicators and Other Handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Mixers/Loaders must wear:

- A NIOSH- approved half-face cartridge or canister respirator or powered air-purifying respirator (PAPR) fitted with a dust/mist filter only or with an organic vapor removing filter with a dust/mist filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on the label.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read all Directions for Use carefully before applying.

Not for on-farm use. Not for use on agricultural establishments in hopper-box, planter-box, slurry-box, or other seed treatment applications at or immediately before planting.

GENERAL INFORMATION

Regard is an insect control product for control of many foliar feeding pest including onion maggot and seedcorn maggot infesting labeled crops. This product's active ingredient, spinosad, is biologically derived from the fermentation of *Saccharopolyspora spinosa*, a naturally occurring soil organism.

GENERAL USE PRECAUTIONS

Insecticide Resistance Management (IRM)

Regard contains spinosad, a Group 5 insecticide. Insect/mite biotypes with acquired resistance to Group 5 insecticides may eventually dominate the insect/mite population if Group 5 insecticides are used repeatedly in the same field or area, or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by Regard or other Group 5 insecticides. Currently, only spinetoram and spinosad active ingredients are classified as Group 5 insecticides. These two insecticide active ingredients share a common mode of action and must not be rotated with each other for control of pests listed on this label. Spinetoram and spinosad may be rotated with other labeled insecticide active ingredients.

To delay development of insecticide resistance, the following practices are recommended:

- Carefully follow the specific label guidelines within the use directions sections of this label, especially in regard to IRM recommendations.
- Avoid use of the same active ingredient or mode of action (same insecticide group) on consecutive generations of insects. However, multiple applications to reduce a single generation are acceptable. Treat the next generation with a different active ingredient that has a different mode of action or use no treatment for the next generation.
- Avoid using less than labeled rates of any insecticide when applied alone or in tank mixtures.
- Applications should be targeted against early insect developmental stages whenever possible.
- Base insecticide use on comprehensive IPM programs including crop rotations.
- Monitor treated insect populations in the field for loss of effectiveness.

- Contact your local extension specialist, certified crop advisor, and/or manufacturer for insecticide resistance management and/or IPM recommendations for the specific site and resistant pest problems.

COMMERCIAL SEED TREATMENT

Regard insect control is designed to be used as a commercial seed treatment as a component in seed coating blends to protect the germinating seeds and seedlings. Use the required amount of Regard in the seed coating mix to achieve correct rates of active ingredient for the crop seed being treated in the final product. Apply using suitable seed coating equipment to ensure each seed is uniformly coated. Uniform application to seed is necessary to ensure seed safety and best insect control.

Crop (Seeds)	Pests	Regard (mg ai/seed)	Regard (lb ai/100 lb seed)	Maximum Seasonal Application Rate-Seed Use (lb ai/acre)	Maximum Seasonal Application Rate-All Uses (lb ai/acre) ¹
bulb vegetables (crop group 3) ² (excluding dry bulb onion)	onion maggot seedcorn maggot	0.15	3.96 – 6.61	0.99	0.99
dry bulb onion		0.2	5.29 – 6.89	0.27	0.45
dried shelled pea and bean (except soybean) (subgroup 6C) ³ (excluding lentils, cowpea)		0.1 – 0.5	0.03 – 0.2	0.33	
cantaloupe		0.5 – 0.75		2.31 – 3.47	0.1
cucurbit vegetables (crop group 9) ⁴ (excluding cantaloupe, pumpkin, watermelon, winter squash)				0.70 – 3.77	0.11
foliage of legume vegetables (excluding soybean) (subgroup 7A) ⁵				0.17 – 0.41	0.33
pumpkin				0.83 – 1.24	0.05
winter squash				0.55 – 0.83	0.03
watermelon		1.10 – 1.65	0.07		

¹The maximum seasonal application rate is the total of all methods of application – soil, foliar, and seed treatment.

²Bulb vegetables (crop group 3) including dry bulb onion, garlic, great-headed (elephant) garlic, green onion, leek, shallot, welch onion

³Dried shelled pea and bean (except soybean) (subgroup 6C) including dried cultivars of bean *Lupinus* spp. (includes grain lupin, sweet lupin, white lupin, white sweet lupin), *Phaseolus* spp. (includes field bean, kidney bean, lima bean (dry), navy bean, pinto

bean, tepary bean), bean *Vigna* spp. (includes adzuki bean, blackeyed pea, catjang, cowpea, crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean), broad bean (dry), chickpea, guar, lablab bean, lentil, pea *Pisum* spp. (includes field pea), pigeon pea

⁴Cucurbit vegetables (crop group 9) including cucumber, edible gourds, muskmelons (cantaloupe, honeydew, etc.), pumpkin, summer squash, watermelon, winter squash

⁵Foliage of legume vegetables (subgroup 7A) including any cultivar of bean and field pea (except soybean)

Specific Use Precautions:

- Do not mix the seed and product with bare hands.
- Seed should be sound and well cured prior to treatment.
- Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seeds and seed packaging by burial away from bodies of water.

Specific Use Restrictions

- Regardless of formulation or method of application, apply no more than 0.45 lb ai (204 g) per acre per season soil, foliar and seed treatment uses for the following crops: crops in crop group 3 (see table footnote 2 above for specific crops in crop group), crop group 9 (see table footnote 4 above for specific crops in crop group), and subgroup 7A (see table footnote 5 above for specific crops in crop group).
- Regardless of formulation or method of application, apply no more than 0.188 lb ai (85 g) spinosad per acre per season soil, foliar and seed treatment uses for the following crops: crops in subgroup 6C (see table footnote 3 above for specific crops in crop group).
- Follow restrictions in the crop section of the label for maximum number of foliar applications allowed per season.
- For use only in commercial seed treatment facilities.
- This product is not intended for use on agricultural establishments in hopper-box, planter-box, or other seed treatment applications at or immediately before planting.
- Do not use treated seed for human consumption, as feed for livestock or poultry, or for oil purposes.
- Label treated seed as follows: "THIS SEED HAS BEEN TREATED WITH SPINOSAD at ___ mg. ai/seed. DO NOT USE FOR FOOD, FEED OR OIL. STORE AWAY FROM FOOD AND FOODSTUFF. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated." **Note:** The rate of spinosad in mg. ai/seed must be included on the label of the treated seed.
- Treated seed must be planted into the soil at least 1/2 inch deep, using appropriate commercial seeding equipment. To achieve the optimum depth required for maximum germination, refer to the specific planting directions for use on labels of treated seed. To minimize potential exposure to nontarget wildlife, cover or collect any seeds treated with Regard that may have spilled during planting or loading

- The purchaser of this product is responsible for ensuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR Part 2.25. Any dye added to treated seed must be cleared for use under 40 CFR Part 180.1001.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal.

Pesticide Storage

Store in original container only.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling:

Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Regard, the ALLIANCE FRAME, the Syngenta logo, and the PURPOSE ICON are Trademarks of a Syngenta Group Company
©2011 Syngenta

For non-emergency (e.g., current product information), call
Syngenta Crop Protection at 1-800-334-9481.

Manufactured for:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300

SCPxxxxxA-M(draft-b Regard)

Regard xxxxA-M(draft-b Regard)clean-lg-3-14-11 000100-xxxxx.20110314.b.Regard.pdf

(label for inner bag)

Regard Insecticide

Contains 80% spinosad

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional Precautionary Statements and Directions for Use on outer container.

EPA Reg. No. 100-xxxxx

SCPxxxxxA-M(draft-b Regard)

Net Weight

Regard xxxxA-M(draft-b Regard)clean-lg-3-14-11 **000100-xxxxx.20110314.b.Regard.pdf**