SNUPPONE PROTECTION	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 100-1457	Date of Issuance: JAN 1 5 2013
	OTICE OF PESTICIDE: <u>X</u> Registration <u>Reregistration</u>	Term of Issuance: Conditional	
(under FIFRA, as amende	d)	Name of Pesticide Product: Avicta® Complete Beans 500	
	lyn F. Brinkley		
Note: Changes in labeling	differing in substance from that accepted in connection with this regis r to use of the label in commerce. In any correspondence on this prod		
Note: Changes in labeling Registration Division prio	differing in substance from that accepted in connection with this regis	uct always refer to the above E	PA registration number.
Note: Changes in labeling Registration Division prio On the basis of informatio Rodenticide Act. Registration is in no way t environment, the Adminis of any name in connection	differing in substance from that accepted in connection with this regist r to use of the label in commerce. In any correspondence on this prod n furnished by the registrant, the above named pesticide is hereby regist o be construed as an endorsement or recommendation of this product trator, on his motion, may at any time suspend or cancel the registration with the registration of a product under this Act is not to be construed	uct always refer to the above E istered under the Federal Insect by the Agency. In order to pro on of a pesticide in accordance	PA registration number. icide, Fungicide and tect health and the with the Act. The acceptance
Note: Changes in labeling Registration Division prio On the basis of informatio Rodenticide Act. Registration is in no way t environment, the Adminis of any name in connection or to its use if it has been o	differing in substance from that accepted in connection with this regist r to use of the label in commerce. In any correspondence on this prod n furnished by the registrant, the above named pesticide is hereby regist o be construed as an endorsement or recommendation of this product trator, on his motion, may at any time suspend or cancel the registration with the registration of a product under this Act is not to be construed	uct always refer to the above E istered under the Federal Insect by the Agency. In order to pro on of a pesticide in accordance d as giving the registrant a right	PA registration number. icide, Fungicide and tect health and the with the Act. The acceptance to exclusive use of the name

- 2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No 100-1457."

Signature of Approving Official:	Date:		
All Deleef		JAN 1 5 2013	
John Hebert, Product Manager 07			4.20
Insecticide-Rodenticide Branch, Registration Division (7505P)	100		0

Page 2 EPA Reg. No. 100-1457

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF (1372/1), dated 3/16/12
- Alternate CSF #1 (1373/1), dated 3/16/12

If you have any questions, please contact Julie Chao at 703-308-8735 or chao.julie@epa.gov.

John Hebert Product Manager 07 Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

(Bulk Booklet)

RESTRICTED USE PESTICIDE DUE TO TOXICITY

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Avicta® Complete Beans 500

Nematicide/Insecticide/Fungicide

A seed treatment product that provides soybean seedlings early-season protection from damage caused by nematodes (including soybean cyst nematode) and the listed insects and diseases

For use only in Syngenta-certified seed treatment facilities and only in seed treatment equipment with closed transfer and application systems. Not for use in hopper box, planter box, slurry box, or other farmer-applied applications.

Active	Ingredients*:	
--------	---------------	--

Abamectin (CAS No. 71751-41-2)	
Thiamethoxam (CAS No. 153719-23-4)	
Mefenoxam CAS 70630-17-0, 69516-34-3)	
Fludioxonil (CAS No. 131341-86-1)	
Other Ingredients:	64.48%
Total:	

*1 fluid ounce of Avicta Complete Beans 500 contains 7.30 grams of abamectin, 3.65 grams of thiamethoxam, 0.55 grams of mefenoxam, and 0.18 grams of fludioxonil.

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-XXXX EPA Est.

SCP (draft new product)

ACCEPTED JAN 1 5 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

100 - 1457EPA. Reg. No:___

	FIRST AID
lf inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
	uct container or label with you when calling a poison control center or g for treatment.
	HOT LINE NUMBER
	or 24-Hour Medical Emergency Assistance (Human or Animal) Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call 1-800-888-8372

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING/AVISO

May be fatal if inhaled. May be fatal if swallowed. Do not breathe vapor/spray mist. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

The following personal protective equipment and clothing are required when using this product:

Personal Protective Equipment (PPE)

- I. Seed Treatment Workers
 - A. Workers involved with treating the seed (e.g., connecting and disconnecting hoses and transfer pumps, mixing, equipment calibration, etc.) must wear:
 - Chemical-resistant gloves made of any waterproof material Category A (e.g., natural rubber ≥ 14 mils)
 - Protective eyewear
 - NIOSH-approved respirator with any N, R, P, or HE filter
 - Coveralls over long-sleeved shirt and long pants
 - Chemical-resistant apron
 - Shoes and socks.
 - B. Workers Filling Seed Containers/Baggers and Bag Sewers must wear:
 - Chemical-resistant gloves made of any waterproof material Category A (e.g., natural rubber > 14 mils)
 - Protective eyewear
 - NIOSH-approved respirator with any N, R, P, or HE filter
 - Coveralls over long sleeved shirt and long pants
 - Shoes and socks.
 - C. Workers involved with the clean up and maintenance of seed treatment equipment must wear:
 - Chemical resistant gloves made of any waterproof material Category A (e.g., natural rubber ≥ 14 mils)
 - Protective eyewear
 - NIOSH-approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P, or HE prefilter
 - Chemical-resistant coveralls over long-sleeved shirt and long pants
 - Shoes and socks.

D. Multiple Task Workers must wear:

(Multiple task workers perform multiple tasks in one day such as mixing, product application, filling seed containers/bagging, bag sewing, and clean up)

- Chemical-resistant gloves (when handling treated seeds and equipment cleanup) made of any waterproof material – Category A (e.g., natural rubber ≥ 14 mils)
- Protective eyewear (when treating seed and during clean-up)
- Dust/mist-filtering respirator (dust mask)

- Long-sleeved shirt and long pants
- Chemical-resistant coveralls over long-sleeved shirt and long pants (required when performing seed treatment equipment clean-up procedures)
- · Shoes and socks.

Environmental Hazards

This pesticide product is toxic to fish and wildlife and highly toxic to aquatic invertebrates. Exposed treated seeds may be hazardous to wildlife. Do not contaminate water when disposing of equipment wash water.

This pesticide product contains the active ingredient thiamethoxam, which is highly toxic to bees exposed to direct treatment. Effects may be possible as a result of exposure to translocated residues in blooming crops.

Groundwater Advisory

This pesticide product contains the active ingredient mefenoxam, which is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of mefenoxam in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This product contains thiamethoxam, which has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into the ground water if used in areas where soils are permeable, particularly where the water table is shallow.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

RESTRICTED USE PESTICIDE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:

- Avicta Complete Beans 500 is for use only in Syngenta-certified seed treatment facilities and only in seed treatment equipment with closed transfer and application systems. Use in hopper box, planter box, slurry box, or other farmer-applied applications is not permitted.
- Treatment of highly mechanically scarred or damaged seed or seed known to be of low vigor and poor quality may result in reduced germination and/or reduction of seed and seedling vigor. Conduct germination tests with a representative sample of the seed lot before committing the total seed lot to a selected seed treatment. Because seed quality and seed storage conditions are beyond the control of Syngenta, no claims are made to guarantee the germination of seed or propagating material for all crops.
- Seed treated with this product must be visually identifiable from untreated seed by the use of an approved colorant or dye to prevent accidental use of treated seed as food for humans or feed for animals. Refer to 21 CFR, Part 2.25. Any colorant or dye added to treated seed must be cleared for use in accordance with 40 CFR, Part 153.155(c). Refer to the section on this label REQUIRED SEED CONTAINER STATEMENTS for language that must appear on the container or on the tag that is attached to the container of treated seed.

PRODUCT INFORMATION

Avicta Complete Beans 500 is a seed treatment nematicide/insecticide/fungicide for soybeans. Avicta Complete Beans 500 contains the active ingredients abamectin, thiamethoxam, mefenoxam, and fludioxonil. When applied to soybean seed, Avicta Complete Beans 500 will provide soybean seedlings early-season protection from damage caused by nematodes (including soybean cyst nematode) and from the insects, soil-borne diseases, and seed-borne diseases specified in the **Crop Use Directions**. Refer to the **Crop Use Directions** for application instructions.

REQUIRED SEED CONTAINER STATEMENTS

User is responsible for ensuring that the seed container meets all requirements under the Federal Seed Act.

The Federal Seed Act requires that the container of soybean seed treated with Avicta Complete Beans 500 shall be labeled with the following statements:

- This seed has been treated with abamectin nematicide, thiamethoxam insecticide, and mefenoxam and fludioxonil fungicides.
- Do not use treated seed for feed, food, or oil purposes.

In addition, the U.S. Environmental Protection Agency requires the following statements on the container of soybean seed treated with Avicta Complete Beans 500.

 Ground Water Advisory: This pesticide product contains the active ingredient mefenoxam, which is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of mefenoxam in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This product contains thiamethoxam, which has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into the ground water if used in areas where soils are permeable, particularly where the water table is shallow.

- **Pollinator Precautions:** This product contains thiamethoxam, which is highly toxic to bees. Effects are possible as a result of exposure to translocated residues in blooming crops.
- To protect wildlife and aquatic organisms, follow these practices:
 - Treated seeds exposed on soil surface may be hazardous to wildlife; cover or collect treated seeds that are spilled during loading and in areas such as row ends.
 - Dispose of all excess treated seed by burying seed away from bodies of water.
 - Do not contaminate bodies of water when disposing of planting equipment wash water.
- Store away from food and feedstuffs.
- Do not allow children, pets, or livestock to have access to treated seeds.

- Wear long-sleeved shirt, long pants, and rubber gloves when handling treated seed.
- Plant Avicta Complete Beans 500-treated soybean seed based upon the local planting dates and soil temperatures that are recommended by your state agricultural extension agent. In areas with a history of high nematode populations, a soil fumigant may be recommended.
- Treated seed must be planted into the soil at a depth greater than 1 inch.
- Do not use at a rate that will result in more than 0.083 lb. thiamethoxam per acre per year (37.8 grams a.i./A) as a seed treatment application. This seed has been treated with 0.0756 mg. thiamethoxam/seed.
- Dispose of seed packaging in accordance with local requirements.
- After the seeds have been planted, do not enter or allow worker entry into treated areas during the restricted entry interval (REI) which is 48 hours. Exception: Once the seeds are planted into the soil workers are permitted to enter the treated area immediately if there will be no worker contact with the soil subsurface.
- Wait a minimum of 45 days after planting Avicta Complete Beans 500-treated soybean seed before treating the soybeans with a neonicotinoid insecticide.
- In the event of crop failure or after harvest of soybeans grown from Avicta Complete Beans 500-treated soybean seed,
 - the following crops may be replanted immediately:

alfalfa, *Brassica* (cole) leafy vegetables, cereal grains (including barley, buckwheat, corn, pearl millet, proso millet, oats, popcorn, rice (dry-seeded), rye, sorghum, teosinte, triticale, wheat, and wild rice), canola, cotton, cucurbit vegetables, dry bulb onions, fruiting vegetables, leafy vegetables, legume vegetables, mint (peppermint and spearmint), oil seed crops (black mustard seed, borage seed, crambe seed, field mustard seed, flax seed, Indian mustard seed, Indian rapeseed seed, peanuts, rapeseed seed, and safflower seed), root vegetables, strawberries, sunflowers, tobacco, and tuberous root and corm vegetables.

 the minimum plant back interval is 120 days from the date the Avicta Complete Beans 500-treated soybean seed were planted for:

all other crops (except a cover crop not listed above).

o the minimum plant back interval is less than 120 days for:

a cover crop planted for erosion control or soil improvement; however, do not graze or use this crop for food or feed.

MIXING AND APPLICATION INSTRUCTIONS

RESTRICTIONS:

- Consult the Syngenta Seed Care representative or the manufacturer of the application equipment you plan to use regarding the suitability of this application and equipment calibration and operating instructions.
- Always treat seed in a well-ventilated area. Refer to the Precautionary Statements section of this label for personal protective equipment requirements and other safety precautions.
- Prepare no more mixture than is needed for the immediate operation.
- Avicta Complete Beans 500 must be thoroughly recirculated in its original container before using. (See Mixing Instructions.)
- Apply Avicta Complete Beans 500 as a water-based slurry utilizing standard slurry seed treatment equipment that will provide uniform seed coverage. Uneven or incomplete seed coverage may not give the desired level of nematode, insect, or disease protection.
- Thoroughly mix the required amount of Avicta Complete Beans 500 with the amount of water required for the slurry treater and the dilution rate.
- Use an EPA-approved dye or colorant that imparts an unnatural color to the seed.
- Allow seed to dry before bagging / filling containers, and store treated seed away from food and feed.

Mixing Instructions

- 1. To dispense Avicta Complete Beans 500 into a mix tank, first attach a pump with fittings (e.g., Micro Matic) that match the fittings on the Avicta Complete Beans 500 container.
- Recirculate product. Calculate the recirculation time based upon the ability of the pump to completely recirculate the volume of the tank 5-10 times within a 30-minute time period.

- 3. After the initial recirculation, recirculate for a short period of 5 minutes per day. Attach the dispensing hose to a dry-lock type of fitting that is permanently attached to the mix tank lid.
- 4. Add 1/4-1/2 of the required amount of water to the mix tank.
- 5. With the agitator running, add the Avicta Complete Beans 500 to the tank.
- 6. Continue agitation while adding the remainder of the water.
- 7. Begin application of the solution after the Avicta Complete Beans 500 has completely dispersed into the mix water.
- 8. Maintain agitation until all of the mixture has been applied.

CROP USE DIRECTIONS

To provide soybean seedlings early-season protection from damage caused by nematodes, including soybean cyst nematode, and the specified insects and diseases on this label, apply Avicta Complete Beans 500 to soybean seed as directed in the **Application** table.

NOTE: Soybean seed that can be treated with this product also include those varieties that produce edible (green) soybean seed (edamame).

Application

To Protect	Amount of Avicta Complete Beans 500 to Apply to Soybean Seed				Contraction of the
Soybean Seedlings from Damage Caused by These Pests/ Diseases	FI. oz. of product per 100 lb. (cwt) of seed	Fl. oz. per 140,000 seeds	Total grams of the 4 active ingredients (a.i.) per 100 kg of seed	Total mg. of the 4 active ingredients (a.i.) per seed	Instructions
Nematodes (including soybean cyst nematode) Insects: Aphids Bean beetles Bean leaf beetles Grape colaspis Leaf hoppers Leaf miners Mexican bean beetle Seed corn maggot Three-cornered alfalfa hopper Thrips White grubs Wireworms Diseases: Damping-off and seed-borne rots due to <i>Pythium</i> and <i>Phytophthora</i> Early-season Phytophthora root rot, <i>Fusarium</i> , and <i>Rhizoctonia</i> Avicta Complete Beans 500 also suppresses seed- borne <i>Sclerotinia</i> and <i>Phomopsis</i> species.	6.2 fl. oz. (@ 3,000 seeds per pound)	2.89 fl. oz. (@ 3,000 seeds per pound)	160 grams (@ 3,000 seeds per pound) NOTE: • 160 g. of these 4 active ingredients per 100 kg. of seed consists of the following amounts of each active ingredient: 100 g. abamectin 50 g. thiamethoxam 7.5 g. mefenoxam 2.5 g. fludioxonil	0.2439 mg. (@ 3,000 seeds per pound) NOTE: • 0.2439 mg. of these 4 active ingredients per seed consists of the following amounts of each active ingredient: 0.1512 mg. abamectin 0.0756 mg. thiamethoxam 0.0113 mg. mefenoxam 0.0038 mg. fludioxonil	Apply Avicta Complete Beans 500 at the rate needed to achieve the total of 0.2439 mg. of the 4 active ingredients in this product per seed OR Apply Avicta Complete Beans 500 at the rate needed to achieve the total of 160 g. of the 4 active ingredients in this product per 100 kg. of seed NOTE: The typica density of this product is 9.28 lb. per gallon.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage

Store in a cool, dry place.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Handling

Non-refillable Container. Do not reuse or refill this container. Syngenta's authorized agent will pick up the empty container and handle its disposal. Contact Syngenta or its authorized agent to make arrangements for this service and store empty container in a secure area until pick up.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. To clean the container before final disposal, triple rinse the container as follows: Empty the remaining contents into a rinsate collection system and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into a rinsate collection system or store rinsate for later disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Avicta®, the ALLIANCE FRAME, the SYNGENTA Logo, and the PURPOSE ICON are Trademarks of a Syngenta Group Company

©2012 Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP (draft new product)

(Bulk PSL)

RESTRICTED USE PESTICIDE DUE TO TOXICITY

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

Avicta® Complete Beans 500

Nematicide/Insecticide/Fungicide

A seed treatment product that provides soybean seedlings early-season protection from damage caused by nematodes (including soybean cyst nematode) and the listed insects and diseases

For use only in Syngenta-certified seed treatment facilities and only in seed treatment equipment with closed transfer and application systems. Not for use in hopper box, planter box, slurry box, or other farmer-applied applications.

Active Ingredients*:

Abamectin (CAS No. 71751-41-2)	
Thiamethoxam (CAS No. 153719-23-4)	
Mefenoxam CAS 70630-17-0, 69516-34-3)	
Fludioxonil (CAS No. 131341-86-1)	
Other Ingredients:	64.48%
Total:	

*1 fluid ounce of Avicta Complete Beans 500 contains 7.30 grams of abamectin, 3.65 grams of thiamethoxam, 0.55 grams of mefenoxam, and 0.18 grams of fludioxonil.

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 100-XXXX EPA Est.

SCP (draft new product)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING/AVISO

May be fatal if swallowed or inhaled. Do not breathe vapor. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

	FIRST AID
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
	ict container or label with you when calling a poison control center or g for treatment.
	HOT LINE NUMBER
	r 24-Hour Medical Emergency Assistance (Human or Animal) Chemical Emergency Assistance (Spill, Leak, Fire or Accident) Call 1-800-888-8372

Environmental Hazards

This pesticide product is toxic to fish and wildlife and highly toxic to aquatic invertebrates. Exposed treated seeds may be hazardous to wildlife. Do not contaminate water when disposing of equipment wash water.

This pesticide product contains thiamethoxam, which is highly toxic to bees exposed to direct treatment. Effects may be possible as a result of exposure to translocated residues in blooming crops.

Groundwater Advisory

This pesticide product contains the active ingredient mefenoxam, which is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of mefenoxam in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This product contains thiamethoxam, which has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into the ground water if used in areas where soils are permeable, particularly where the water table is shallow.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY

APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

20

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage

Store in a cool, dry place.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Handling

Non-refillable Container. Do not reuse or refill this container. Syngenta's authorized agent will pick up the empty container and handle its disposal. Contact Syngenta or its authorized agent to make arrangements for this service and store empty container in a secure area until pick up.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. To clean the container before final disposal, triple rinse the container as follows: Empty the remaining contents into a rinsate collection system and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other side and tip it back and forth several times. Empty the rinsate into a rinsate collection system or store rinsate for later disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Avicta®, the ALLIANCE FRAME, the SYNGENTA Logo, and the PURPOSE ICON are Trademarks of a Syngenta Group Company

©2012 Syngenta

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

/icta Complete Beans 500 draft new product 20

20

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

SCP (draft new product)

Avicta Complete Beans 500 (draft new product) – pl – 6/21/12 000100-XXXXX.20120621.AVICTA-COMPLETE-BEANS-500_NEW_JUN2012.pdf

Avicta Complete Beans 500 (draft new product) Vers B Clean – dt – 01/10/13 000100-XXXXX.20120621B.AVICTA-COMPLETE-BEANS-500_NEW_JUN2012-B-CLEAN.pdf