

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 9, 2017

Mr. Jordan Moseley Regulatory Specialist Lawn & Garden Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, NC 27419

Subject: PRIA Label Amendment – Adding new efficacy claims and pharaoh ants as a

target pest

Product Name: Indoxacarb Ant Gel EPA Registration Number: 100-1502 Application Date: April 13, 2017

Decision Number: 528471

Dear Mr. Moseley:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 100-1502 Decision No. 528471

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Eric Bohnenblust by phone at (703) 347-0426, or via email at Bohnenblust.eric@epa.gov.

Sincerely,

Richard Gebken Product Manager 10

Invertebrate & Vertebrate Branch 2

Registration Division (7505P)

Office of Pesticide Programs

Enclosure

[Master Label]

Indoxacarb Ant Gel [ABN: INDX 0.03% Ant Gel]

Insecticide

Ready-To-Use Gel Formulation

For use in and around homes and residential structures.

ACCEPTED

08/09/2017

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

100-1502

Active Ingredient:

Total: 100.00%

*CAS No. 173584-44-6

Indoxacarb belongs to the oxadiazine chemical class.

KEEP OUT OF REACH OF CHILDREN

CAUTION

DO NOT TREAT AREAS THAT ARE EASILY ACCESSIBLE TO CHILDREN AND PETS

Refer to back/side panels for additional precautionary statements and First Aid.

EPA Reg. No. 100-1502 [EPA Est. No. placeholder]

[Net Contents placeholder]
Net Contents
Non-refillable Container

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident),
Call

1-800-888-8372

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL AND CHEMICAL HAZARDS

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

[OPTIONAL MARKETING STATEMENTS]

- [No odor Formula]
- 2. [Starts Killing Ants* in 24 hours]
- 3. [For Hard to Reach Places]
- 4. [For Hard to Reach Places Such as Cracks and Crevices]
- 5. [Has a Specific Combination of Ant** Food Attractants and Active Ingredient]
- 6. [No Mixing Required]
- 7. [Ready To Use]
- 8. [Convenient Syringe Applicator]
- 9. [Convenient Applicator]
- 10. [Precision Syringe Applicator]
- 11. [Precision Applicator]
- 12. [Gets Bait where Ants** live]
- 13. [Makes Multiple Bait Placements Quick and Easy]
- 14. [Makes Baiting Quick and Easy]
- 15. [Easy Way to Apply Bait]
- 16. [Easy to Apply Multiple Bait Placements]
- 17. [Formulated Specifically for Ants**]
- 18. [Quickly (Readily) Consumed by Ants**]
- 19. [Easy for Ants** to Find and Eat]
- 20. [Use Indoors and Outdoors]
- 21. [Can be Use Indoors and Outdoors]
- 22. [Kills Ants** Indoors or Outdoors]

READ THE LABEL FIRST!

^{*} Except Fire, Harvester, Pharaoh, and Carpenter Ants

^{**} Except Fire, Harvester, and Pharaoh Ants

PRODUCT FACTS

Kills Ants (Argentine, Big-headed, Carpenter, Cornfield, Crazy, Field,

Ghost, Honey, Little black, Odorous-house, Pavement, Pyramid, Rover, Thief, and White-footed). Excludes Fire, Harvester, and

Pharaoh Ants.

Where to use In and around homes and other buildings/structures where ants

have infested or where they travel to seek food, water or shelter.

When to use When ants are observed or there is evidence of an infestation

in/around a home, building or structure

[Telephone icon] For information or comments call 1-xxx-xxx-xxxx.

[End Optional Marketing Statements]

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

Syngenta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall Syngenta be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

BACKGROUND INFORMATION

Indoxacarb Ant Gel is a ready-to-use gel bait formulation that is very effective in controlling common ant species that infest areas in and around homes and other residential structures, including Argentine, Big-headed, Carpenter, Crazy, Field, Ghost, Honey, Little Black, Odorous, house, Pavement, Pyramid, Rover, Thief, and White-footed. Excludes Fire, Harvester, and Pharaoh ants. Indoxacarb Ant Gel contains the active ingredient [indoxacarb] [Claridox], a powerful non-repellant insecticide.

BEFORE YOU START

- Apply to areas not easily accessible to children and pets.
- Do not apply Indoxacarb Ant Gel bait to surfaces recently treated with residual sprays.
- Do not apply a residual spray to surfaces that Indoxacarb Ant Gel is applied to.
- Do not apply in or on electrical equipment due to the possibility of shock.
- Do not apply to surfaces that food contacts.
- Do not allow open foods to contact gel material.
- Gel deposits may be cleaned up by using damp paper towel or rag while still wet, or if dried has dried use putty knife to scrape and discard in trash.

[Optional Section]

HOW IT WORKS

[The handy applicator makes it easy to apply small placements of gel. More placements allows scout ants to find the bait faster. It also allows multiple ant colonies to feed on different baits without fighting. Increasing access to the bait increases the effectiveness of the bait. Follow the application directions in the How Much to Apply section for bait placement and application amount.

[End Optional Section]

WHERE TO USE

Indoors:

- Kitchens/Bathrooms/Basements/Garages/Laundry rooms.
- May be used indoors applied as a crack- and-crevice or spot treatment in and around single and multi-family residential buildings.
- Apply to areas frequented by ants such as openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances, and cabinets where ants/ant trails are typically seen.

[OPTIONAL GRAPHICS WITH TEXT]

[Where To Place The Gel]

[Main placement areas]

- Panel 1: Picture with arrows pointing under refrigerator
- Panel 2: Picture with arrows pointing under drawers
- Panel 3: Picture with arrows pointing behind trash receptacle in kitchen
- Panel 4: Picture with arrows pointing to inside of storage cabinet under kitchen sink
- Panel 5: Picture with arrows pointing behind toilet in bathroom

Panel 6: Picture with arrows pointing to inside edge of bathroom sink cabinet

Panel 7: Picture with arrows pointing behind toilet in bathroom opposite side

Panel 8: Picture with arrows pointing to cracks and crevices at base of bathroom cabinet

[End Optional Graphics with Text]

Outdoors:

- A thorough inspection around the exterior of a structure may reveal areas where ants are gaining access.
- To help remove access from external entry points, place applications of Indoxacarb
 Ant Gel as a spot or thin bead (see below) to pest entry sites such as along windows,
 doors and utility entry points.
- Place Indoxacarb Ant Gel to help reduce the potential of subsequent human contact.

HOW MUCH TO APPLY

- Apply approximately 0.1 to 1.0 gram or 1/8 to 1/4 inch in diameter spots of Indoxacarb Ant Gel.
- Apply lines of the ant gel that are approximately 1/8 inches wide and 2 inches long; up to a 3 inch long line may be used for highly active foraging trails of ants.
- A typical ant infestation may require as little as 1–15 grams of Indoxacarb Ant Gel bait whereas heavy ant infestations in a large structure may require the use of more than 15 grams of bait.
- Inspect placements of the Indoxacarb Ant Gel periodically and apply fresh gel bait as needed.

Figure 1: Line of gel approx. 1/8" x 2"

0

Figure 2: Spot of gel approx. 0.1g

 \bigcirc

• Figure 3: Spot of gel approx. 1g

HOW TO APPLY

- 1. Remove cap from syringe tip.
- 2. Place syringe tip at surface to be treated.
- 3. Apply light pressure to plastic syringe plunger.
- 4. Lift syringe tip from surface and replace cap.

For Refillable Bait Stations:

To fill the bait stations with ant gel bait:

Insert plunger into the open end of the syringe and remove cap from syringe tip. Place tip of the syringe into the hole in the center of the bait station. Gently apply pressure to the plunger to fill the empty bait station with two grams of bait. The bait station is properly filled when the gel bait reaches the top of the pie-shaped fill level indicator. When bait filling is complete, firmly replace the cap on the tip of the syringe.

For best results:

Place 1 to 4 bait-filled stations indoors and/or outdoors near ant trails, nest sites, points where ants can enter building, or where ants are known to actively forage. Regularly inspect bait stations and refill with gel bait as needed for continuous control of ants.

Important:

Whether applying bait as a syringe or as a bait station, keep a fresh supply of bait available for foraging ants. Scout ants will locate bait and leave a pheromone (scent) trail for other ants to follow in locating the bait. Ants can consume the bait within a matter of a few hours, and they will carry it back to the ant colony where it will be consumed by other ants and ultimately destroy the colony (excludes Fire, Harvester, and Pharaoh Ants).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store in cool, dry place inaccessible to children and pets.

Pesticide Disposal

Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling

Non-refillable Container. Do not reuse or refill the gel bait dispenser. Place empty bait dispensers in trash, offer for recycling, or call your local solid waste authority [or 1-888-xxx-xxxx] for disposal instructions.

[Product], the ALLIANCE FRAME the SYNGENTA Logo and the PURPOSE ICON are Trademarks of a Syngenta Group Company

©201_ Syngenta

For non-emergency (e.g., current product information), call Syngenta Crop Protection at 1-800-334-9481

Manufactured for: Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, North Carolina 27419-8300

Indoxacarb Ant Gel 1502 MAS 0414 AMEND-C APR2017 – sb – 8-7-17 000100-01502.20170411C.INDX_Ant_Gel_AMEND-APR2017.PDF