

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

5/21/2014

Ronald E. Hampton Syngenta Crop Protection, LLC PO Box 18300 Greensboro, NC 27419

re:

HGW86 Fly Bait, EPA Reg. # 100-1541

label notification submitted 4/14/2014 (D# 490313)

stamped notification

Dear Mr. Hampton:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the product listed above. This notification updates the label to reflect transfer of ownership. An alternate brand name is also added (Zyrox Fly Granular Bait). The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Sincerely yours,

Thomas C. Harris

Biologist

Insecticide Rodenticide Branch Registration Division (7505P)

Harris.Thomas@epa.gov

(703) 308-9423

Please read instructions on re	verse befor mpleting for	orm.			<u> </u>			
' '	United Sta	tes			Registratio	n	OPP Identifier Number	
Environmental Protection			ion Agency		Amendment	l l	NOTIFICATION	
Washington, DC 20460			.,	$\frac{1}{x}$	Other			
Application for Pesticide - Section I								
Company/Product Number			EPA Product Manager 3. Proposed Classification					
100-1541			Mr. Tom Harris					
4. Company/Product (Name)			PM# None Restricted					
HGW86 FLY BAIT			PM Team 1					
Name and Address of Applicant (Include ZIP Code)			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i),					
Syngenta Crop Protection, LLC P. O. Box 18300			my product is similar or identical in composition and labeling to:					
Greensboro, NC 27419			EPA Reg. No.					
· ·								
Check if this is a new address			Product Name					
Section - II								
Amendment - Explain below.			Final printed labels in response to					
Resubmission in response to Agency letter dated			Agency letter dated "Me Too" Application.					
Tresubinission in respon	··········· ('	Me 100 Application.						
X Notification - Explain below.			c	Other - Explain below.				
Explanation: Use additional page(s) if necessary. (For Section I and Section II.).								
Syngenta Crop Protection, LLC submits this Notification to add a new Alternate Brand Name (ABN)								
ZYROX® FLY GRANULAR BAIT to HGW86 FLY BAIT (EPA Reg. No.100-1541) (Formerly DuPont EPA								
Reg. No. 352-862) and to revise the labeling to reflect the change in ownership from DuPont to								
Syngenta.								
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the								
confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement								
action and penalties under sections 12 and 14 of FIFRA.								
Section - III								
Material This Product Will Child-Resistant Packaging	Unit Packaging	T: \	Nater Soluble Packa	aina _	2. T	ype of Co	ntainer	
Yes*	Yes		Yes	99			Metal	
x No	X No	[X No				Plastic	
*Certification must	If "Yes" No.	per If "	Yes" !	No. pe			Glass Paper	
be submitted		1		contair	1 -		Other (Specify)	
3. Location of Net Contents In	formation 4.	Size(s) Reta	ail Container		5. Loca	tion of Lat On Labe	pel Directions	
X Label Container 1 lb to 40 lb				٠			ling accompanying product	
6. Manner in Which Label is Affixed to Product Lithograph X Other								
Paper glued Stenciled								
Section – IV								
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application:) Name Title Telephone No. (Include:Area Code)								
Name Ronald E. Hampton Title : Telephone No. (Include: Area Code) Regulatory Product Manager (336) 632-5712-5-5								
Tonaid E. Hampto	11		vn and Garden			(555) 5	c ccc;	
		ertification			······································		6. Date Application	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped)								
both under applicable law.						(Stamped)		
2. Signature 3. Title								
Red Red			latory Product Manager					
			d.hampton@syngenta.com				(,,,	
4. Typed Name								
Ronald E. Hampton, Ph.D.		April 1	April 14, 2014					



Ronald E. Hampton, Ph.D. Regulatory Product Manager Syngenta Regulatory Affairs Professional Products (336) 632-5712 (phone) (336) 632-5688 (fax) ronald.hampton@syngenta.com Syngenta Crop Protection, LLC P.O. Box 18300 Greensboro, NC 27419-8300 www.syngenta.com

FedEx

April 14, 2014

Office of Pesticide Programs (NOTIF) U.S. Environmental Protection Agency 2777 South Crystal Drive Room S-4900, One Potomac Yard Arlington, VA 22202-4501

Attn:

Mr. Tom Harris, PM Team 1, Insecticide/Rodenticide Branch

Registration Division

Subject: NOTIFICATION OF NEW ALTERNATE BRAND NAME (ABN)

ZYROX® FLY GRANULAR BAIT to HGW86 FLY BAIT

EPA REG. NO.100-1541 (Formerly DuPont EPA Reg. No. 352-862)

Dear Mr. Harris.

Syngenta Crop Protection, LLC is submitting a Notification to accomplish the following:

- 1. Add the Alternate Brand Name of ZYROX® FLY GRANULAR BAIT to the subject product registration (EPA approved the transfer of this registration from E. I. DuPont de Nemours and Company [Company 352] to Syngenta [Company No.100] on March 10, 2014).
- 2. Revise the labeling to reflect the change in ownership from DuPont to Syngenta.

The following documents are included in the electronic submission to support the application:

- Application Form 8570-1; and,
- 'Clean' and revised PDF copies of the label (with changes highlighted).

Fees for Services

Syngenta believes that this submission qualifies as a Notification under Pesticide. Registration Notice 98-10, and therefore does not incur a fee under the Pesticide Registration Improvement Act III (PRIA).

I thank you for your time and attention. If you have any questions regarding this application, please contact me at 336-632-5712 or ronald.hampton@syngenta.com or c Pat Eay at 336-632-6746 or pat.eay@syngenta.com.

Kind regards.

Ronald E. Hampton, Ph.D.

Regulatory Product Manager, Lawn & Garden

Syngenta Crop Protection, LLC

Enclosed Information

[Master Label]

GROUP

28

INSECTICIDE

HGW86 FLY BAIT [ABN = ZYROX® FLY GRANULAR BAIT]

Insecticide

A ready-to-use granular fly control bait for use in and around residential, commercial and agricultural structures to control house flies.

Active Ingredient:

Cyantraniliprole*

-3-bromo-1-(3-chloro-2-pyridinyl)-N- [4-cyano-2-methyl-6-[(methylamino)

Other Ingredients

99.5%

Total:

100.0%

HGW86 Fly Bait is a ready-to-use granular bait.

KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. No. 100-1541 [EPA Est. No. placeholder]

[Net Contents placeholder] **Net Contents** [Refillable/Non-refillable Container] NOTIFICATION

MAY 2 1 2014

FIRST AID

HOT LINE NUMBER

For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire or Accident),

Call

1-800-888-8372

PRECAUTIONARY STATEMENTS

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Shirt and long pants.
- Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Runoff may be hazardous to aquatic organisms in water adjacent to use sites.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent-risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of the product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and understand the entire label before using this product.

HGW86 Fly Bait must be used in accordance with the directions for use on this label, in separately issued labeling or exemptions under FIFRA (Supplemental Labels, Special Local Need Registrations, FIFRA Section 18 exemptions, FIFRA 2(ee) Bulletins), or as otherwise permitted by FIFRA. Always read the entire label, including the Limitation of Warranty and Liability.

PRODUCT INFORMATION

HGW86 Fly Bait contains the active ingredient cyantraniliprole in a granular bait formulation for use to control house flies. A fly control program includes identification, inspection, sanitation, mechanical control and control using an insecticide product depending on the conditions and use site. Fly control baits such as HGW86 Fly Bait can be an important tool in the management of fly populations as part of an integrated pest management program.

- Ready-to-use granular bait contains 0.5% cyantraniliprole.
- Controls house flies in and around the outside of structures and protected or enclosed areas.
- Alternative house fly control chemistry for use in IPM and resistance management programs.

APPLICATION USE SITES

- Outdoor areas used for storage of waste in refuse dumpsters that are fenced in or
 inaccessible to children and pets around commercial establishments such as
 restaurants, taverns, hotels, grocery stores, supermarkets, bakeries, warehouses, and
 sports complexes.
- Outdoor areas of commercial operations such as, but not limited to canneries, beverage processing plants, dairy, meat and poultry processing plants, fruit and vegetable processing plants, seafood processing plants, tanneries, rendering plants, grease collection stations, kennels, schools, recycling plants, and military installations.
- Outdoor areas of agricultural animal production facilities such as poultry/broiler houses, walkways of caged layer houses, swine production structures, livestock housing structures, and horse stables.
- Use in indoor areas at all the above described use sites is permitted only if is placed in bait stations, with the exception of walkways within caged layer houses. Refer to Use in Bait Stations section for specific use instructions.

Food/Feed Handling Establishments

(Food/feed handling establishments are places other than private residences in which food/feed is held, processed, prepared or served.)

Specific Restrictions

- Do not make broadcast applications of HGW86 Fly Bait in indoor areas of residential, institutional, public, agricultural buildings/structures and food/feed handling establishments.
- For indoor areas of residential, institutional, public, agricultural buildings/structures, or food/feed handling establishments, HGW86 Fly Bait must be placed in commercially available bait stations designed for granular fly control baits. Indoor use as a scatter bait is permitted only in caged layer poultry houses.
- Do not apply to areas or surfaces where food/feed, food utensils or food processing surfaces may come into contact and become contaminated.

Applications in Nonfood/Nonfeed Areas

HGW86 Fly Bait is approved for use to control house flies in residential structures and the non-food/non-feed areas of commercial, industrial, public, agricultural and institutional buildings/structures, including restaurants, warehouses, food/feed processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, daycares, laboratories, computer facilities, aircraft, buses, boats/ships, trains, pet shops and zoos.

Nonfood/non-feed areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after bottling or canning).

Refer to section below for use directions and restrictions when making applications in food/feed handling areas of Food/Feed Handling Establishments.

Applications in Food/Feed Handling Areas

Application to food/feed areas of food/feed handling establishments may only be made using commercially available bait stations designed for use of granular fly control baits.

Food and feed handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

APPLICATION PROCEDURES AND USE RATES

Broadcast

Broadcast or scatter HGW86 Fly Bait using suitable granular spreader equipment or directly from the container evenly to the target areas. Avoid placing the fly bait granules in piles and scatter as evenly as possible over surfaces.

Apply 0.2 lb (3.2 oz) of HGW86 Fly Bait per 1,000 sq ft when fly populations are low, and use 0.4 lb (6.4 oz) of bait per 1,000 sq ft when populations are high. Reapply bait every 7 days until fly population is at acceptable levels.

Use in Bait Stations

Use commercially available bait stations that are designed to hold granular baits.

Apply 0.2 lb (3.2 oz) of HGW86 Fly Bait when fly populations are low using enough bait stations to make the necessary amount of fly bait available per 1,000 sq ft, and use 0.4 lb (6.4 oz) of bait in bait stations per 1,000 sq ft when populations are high. Replenish bait stations until the fly population is at acceptable levels in the target area.

USE-RESTRICTIONS

- Bait stations must be used when using HGW86 Fly Bait inside single or multi-unit residential structures, commercial establishments, food processing plants, restaurants and animal production facilities.
- When bait stations are being used, place them where the stations are inaccessible to children or pets.
- Do not place bait in areas accessible to food producing animals or animals being grown for food.
- Do not place bait in areas accessible to children and pets.
- Do not use in food/feed areas of food/feed handling establishments unless placed in bait stations designed to hold granular baits.
- Not for use in edible product areas of food processing plants or other areas where food is commercially prepared or processed unless placed in bait stations designed to hold granular baits.
- For outdoor broadcast applications, do not apply more than 2 lb bait/1,000 sq ft/year (equivalent to 0.01 lb ai/1,000 sq ft/year or 0.44 lb ai/Acre/year).
- Do not apply in outdoor areas when raining.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Do not subject to temperatures below 32 degrees F. Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home.

Pesticide Disposal

Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling

[Nonrefillable rigid plastic containers, paper or plastic bags, fiber sacks including Flexible Intermediate Bulk Containers (FIBC) or fiber drums with liners] Nonrefillable container. Do not reuse or refill this container. Completely empty plastic container, paper or plastic bag, fiber sack or drum liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer for recycling if available or dispose of empty plastic container, paper or plastic bag, fiber sack or fiber drum and liner in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances.

[Refillable fiber drums with liners] Refillable container (fiber drum only). Refilling Fiber Drum: Refill this fiber drum with HGW86 Fly Bait containing cyantraniliprole only. Do not reuse this fiber drum for any other purpose. Cleaning before refilling is the responsibility of the refiller. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Disposing of Fiber Drum and/or Liner: Do not reuse this fiber drum for any other purpose other than refilling (see preceding). Cleaning the container (liner and/or fiber drum) before final disposal is the responsibility of the person disposing of the container. Offer the liner for recycling if available or dispose of liner in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner. To clean the fiber drum before final disposal, completely empty the fiber drum by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application or manufacturing equipment. Then offer the fiber drum for recycling if available or dispose of in a sanitary landfill, or by incineration. Do not burn, unless

allowed by state and local ordinances.

[Nonrefillable rigid plastic and metal containers too large to be tipped, rolled or turned upside down] Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying the contents from this container into application equipment or mix tank and before final disposal using the following pressure rinsing procedure. Insert a lance fitted with a suitable tank cleaning nozzle into the container and ensure that the water spray thoroughly covers the top, bottom and all sides inside the container. The nozzle manufacturer generally provides instructions for the appropriate spray pressure, spray duration and/or spray volume. If the manufacturer's instructions are not available, pressure rinse the container for at least 60 seconds using a minimum pressure of 30 PSI with a minimum rinse volume of 10% of the container volume. Drain, pour or pump rinsate into application equipment or rinsate collection system. Repeat this pressure rinsing procedure two more times. Then for Plastic Containers, offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. For Metal Containers, offer for recycling if available, or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For all refillable containers] Refillable container. Refilling Container: Refill this container with HGW86 Fly Bait containing cyantraniliprole only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. Prior to refilling, inspect carefully for damage such as cracks, punctures, abrasions, worn out threads and closure devices. If damage is found, do not use container. Check for leaks after refilling and before transporting. If leaks are found, do not reuse or transport container. Disposing of Container: Do not reuse this container for any other purpose other than refilling (see preceding). Cleaning the container before final disposal is the responsibility of the person disposing of the container. To clean the container before final disposal, use the following pressure rinsing procedure. Insert a lance fitted with a suitable tank cleaning nozzle into the container and ensure that the water spray thoroughly covers the top, bottom and all sides inside the container. The nozzle manufacturer generally provides instructions for the appropriate spray pressure, spray duration and/or spray volume. If the manufacturer's instructions are not available, pressure rinse the container for at least 60 seconds using a minimum pressure of 30 PSI with a minimum rinse volume of 10% of the container volume. Drain, pour or pump rinsate into application equipment or rinsate collection system. Repeat this pressure rinsing procedure two more times. Then, for Plastic Containers, offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances. For Metal Containers, offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Product name], the ALLIANCE FRAME, the Syngenta Logo and the PURPOSE ICON are Trademarks of a Syngenta Group Company

©201_ Syngenta

For non-emergency information (e.g., current product information), call Syngenta Crop Protection at 1-800-334-9481

Manufactured for: Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, North Carolina 27419-8300