



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 30, 2021

Mr. Ronald E. Hampton, Ph.D.
Senior Regulatory Product Manager
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419

Subject: PRIA Label and CSF Amendment – Approval for Addition of Control Claims
Against American Cockroaches; Outdoor Uses; and New Alternate CSF #1
Product Name: Advion® Trio
EPA Registration Number: 100-1679
Application Date: May 12, 2021
Decision Number: 575942

Dear Mr. Hampton

The amended label and CSF referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 8/18/2020
- Alternate CSF #1 dated 3/2/2021

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process.

Page 2 of 2
EPA Reg. No. 100-1679
Decision No. 575942

Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Mr. Carmen J. Rodia, Jr. by phone at (703) 306-0327, or via email at Rodia.Carmen@epa.gov.

Sincerely,



Tamica L. Cain, Acting Product Manager 10
Invertebrate & Vertebrate Branch 2
Registration Division (7505P)

*Enclosures: Stamped "Accepted" Master Label, September 30, 2021
Efficacy Review, dated September 23, 2021
Product Chemistry Review, dated September 21, 2021*

{Master Label – Unless otherwise noted, all text shown prior to the start of sub-label A will be present on both sub-label A and sub-label B when printed.}

INDOXACARB	GROUP	22A	INSECTICIDE
NOVALURON	GROUP	15	INSECTICIDE
PYRIPROXYFEN	GROUP	7C	INSECTICIDE

Advion® Trio

INSECTICIDE

{Optional Descriptors} [Bait Solution][Cockroach Gel Bait][Cockroach Gel]

[FOR USE IN COMMERCIAL, INDUSTRIAL, INSTITUTIONAL, AGRICULTURAL AND RESIDENTIAL AREAS] {Sub-Label A}

[FOR USE IN RESIDENTIAL AREAS] {Sub-Label B}

Active Ingredient:

Indoxacarb*: 0.6%

Novaluron**: 0.1%

Pyriproxyfen***: 0.1%

Other Ingredients 99.2%

Total: 100.00%

*CAS No. 173584-44-6

**CAS No. 116714-46-6

***CAS No. 95737-68-1

Advion® Trio is formulated as a ready-to use bait and contains 0.006 lb of Indoxacarb, 0.001 lb Novaluron, and 0.001 lb Pyriproxyfen per pound of product.

KEEP OUT OF REACH OF CHILDREN.

CAUTION/PRECAUCIÓN


[Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)]

See additional Precautionary Statements and Directions for Use inside [booklet] [leaflet].

EPA Reg. No. 100-1679

EPA Est.

Net Contents



[Batch Code: _____] (*For nonrefillables only.*)

TABLE OF CONTENTS

1.0 FIRST AID

PRECAUTIONARY STATEMENTS

2.0 PRECAUTIONARY STATEMENTS

- 2.1 Hazards to Humans and Domestic Animals
- 2.2 Personal Protective Equipment (PPE)
- 2.3 Environmental Hazards
- 2.4 Physical or Chemical Hazards

DIRECTIONS FOR USE

3.0 PRODUCT INFORMATION

- 3.1 Resistance Management Recommendations
- 3.2 Food Handling Establishments
 - 3.2.1 Applications in Food/Feed Handling Areas
 - 3.2.2 Use Restrictions for Food/Feed Handling Establishments
 - 3.2.3 Applications in Non-Food/Non-Feed Handling Areas
- 3.3 Application in Livestock/Poultry/Companion Animal Housing
 - 3.3.1 Use Restrictions for Livestock/Poultry/Companion Animal Housing

4.0 APPLICATION DIRECTIONS

- 4.1 Methods of Application
 - 4.1.1 Indoor Application
 - 4.1.2 Outdoor Application
 - 4.1.3 [Wax Paper Application]
 - 4.1.4 [Vertical Applications]

5.0 RESTRICTIONS

- 5.1 Use Restrictions

6.0 PEST CONTROL USE DIRECTIONS

7.0 STORAGE AND DISPOSAL

8.0 CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

FIRST AID

PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

- Hazards to Humans and Domestic Animals
- Personal Protective Equipment (PPE)
- Environmental Hazards
- Physical or Chemical Hazards

DIRECTIONS FOR USE

PRODUCT INFORMATION

USE RESTRICTIONS

APPLICATION DIRECTIONS

Indoor Application
Outdoor Application
How to Apply Advion Trio
[Wax Paper Application]

STORAGE AND DISPOSAL

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

{SUB-LABEL A: COMMERCIAL USE LANGUAGE}

1.0 FIRST AID

FIRST AID
Have the product container or label with you when calling a poison control center or doctor or going for treatment.
HOTLINE NUMBER For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372

PRECAUTIONARY STATEMENTS

2.0 PRECAUTIONARY STATEMENTS

2.1 Hazards to Humans and Domestic Animals

CAUTION/PRECAUCIÓN

Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

2.2 Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks

2.3 Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment wash water or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 24 hours. Rinsing application equipment over the treated areas will help avoid runoff to water bodies or drainage systems. **DO NOT** apply to any impervious surfaces which may contact or lead directly to surface water, storm drains, or urban runoff conveyance systems (gutters).

2.4 Physical or Chemical Hazards

DO NOT use this product in or on electrical equipment where a possibility of shock hazard exists. **DO NOT** mix or allow to come into contact with an oxidizing agent. Hazardous chemical reaction may occur.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product. Syngenta will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated on this label or other labels or bulletins published by Syngenta. User assumes all risks associated with such non-specified use.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL AND/OR ILLEGAL RESIDUES.

3.0 PRODUCT INFORMATION

Use Advion Trio as a spot, void, or crack-and-crevice treatment for indoor and outdoor control of cockroaches including, but not limited to German, American, and Oriental cockroaches.

Advion Trio can be used in residential areas and in both the food and non-food/non-feed areas of institutional, warehousing and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, sewers, aircraft, buses, boats/ships, trains, homes, industrial buildings, office buildings, kennels, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops, and zoos.

For best management practices, use bait as part of an overall Integrated Pest Management (IPM) program including use of non-repellent residual products and complementary insecticide baits.

This product may be used in food/feed areas of food/feed handling establishments as outlined in **Section 3.2** titled "Food Handling Establishments."

3.1 Resistance Management Recommendations

For resistance management, please note that Advion Trio contains Group 22A, Group 15 and Group 7C insecticides. Any insect population may contain individuals naturally resistant to Advion Trio and other Group 22A, Group 15, or Group 7C insecticides. The resistant individuals may dominate the insect population if these insecticides are used repeatedly in the same treated areas. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of this product or other Group 22A, Group 15, and Group 7C insecticides with different groups that control the same pests.
- Adopt an integrated pest management program for pesticide use that includes scouting, uses historical information related to pesticide use, record keeping, and which considers biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local Syngenta representative, retailer, or extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area. For further information or to report suspected resistance contact Syngenta at 1-866-SYNGENT(A) (866-796-4368).

Syngenta encourages responsible product stewardship to ensure effective long-term control of the insects on this label.

3.2 Food Handling Establishments

Food-handling establishments are places other than private residences in which food is held, processed, prepared, or served.

3.2.1 Applications in Food/Feed Handling Areas

Applications to food/feed areas of food/feed handling establishments may only be made as a crack-and-crevice or void treatment. Apply Advion Trio directly into and along cracks and crevices or into voids where cockroaches are found, are entering, or likely to harbor.

Food and feed handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed handling area when food is uncovered and the facility is in operation.

3.2.2 Use Restrictions for Food/Feed Handling Establishments

- **DO NOT** apply Advion Trio to areas where food/feed, food utensils, or food processing surfaces may come into contact and become contaminated.
- **DO NOT** apply Advion Trio to surfaces that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation surfaces, and holding surfaces for prepared foods.
- **DO NOT** apply Advion Trio to surfaces where the temperature exceeds 120-130°F because this could cause the bait to liquefy and lose effectiveness.
 - Examples include, but are not limited to, parts of stoves, ovens, grills, fume hoods, saunas, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.

3.2.3 Applications in Non-Food/Non-Feed Handling Areas

Advion Trio is designed to be used as a spot, crack-and-crevice, or void treatment in non-food areas such as behind baseboards, behind cabinetry, under shelves/racks, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and

bases, around plumbing pipes, doors and windows, and behind and under appliances, cabinets, and sinks, in closets, and in other locations where cockroaches are typically known to hide.

Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage rooms (after canning or bottling). If making applications in food/feed handling areas, refer to **Section 3.2.1** above: Applications in Food/Feed Handling Areas.

3.3 Application in Livestock/Poultry/Companion Animal Housing

- Apply Advion Trio as a spot, crack-and-crevice, and/or void treatment to kill cockroaches inhabiting animal rearing or holding facilities.
- Apply bait in and around locations of the structure beyond the reach of animals.
- Inspect bait placements periodically for consumption or attractiveness and re-apply as needed. In facilities where cockroach populations are large, it is important to replenish bait as needed.
- Placements of bait that become covered in dust may need to be replaced to maintain effectiveness.
- See **Sections 4.0** and **6.0** for details on where to apply and how much bait to use.

3.3.1 Use Restrictions for Livestock/Poultry/Companion Animal Housing

- **DO NOT** place bait within the reach of animals.
- **DO NOT** apply bait to any animal feedstuffs, water, or watering equipment.
- **DO NOT** contaminate any animal food, feed, or water in and around livestock, poultry, or companion animal housing when making applications.

4.0 APPLICATION DIRECTIONS

4.1 Methods of Application

4.1.1 Indoor Application

Apply Advion Trio as a crack-and-crevice, spot, and/or void application to areas frequented by cockroaches such as between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances, cabinets and sinks, within or near garbage collection areas, in closets, attics, crawl spaces, and any other areas where cockroaches are typically known to hide.

4.1.2 Outdoor Application

Apply Advion Trio as a spot or thin bead to pest entry sites such as along windows and doors, between construction elements, drains leading to sewers, adjacent trees which harbor cockroaches, along walls, in garbage holding areas, or other sites acting as cockroach harborage. Inspect Advion Trio bait placements periodically for consumption or attractiveness and re-apply as needed.

4.1.3 [Wax Paper Application]

[For applications under appliances or other similar hard-to-reach areas, application using wax paper or cardboard as a substrate may improve the convenience of application and the inspection of bait placements. This method consists of cutting wax paper or cardboard into squares (approximately 2-3" x 2-3"), folding into a triangle and applying the bait into the fold of the wax paper or cardboard triangle. The wax paper or cardboard square with the bait can be placed under appliances or in other hard-to-reach areas. The wax paper or cardboard placements should be inspected and removed when bait is consumed or replenished as needed.]

4.1.4 [Vertical Applications]

[For applications to vertical surfaces such as walls and sides of appliances, masking/painter's tape may be used. Put the tape on first and then apply the bait to the tape surface. When it is time to replace the bait, simply peel the tape away and repeat with new tape and fresh bait.]

5.0 RESTRICTIONS

5.1 Use Restrictions

- **DO NOT** treat areas that are easily accessible to children, pets, livestock, or zoo animals.
- **DO NOT** apply to food preparation surfaces. Keep gel away from foods and food contact surfaces.
- **DO NOT** apply Advion Trio to surfaces recently treated with repellent residual sprays
- **DO NOT** apply repellent residual sprays to Advion Trio bait placements.
- **DO NOT** apply to cockpit areas of aircraft.
- **DO NOT** apply to humans, animals, clothing, or bedding.

6.0 PEST CONTROL USE DIRECTIONS

Use good application practices to avoid movement of Advion Trio to exposed surfaces used for food preparation. If Advion Trio contacts a food preparation surface, first remove as much of the gel bait as possible, then wash with soap and water. Inspect Advion Trio placements periodically for consumption or attractiveness and reapply as needed.

- Infested areas must be carefully inspected to determine overall infestation levels, locations of harborage areas, and the most appropriate application points.
- Several small spot (approximately 1/4" in diameter or 0.5 grams) or bead applications distributed within an area are generally more effective than 1 or 2 applications of larger quantities.
- In some cases, a small thin bead (less than 1/8" wide and 2" long) may be appropriate such as along or between construction elements or other cracks and crevices.

Treatment Rates for All Uses		
Cockroach Infestation Level	Treatment Rate/10 linear feet	Specific Instructions
Light to Moderate infestations	1 to 3 spots	Each spot of Advion Trio should be approximately 1/4" in diameter (approximately 0.5 grams).
Heavy infestations or control of larger cockroach species	3 to 5 spots	Alternately, apply as a small, thin bead (less than 1/8" wide and 2" long).

7.0 STORAGE AND DISPOSAL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Keep this product in its tightly closed original container, when not in use. **DO NOT** use this product in or on electrical equipment where a possibility of shock hazard exists. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL

Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Non-refillable Container: Do not reuse or refill this container. Offer for recycling if available. Place empty bait dispensers in trash. If partially filled, wrap in newspaper and discard in trash or call your local solid waste authority for disposal instructions.

8.0 CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller.

To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

{End of SUB-LABEL A: COMMERCIAL USE LANGUAGE}

{SUB-LABEL B: CONSUMER USES}

FIRST AID

FIRST AID
Have the product container or label with you when calling a poison control center or doctor or going for treatment.
HOT LINE NUMBER For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372

PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION/PRECAUCIÓN

Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment wash water or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 24 hours. Rinsing application equipment over the treated areas will help avoid runoff to water bodies or drainage systems. **DO NOT** apply to any impervious surfaces which may contact or lead directly to surface water, storm drains, or urban runoff conveyance systems (gutters).

Physical or Chemical Hazards

DO NOT use this product in or on electrical equipment where a possibility of shock hazard exists. **DO NOT** mix or allow this product to come into contact with an oxidizing agent. Hazardous chemical reaction may occur.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product. Syngenta will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated on this label or other labels or bulletins published by Syngenta. User assumes all risks associated with such non-specified use.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR INSECT CONTROL AND/OR ILLEGAL RESIDUES.

PRODUCT INFORMATION

This ready-to-use gel bait formulation is effective at killing cockroaches including, but not limited to German, American, and Oriental cockroaches in and around homes and residential structures.

USE RESTRICTIONS

- **DO NOT USE** IN AREAS EASILY ACCESSIBLE TO CHILDREN AND PETS.
- **DO NOT** treat food preparation surfaces. Keep gel away from foods and food contact surfaces.
- **DO NOT** apply gel bait to areas which have been recently sprayed with insecticides, and **DO NOT** spray insecticides over gel bait as this may cause the bait to become unattractive.
- **DO NOT** apply bait to surfaces that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation surfaces and prepared food holding surfaces.
- **DO NOT** apply bait to surfaces where the temperature exceeds 120-130°F as bait may liquefy. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.

APPLICATION DIRECTIONS

Indoor Application

Use indoors in kitchens, bathrooms, basements, garages, and laundry rooms as a crack-and-crevice or spot treatment application. Apply to areas frequented by cockroaches such as openings leading to voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances and cabinets where cockroaches are typically known to hide.

Several small applications distributed within an area are more effective than 1 or 2 applications of large quantities. In some cases, a small, thin bead (less than 1/8" wide and 2" long) may be appropriate such as along or into cracks and crevices.

Outdoor Application

Advion Trio may be applied as a spot or thin bead to pest entry sites such as along windows, doors, and walls, around utility penetrations, in garbage holding areas, and any other locations where cockroaches are typically known to hide. Inspect Advion Trio bait placements periodically for consumption or attractiveness and re-apply as needed.

How to Apply Advion Trio

For light to moderate cockroach infestations, apply 1 to 3 spots of this gel bait per 10 linear feet or one square yard. For heavy infestations or larger cockroaches, use 3 to 5 spots of gel bait per 10 linear feet or one square yard. Each bait spot should equal about 0.5 grams (1/4" diameter spot).



Figure 1: Spot of gel bait approx. 0.5 gram

Inspect placements of gel bait periodically and apply fresh bait as needed.

For bait spots:

- Remove cap from syringe tip.
- Place syringe tip at the surface to be treated.
- Apply light pressure to the plunger of the syringe.
- After dispensing gel bait, replace cap on syringe tip.

If Advion Trio contacts a surface where food is prepared, first remove as much of the gel bait as possible, then wash with soap and water.

If needed, gel bait deposits may be cleaned up with a damp paper towel, or, if dried, use a putty knife to scrape and discard in trash.

[Wax Paper Application]

[For applications under appliances or other similar hard-to-reach areas, application using wax paper or cardboard as a substrate may improve the convenience of application and the inspection of bait placements. This method consists of cutting wax paper or cardboard into squares (approximately 2-3" x 2-3"), folding into a triangle and applying the bait into the fold of the wax paper or cardboard triangle. The wax paper or cardboard with the bait can be placed under appliances or in other hard-to-reach areas. The wax paper or cardboard placements should be inspected and removed when bait is consumed or replenished as needed.]

STORAGE AND DISPOSAL

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

PESTICIDE STORAGE

Keep this product in its tightly closed original container, when not in use. **DO NOT** use this product in or on electrical equipment where a possibility of shock hazard exists. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL

Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Non-refillable Container: Do not reuse or refill this container. Offer for recycling if available. Place empty bait dispensers in trash. If partially filled, wrap in newspaper and discard in trash or call your local solid waste authority for disposal instructions.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE**

USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

{End of SUB-LABEL B: CONSUMER USES}

Advion[®], the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company

©20XX Syngenta

For non-emergency (e.g. current product information), call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300

Advion Trio 1679 MAS 0221 AMEND-B MAY2021-CL -jd-9/28/21
000100-01679.2021.0510B.AdvionTrio_AMEND MAY2021-CL

{Optional Marketing Claims:}

{Use Related}

- Use in cracks and crevices
- Use in cracks and crevices against German, American and Oriental cockroaches
- For hard-to-reach places [such as cracks and crevices]
- Ready to use
- Easy to use [apply] [nothing to activate]
- Designed [Ideal] for use in kitchens
- Kills [German, American and Oriental] cockroaches where you can't find them
- Kills [German, American and Oriental] cockroaches you don't see
- Kills [German, American and Oriental] cockroaches you see and [even] those you don't
- Kills [German, American and Oriental] cockroaches
- Gets bait where [German, American and Oriental] cockroaches live
- Easy [way] to apply bait
- Where to use: Inside homes and other [buildings] [structures] where [German, American and Oriental] cockroaches have infested or where they travel to seek food, water, or shelter.
- When to use: When [German, American and Oriental] cockroaches are observed or there is evidence of an infestation inside homes and buildings.

{Formulation/Applicator Related}

- Contains [2] [Two] Insect Growth Regulators [IGRs]
- Effectively kills without fumes or odor
- No messy residue
- No mixing required
- Precision syringe applicator
- Convenient [syringe] applicator
- Contains [2][Two] powerful insect growth regulators
- Contains a chitin synthesis inhibitor
- [Triple][Three] modes of action

{Efficacy Related}

- Kills German, American, and Oriental cockroaches

UNIT LABEL FOR Advion Trio

{Applicable for both commercial and consumer products}

Advion® Trio

1.06 oz. (30g) Net Weight

Non-refillable Container

Contains 0.6% Indoxacarb, 0.1% Novaluron, and 0.1% Pyriproxyfen

OTHER INGREDIENTS: 99.2% TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

For 24-Hour Medical Emergency Assistance (Human or Animal)

Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)

Call 1-800-888-8372.

Refer to the full label for use directions, additional precautionary statements and First Aid.

EPA Reg No. 100-1679

EPA Est.

{Syringe label is anticipated to be approximately 3" x 3.5"}

{Lot number to be printed on the syringe or on the syringe label}